



ProGARM[®]
PROTECTING LIVES

ARC FLASH & FLAME RESISTANT GARMENTS

2026

TRUST THE ARC FLASH SPECIALISTS
WWW.PROGARM.COM

EDITION 2

7 REASONS TO CHOOSE PROGARM TODAY

01

WE'RE THE ARC FLASH SPECIALISTS

We are 100% focused on Arc Flash and flame resistant clothing. When the lives of your team are at risk, isn't it better to trust a specialist?

02

INHERENT PROTECTION

Our unique VXS+ fabric is 100% inherent. This means the very fibres provide flame resistant protection for the life of the garment.

03

DURABILITY MATTERS

We're so confident that our Arc Flash garments last up to 70% longer than other leading brands that we provide a Lifetime Seam Guarantee.

04

QUALITY ASSURANCE

We hold ISO 9001 for Quality Management and Module D accreditation for our supply chain, demonstrating our absolute commitment to production quality at every stage.

05

RELIABLE SUPPLY CHAIN & MANUFACTURING

Our European manufacturing and large UK stockholding mean you can rely on us for consistent, on-time delivery. We maintain full control over quality, lead times, and flexibility to keep your workforce protected without delays.

06

PRACTICALLY PERFECT

Soft fabrics and handy pockets are for more than just style; your team are far more likely to wear the right PPE if they're comfortable and the garments are practical while working.

07

WE KEEP INNOVATING

As the industry leaders in innovation, we're always working to make good things better and are constantly working on the next generation of Arc Flash protection. Constant innovation keeps us well ahead of the pack.

CONTENTS

04	About ProGARM	50	Navy Colour Collection
05	Our History	56	Hi-Vis Orange Collection
06	European Manufacturing	66	Hi-Vis Yellow Collection
07	Proven Practices	74	Two Tone Colour Collection
08	Fabric Technologies	80	Baselayer Collection
10	Female Fits	86	Sustainable Collection
11	Innovation	90	Head Protection
12	Our Safety Worldwide	96	Accessory Range
14	Arc Flash Insights	100	EN Standards
15	Industry Challenges	102	Wearer Fit Guides
16	How We Do Things	114	Product Matrix
18	Developing Together		
19	Sectors We Work In		
20	Sustainability		
22	Gen 2 Collection		
38	Gore-Tex Pyrad® Stretch Waterproof		
44	Arc Rated Switching Suit With Pyrad® Technology By Gore-Tex LABS		



ABOUT PROGARM

PROVIDING THE HIGHEST QUALITY ARC FLASH & FR PPE WHEN SAFETY IS PARAMOUNT

ProGARM was established with a clear mission: to provide the highest quality Arc Flash and flame resistant protective clothing to industries where safety is paramount.

From inception, we set out to innovate and improve upon existing protective garment technology, focusing on ultimate comfort, long-lasting wear, and superior protection.

We work with leading innovative fabric manufacturers to develop fabrics for performance, build garments for durability and comfort, and validate protection through stringent testing to relevant standards. Each product is traceable, repeatable, and built to perform in real-world conditions.

OUR VALUES GUIDE HOW WE WORK:

RESPONSIBILITY:

End-to-end ownership from design and materials to delivery and aftercare.

HONESTY:

Providing clear technical information and practical guidance, always focused on doing the right thing.

PASSION:

We approach with enthusiasm and relentless improvement driven by feedback from the field.

ATTITUDE:

Humble, hungry, and focused on solving problems efficiently.

INITIATIVE:

We deliver proactive support, training, and availability when operations can't slow down. We make things happen.

We support a range of sectors, including utilities, rail, manufacturing, and construction, to help teams select the right protection for their work environments.

PROGARM QUALITY THE FACTS

- ✓ 100% focused on Arc Flash & FR clothing
- ✓ 21 years protecting workers in high-risk industries
- ✓ 30+ countries supplied worldwide
- ✓ 1000+ customers supplied across the globe
- ✓ Same-day dispatch on stocked products to keep critical teams moving
- ✓ ISO14001 / ISO9001 / ISO27001 & Module D
- ✓ 250k users protected so far this year
- ✓ European factory in Bulgaria with over 100 employees

OUR HISTORY

2005

Workwear division created as Askas

2007

The ProGARM brand launched to meet demand for certified, comfortable FR clothing

2008

Tony Arnett joins, sharpening focus on Arc Flash and FR protection

2010

Supplying blue-chip clients including Balfour Beatty, Wincanton & Certas Energy

2013

Askas sold to focus solely on Arc Flash protection

2014

First major contract win: Amey (£850k)

2020

Adapted during COVID to support customers and protect jobs. Expanded product innovation and international reach

2022

Opened our own factory in Bulgaria

2023

Partnership with GORE-TEX® – one of only three approved licensees in Europe

2024

Set up ProGARM German entity to provide PPE to the DACH region

2025

Launched our Gen 2 product range



EUROPEAN MANUFACTURING

**EVERY PRODUCT WE PROVIDE
IS DESIGNED & MANUFACTURED
IN-HOUSE BY OUR OWN EXPERT TEAMS**

OUR MANUFACTURING JOURNEY BEGAN IN 2021 WITH AN AMBITION TO ESTABLISH OUR OWN FACTORY.

It was a bold step, driven by our commitment to delivering the fastest lead times in the industry and uncompromising quality for our customers. By 2022, that vision became a reality with the opening of our factory in Bulgaria.

Since then, we've built a team of over 100 people and achieved full certification. Taking full control of our production means we manage everything from materials to transport, giving us complete oversight of the manufacturing cycle. This results in a reliable supply for our customers, consistent quality, and resilience against the supply chain challenges that affect others.



FULL CONTROL OF THE SUPPLY CHAIN



HIGH-QUALITY PRODUCTS



LESS ADMIN



LESS WASTE



*Scan the QR code
and see our factory
in action.*

PROVEN PRACTICES

OUR PROVEN PRACTICE FOR HIGH SAFETY STANDARDS

**THERE ARE TWO TEST METHODS COMMONLY REFERRED TO
UNDER THE IEC 61482-2: 2018 EUROPEAN STANDARDS:
PROGARM GARMENTS ARE TESTED USING BOTH METHODS.**

THE BOX TEST - IEC 61482-1-2

The Box test is the most widely used method for testing Arc Flash protective clothing. It replicates real-life arc fault conditions to check how clothing performs when it matters most.

WHERE IT'S USED:

- ✓ Energy suppliers & grid operators
- ✓ Medium & low-voltage plants
- ✓ Switchgear construction & maintenance
- ✓ Railway technology & municipal utilities

WHY IT MATTERS:

- ✓ Complies with DIN EN 61482-1-2 – meets strict European safety standards
- ✓ Tests full garments – not just fabric, but seams, zips, fasteners & accessories
- ✓ Real-world safety – proves protection under thermal and arc fault stress

WHAT TO LOOK FOR:

Certified PPE is marked with:

- ✓ Protection class (APC1/ Class 1 or APC2/ Class 2)
- ✓ Standard reference (DIN EN 61482-1-2)
- ✓ Compatibility details (e.g. gloves, helmets, visors)

OPEN ARC TESTING - IEC 61482-1-1

The Open Arc test (IEC 61482-1-1) assesses the performance of protective clothing under an open electrical arc, a type of exposure that workers may encounter in real-world industrial environments.

Unlike the Box test, which uses a confined space, the Open Arc test measures the Arc Thermal Performance Value (ATPV/ELIM) of a fabric or garment, showing exactly how much energy it can withstand before a burn occurs.

This provides quantitative, globally comparable data that helps employers select the right PPE for both local and international standards, ensuring workers are protected in extreme conditions.

OPEN ARC TESTING BOX TEST

INNOVATION

AT PROGARM, WE LEAD WITH INNOVATION & CONTINUALLY SEEK WAYS TO ADVANCE ARC FLASH PROTECTIVE WEAR INTO THE FUTURE

That means developing our exclusive VXS+ inherent fabrics for unmatched protection and comfort, working with GORE-TEX® to deliver breathable, weather-resistant solutions, and designing inclusive fits so every worker has PPE they can rely on.

And we're not stopping there, we're constantly exploring new materials and smarter design approaches to make our products perform even better, keeping workers safer than ever before.

VXS+ INHERENT FABRICS PROVIDE THE ULTIMATE PROTECTION.



Unlike chemically treated fabrics, the very fibres of inherent fabrics are flame resistant, and because that protection doesn't wash out, the wearer stays safe throughout the garment's life.

For decades, flame resistant garments have meant uncomfortable, heavyweight cotton drill fabrics that would shrink extensively with washing. This all changed with the introduction of our VXS+ inherent fabric.


✓ INSTANT EXTINGUISHING PROPERTIES

The fibre blend of our VXS+ inherent fabrics offers outstanding performance compared to more expensive aramid fabrics.



✓ GREAT COMFORT

Using advanced textile technology, all of our products are designed for optimum softness, breathability and comfort.



✓ HIGHLY DURABLE

After 50 industrial washes, our garments outlive, outshine and outclass the competition in durability, appearance and strength, with excellent colour fastness and less than 3% shrinkage.



GORE-TEX® TECHNOLOGY

**WE ARE PROUD TO BE ONE
OF ONLY THREE APPROVED
LICENSEES IN EUROPE USING
INNOVATIVE GORE-TEX PYRAD®
STRETCH TECHNOLOGY**

**This innovative technology allows us to create garments
that stay lightweight and comfortable when wet or dry.**

GORE-TEX® fabric is engineered so that sweat vapour can escape, to avoid a build-up of heat and perspiration, and can also easily withstand high water pressure and severe mechanical stress over many years. With this level of comfort and protection, workers can focus on the job at hand and work for long periods outdoors in tough conditions.



DURABLY WATERPROOF

GORE-TEX PYRAD® Stretch keeps out wind and rain, helping wearers stay warm and dry without sacrificing safety with quick re-dry times.



ARC RATED PROTECTION

On arc exposure, GORE-TEX PYRAD® Stretch fabric blocks heat flow and prevents flames from spreading by forming a protective char layer. This keeps the fabric intact and reduces heat transfer to the skin.



LIGHTWEIGHT

Up to 45% lighter than comparable garments, this range is designed to provide the ultimate lightweight flexibility and comfort, even when wet.



BREATHABLE

The double-layer fabric technology reduces the build-up of heat and perspiration so that moisture can escape for extra comfort.



STRETCH

Designed to increase freedom of movement for unrestricted bending, stretching and kneeling.



ARC RATED
GORE-TEX
PYRAD® STRETCH
PRODUCT TECHNOLOGY

FEMALE FITS

WE BELIEVE EVERYONE DESERVES PPE THAT FITS

For too long, women in industries like utilities, construction, and power generation have had to make do with kit designed for men.

Not only is that uncomfortable, but it can also put them at greater risk. We've changed that.

What makes our approach different is that our women's range is designed by female designers who know first-hand what matters. They think about the details, like how garments move with the body, where protection panels sit, and how to balance safety with comfort. That's why our range is one of the most inclusive out there, from coveralls and trousers to base layers and even the world's first Arc Flash bra.

By offering inclusive fits across a wide variety of sizes and lengths, ProGARM helps businesses protect every member of their workforce equally.

Chantelle
National Gas Transmission

// For 8 years, I wore men's PPE, which meant when ordering the right chest size, the sleeves and legs were too long, or the crotch sat far too low. After trialling ProGARM women's PPE, the difference was remarkable. A perfect fit, lighter fabric and much more comfort and freedom to move. //



OUR INNOVATION DOESN'T STOP **HERE**

AT PROGARM, WE NEVER STAND STILL

We're always looking for ways to improve our PPE, whether that's enhancing comfort, improving protection, or finding smarter design solutions.

Innovation is at the heart of everything we do, and it's driven by one clear focus: **keeping people safe.**

A big part of that comes from working closely with our customers. By listening to their experiences and understanding the challenges they face every day, we're able to design PPE that really works for them. That collaboration means our garments aren't just technically advanced, but they are also practical, comfortable, and built around the needs of the people who wear them.

HOW WE DO THIS:

92%

Wearer trials win
rate due to product
quality/comfort




Regular check-ins
with customers
& distributors




Working with like-minded
companies to continuously
learn & evolve

INNOVATION
DOESN'T STOP

OUR SAFETY WORLDWIDE



From Europe, the Middle East, and beyond, we support customers operating across the world. Our products are trusted to keep teams safe wherever the job takes them. Below is a snapshot of our global reach in action.



ARC FLASH INSIGHTS

SOME FACTS ABOUT ARC FLASH

An Arc Flash occurs when an electrical discharge travels through the air and releases an intense burst of energy. This flash can cause serious and fatal harm to anyone caught by it.

An electric arc, also known as an arc discharge, occurs when an electrical discharge or short circuit moves through the air. Voltage spikes, worn connections, cable strikes or gaps in insulation are just some of the reasons why an Arc Flash occurs. A flash of intense energy is the result.

The energy expelled by an Arc Flash event can be deadly, with temperatures reaching up to 35,000°F or more than 19,000°C. It goes without saying; this can burn clothing and human skin within fractions of a second, even if the operative is situated five or six metres away from the Arc Flash event.

An Arc Flash can result in an explosive pressure wave that can throw workers across the room and a sound blast that can rupture eardrums. It is also accompanied by a bright flash which can cause temporary or even permanent blindness. Not only this but blast vaporises metal and sends particles at speeds of 700MPH which can penetrate the body like shrapnel.



4 times hotter than the sun



2/3 of arc incidents are as a result of human error



Droplets of molten metal move at 700MPH



Copper expands at 67,000 times its volume during an Arc Flash.

A small pea-size piece of copper can expand to the size of a bus!



Availability & Supply Chain

Downtime costs lives and money. When PPE isn't available, workers are left exposed. Reliable supply is critical, anything less is a risk no business can afford.

Comfort VS Protection

Teams are often forced to choose between staying safe and staying comfortable. Discomfort leads to shortcuts, and shortcuts cost lives. Our garments are made with both safety and comfort in mind.

Fit & Inclusivity

For too long, female professionals have had to compromise with ill-fitting PPE. A poor fit is not only uncomfortable but it also reduces protection and increases risk.

Awareness & Training Around Arc Flash

Arc Flash isn't widely understood. Without awareness and training, the danger is underestimated, and PPE is misused, leaving workers vulnerable to major injury.

We make it our mission to ensure our customers teams are fully aware of the dangers on the job and prioritise education on Arc Flash risks.

We can provide hands-on workshops focused on the risks of incidents in your sector and explain how wearing the correct layers of PPE is essential. See how we did this for Crown Highways via the QR code below.

Complex Compliance & Standards

Multiple regulations, evolving standards, and different industry requirements create confusion. Misinterpretation leads to mistakes and mistakes when it comes to Arc Flash, aren't minor.

Correct Usage of PPE

Even the most advanced PPE can't protect if it's not worn correctly. Every unfastened zip, every missed layer, increases exposure to life-threatening risk. Our team always aim to educate users on the importance of layering, correct cal rating and ensuring you're fully covered.

Durability & Lifecycle

PPE that breaks down too quickly creates exposure, extra cost, and waste. Long-lasting protection is the only answer and our products last up to 70% longer than other leading brands. In fact, we're that confident, we offer a Lifetime Seam Guarantee.

Risk Assessments & Hazard Levels

Without accurate assessments, workers are left either under-protected or over-specified. Both are dangerous, both are costly, but both are avoidable. Our team are on hand to support with PPE audits and assessments to ensure your team have the right kit for the job.



Scan the QR code for case studies, whitepapers & E-learning

HOW WE DO THINGS

PROGARM QUALITY

As well as improving safety, our continuous focus on quality means our garments lead the way in comfort, practicality and durability, giving you outstanding value for money by standing up to the rigours of everyday use for longer.

PRODUCT DEVELOPMENT

We listen to our customers and end users, taking on board feedback and suggestions to develop all our styles, ranges and innovations.

UNIQUE PROGARM DESIGNS

Developing our own designs means we can constantly innovate and improve. We can also accommodate any special design requirements that you need.

ISO9001 & MODULE D

As well as ISO9001, we are Module D accredited, demonstrating our commitment to high quality standards throughout our supply chain.

The Result:

- ✓ Better materials
- ✓ Efficient manufacturing
- ✓ An outstanding customer product

TOP CLASS PRODUCTION

We don't compromise.
Every garment is built to protect, perform and to last.

100%

Focused on Arc Flash & Flame resistant safety wear

Committed to innovation & durability

Dedicated to quality control

COST IN USE CASE STUDY: CONSTRUCTION COMPANY

Our garments are built tough, with built-in arc protection and materials that can handle repeated industrial washes and the harshest conditions. That means fewer replacements, less downtime, and real savings over time.

In short: your team stays protected, your operations run smoother, and your budget stretches further. With ProGARM, you're investing in safety that lasts day in, day out. See opposite a real-life example of how our garments save money for our customers in the long run.

Cost in Use Case Study	Competitor Product	ProGARM Product
Number of Wearers	1,000	1,000
Average Garment Lifespan	24 Weeks	43 Weeks
Price Per Garment	£76.95	£97.30
Total Annual Spend	£166,725	£117,665
Total Annual Savings		£49,060

GOING THE EXTRA MILE

Certified quality from start to finish.

ISO 9001

Proven robust processes & customer service

Module D Accreditation

Quality control across the entire supply chain

Auditing

Independent audits of all partners

Full Traceability

Every batch certified, every garment labelled

RIGOROUS TESTING = YOUR REASSURANCE

Every detail tested.

As part of our rigorous quality control, we test EVERY garment design for protection against Arc Flash. We repeat testing as often as prescribed under the EN Standard but, in practice, we're innovating so regularly that we're usually testing upgraded garments before previously released versions are due to be re-tested.

✓ Arc Flash Testing

Arc Flash testing on every design – often ahead of schedule

✓ Component Checks

Component checks (zips, buttons, press studs) to guarantee performance in critical moments

✓ Structural Integrity Testing:

Structural integrity testing: seams, flame spread, Arc Flash resistance, day-to-day durability

✓ Guarantees

Lifetime Seam Guarantee – we stand behind our work

PROTECTION IN LAYERS

LAYERING SAVES LIVES



Wearing Arc Flash and Flame resistant garments together doesn't only add protection but it also multiplies it.

The wrong fabrics underneath protective clothing can still cause serious injury. That's why we offer a full range of soft, breathable, and comfortable garments, designed to work together as a system.

Why Layering Matters

Each layer adds more than its own protection. The air trapped between layers acts as insulation, boosting the overall protection level, often beyond the sum of the parts.

Arc Rated Categories

Arc Flash protection is measured in categories – from 1 (lowest) to 4 (highest) – based on the energy level a task may expose you to.

Some jobs require multiple layers to reach the right level of protection, and this will be identified by your employer through an Arc Flash risk assessment.

In this brochure, ARC 1–4 refers to ELIM ratings.

Where ELIM is not available, ATPV/EBT ratings are shown.

LAYERING SAVES LIVES

DEVELOPING TOGETHER

At ProGARM, we believe the best protection is built in partnership.

That's why our Path to Purchase focuses on collaboration at every stage – from understanding your environment to creating garments that perform for the wearer.

The result? PPE that's not only compliant, but comfortable, practical, and designed for the real risks your team faces.

Case Studies Customer-Led Product Development:

Clancy Group

Clancy Group required enhanced protection for teams working around underground services. In response, we developed the 2800 Arc Cover, a solution that led to a 750-unit order from Cadent Gas and subsequent adoption by multiple end users.

Freedom Group

Freedom Group needed coveralls that were easier to don and doff on site. We introduced a higher leg zip, a practical improvement that is now standard across all GEN 2 coveralls.

Contact

Speak to our team of experts to begin exploring your Arc Flash PPE options



Discovery

Prepare for some unexpected questions, as we delve into your requirements to find you the best solution



Wearer Trials

Trial our Arc Flash garments and let your team feel the benefits for themselves



Place Order

Our dedicated sales teams will guide you through the order process



Sizing

The ProGARM Sizer app makes it simple to quickly find the perfect sizes for your entire team



Manufacturing

If your order requires manufacturing, this is completed in-house at ProGARM using the highest quality fabrics



Delivery

In stock items can be delivered next day, manufactured items can be delivered in a matter of weeks



Aftercare

Your garments achieve extended protection with our laundry, maintenance and repair services. We also offer safe disposal through our recycling service



COMFORTABLE, PRACTICAL,
& DESIGNED FOR THE REAL
RISKS YOUR TEAM FACES

ARC FLASH PROTECTION EXPERTISE IN YOUR SECTOR



UTILITIES

HSG47 highlights the significant risk of a cable-strike during groundworks and the potentially life-changing injuries or fatal consequences of an Arc Flash incident.



ELECTRIC VEHICLES

For those working in the production and servicing of electric vehicles, the known risks are evolving all the time. Increasingly, we are seeing that the risk profile is closely mirroring that of industries known to work with high and low voltage electrical equipment.



INDUSTRIAL ELECTRICAL

The EU and HSE are specifying increasing levels of Arc Flash and Flame resistant protective clothing. We can help you make the right choices.



RAIL

Our comprehensive range of hi-vis orange garments comply with RIS-3279-TOM (replacing UK GO/RT 3279) and are safe, durable and comfortable for groundworks and electrification projects.



POWER GENERATION

We understand power stations, renewables and transmission environments, and help safeguard your team against both Arc Flash incidents and the weather as needed.



WINDPOWER

Not only do we understand the specific risks in this sector, but our garments will provide excellent protection against the elements, keeping your team warm and dry as well as the Arc Flash protection to keep them safe.



PETROCHEMICAL

The similarities between Arc Flash and flash fire incidents mean we've become an established and trusted provider of safety clothing in the petrochemical sector.

SUSTAINABILITY

OUR SUSTAINABLE ARC FLASH PPE PROVES SAFETY & SUSTAINABILITY CAN GO HAND IN HAND

Built with recycled fabrics and smarter processes, our sustainable range protects people and the planet, lasting longer, reducing waste, and lowering carbon miles without ever compromising on safety.

UP TO

70%



LONGER LASTING

**60% FEWER
CARBON MILES**



**5+ TONS
OFF-CUTS REUSED**



PROTECTION THAT LASTS IMPACT THAT'S LIGHTER

With performance and styles just like our core garments, this range features the maximum amount of recycled content possible whilst meeting the stringent safety standards required for Arc Flash protection.

20% RECYCLED FABRIC

Same protection, smarter materials,
using off-cuts from our unworn inherent fabrics.



CARBON NEUTRAL PACKAGING

REPAIRS

Repair service to extend
garment life, including repairs
to cuffs, hems, pockets and
main garment closure systems.



RECYCLE INITIATIVE TOWARDS ZERO LANDFILL

UP TO

60%

FEWER DELIVERY MILES



Quicker, greener delivery

GEN² COLLECTION

**INCLUDING OUR
APC 1 & 2 RANGE**

**SHARPER FITTING
SMARTER FABRIC
EVEN MORE COMFORTABLE**

SIZE GUIDES

Find your APC1, APC2 & Gen 2 size guides on pages 106-111

SHARPER FITTING
SMARTER FAB
EVEN MORE COMFO

ERIC
PORTABLE



Image:

TS250
T-Shirt

TR257
Trousers

TWO-TONE JACKET

FIT: Male & Female
Short | Regular | Long

MALE SIZES: S - 4XL (JK210M/ JK250M)

FEMALE SIZES: S - 4XL (JK210F/ JK250F)

- ✓ Shaped high collar for extra neck protection
- ✓ Contrast shoulder detail with radio/utility loop to upper shoulder
- ✓ Chest suitable for profiling and customer logos
- ✓ Ergonomically shaped sleeves allow for high freedom of movement
- ✓ Shaped cuff tab with stud adjustment
- ✓ Internal chest patch pocket on left hand side as worn with Velcro® top fastening
- ✓ Sleeve turn back pocket with Velcro® closure for additional security
- ✓ Shaped front storm flap with concealed Velcro® and FR zip front closure
- ✓ Concealed elastic drawcord with adjustable toggles to hem
- ✓ Two concealed zipped chest pockets with Velcro® closure
- ✓ Two zipped front hip pockets with Velcro® closure
- ✓ Chest and hip pockets have grab tabs for easier opening whilst wearing gloves
- ✓ Action back for ease of movements
- ✓ Reinforced fabric at back sleeve for added durability
- ✓ Dropped back hem ensures protection in all working positions.
- ✓ Reinforced trim to hem circling front and back
- ✓ FR Spiral zips for increase strength
- ✓ Twin-needle top stitching
- ✓ ProGARM Lifetime Seam Guarantee
- ✓ SafetyICON™ with Arc Class and ELIM rating for clearer visibility
- ✓ Hanger loop
- ✓ FR HEX industrial wash 100x reflective tape



JK210 APC 2 TWO-TONE JACKET

COLOUR: Navy / HV Yellow

FABRIC SPECIFICATION:

Assembly of two ProGARM VXS+ fabrics:
inherent ripstop outer and plain weave lining - 305gsm

PRODUCT CARE: 

EN STANDARDS

 EN ISO 11612 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pl. 3:2004 Charge Decay	 EN 61482-2 2020 APC 2 ELIM = 17cal
 EN 13034:2005 + A1:2009 Type PB (6)	 EN ISO 11611 2015 A1 Class 1	 EN 13758-2:2013 + A1:2016 UPF 40+
ARC RATING 17CAL 7KA APC 2		

JK250 APC 1 TWO-TONE JACKET

COLOUR: Navy / HV Yellow

FABRIC SPECIFICATION:

VXS+ Inherent Ripstop/Elastane - 265gsm

PRODUCT CARE: 

EN STANDARDS

 EN ISO 11612 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pl. 3:2004 Charge Decay	 EN 61482-2 2020 APC 1 ELIM = 8cal
 EN 13034:2005 + A1:2009 Type PB (6)	 EN ISO 11611 2015 A1 Class 1	 EN 13758-2:2013 + A1:2016 UPF 40+
ARC RATING 8CAL 4KA APC 1		

TWO-TONE JACKET

FIT: Male & Female
Short | Regular | Long

MALE SIZES: S - 4XL (JK215M/ JK257M)

FEMALE SIZES: S - 4XL (JK215F/ JK257F)

- ✓ Shaped high collar for extra neck protection
- ✓ Contrast shoulder detail with radio/utility loop to upper shoulder
- ✓ Chest suitable for profiling and customer logos
- ✓ Ergonomically shaped sleeves allow for high freedom of movement
- ✓ Shaped cuff tab with stud adjustment
- ✓ Internal chest patch pocket on left hand side as worn with Velcro® top fastening
- ✓ Sleeve turn back pocket with Velcro® closure for additional security
- ✓ Shaped front storm flap with concealed Velcro® and FR zip front closure
- ✓ Concealed elastic drawcord with adjustable toggles to hem
- ✓ Two concealed zipped chest pockets with Velcro® closure
- ✓ Two zipped front hip pockets with Velcro® closure
- ✓ Chest and hip pockets have grab tabs for easier opening whilst wearing gloves
- ✓ Action back for ease of movements
- ✓ Reinforced fabric at back sleeve for added durability
- ✓ Dropped back hem ensures protection in all working positions
- ✓ Reinforced trim to hem circling front and back
- ✓ FR Spiral zips for increase strength
- ✓ Twin-needle top stitching
- ✓ ProGARM Lifetime Seam Guarantee
- ✓ SafetylCON™ with Arc Class and ELIM rating for clearer visibility
- ✓ Hanger loop
- ✓ FR HEX industrial wash 100x reflective tape



JK215 APC 2 TWO-TONE JACKET

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

Assembly of two ProGARM VXS+ fabrics:
inherent ripstop outer and plain weave lining - 305gsm

PRODUCT CARE: 60

EN STANDARDS

A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 2 ELIM = 17cal

Type PB (6)	A1 Class 1	Class 2	UPF 40+

**ARC
RATING**

17CAL

7KA
APC 2

JK257 APC 1 TWO-TONE JACKET

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

VXS+ Inherent Ripstop/Elastane - 265gsm

PRODUCT CARE: 60

EN STANDARDS

A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 8cal

Type PB (6)	A1 Class 1	Class 2	UPF 40+

**ARC
RATING**

8CAL

4KA
APC 1

TWO-TONE COMBAT TROUSER

FIT: Male & Female
Short | Regular | Long

MALE SIZES: 30"-52" (TR210M/ TR250M)

FEMALE SIZES: 8-24 (TR210F/ TR250F)

- ✓ Shaped rear waistband for improved coverage and comfort
- ✓ Concealed swivel front fastening
- ✓ Covered flap hip pockets for protection against molten metal splashes and chemical exposure
- ✓ FR Spiral zip for increased strength and durability
- ✓ Reinforced gusset for increased durability and longevity in high stress area
- ✓ Bellowed combat pocket for extra storage, including dedicated phone pocket and concealed FR heat resistant D-ring
- ✓ Ruler pocket with flap for secure storage
- ✓ Top loading reinforced kneepad pocket with positional bar tacks
- ✓ Pre-bent knees for ease of movement
- ✓ Triple needle stitching for superior seam strength
- ✓ Backed by ProGARM Lifetime Seam Guarantee
- ✓ Reinforced hems
- ✓ Seven belt loops including an oversized centre back loop to help prevent belt ride up
- ✓ SafetyICON™ with Arc Class and ELIM rating for clearer visibility
- ✓ FR HEX industrial wash 100x reflective tape



TR210 APC 2 TWO-TONE COMBAT TROUSER

COLOUR: Navy / HV Yellow

FABRIC SPECIFICATION:

Assembly of two ProGARM VXS+ fabrics:
inherent ripstop outer and plain weave lining - 305gsm

PRODUCT CARE:

EN STANDARDS

 EN ISO 11612 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN 61482-2 2020 APC 2 ELIM = 17cal
 EN 13034:2005 + A1:2009 Type PB (6)	 EN ISO 11611 2015 A1 Class 1	 EN 13758-2:2013 + A1:2016 UPF 40+
ARC RATING 17CAL 7KA APC 2		

TR250 APC 1 TWO-TONE COMBAT TROUSER

COLOUR: Navy / HV Yellow

FABRIC SPECIFICATION:

VXS+ Inherent Ripstop/Elastane - 265gsm

PRODUCT CARE:

EN STANDARDS

 EN ISO 11612 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN 61482-2 2020 APC 1 ELIM = 8cal
 EN 13034:2005 + A1:2009 Type PB (6)	 EN ISO 11611 2015 A1 Class 1	 EN 13758-2:2013 + A1:2016 UPF 40+
ARC RATING 8CAL 4KA APC 1		

TWO-TONE COMBAT TROUSER

FIT: Male & Female
Short | Regular | Long

MALE SIZES: 30"-52" (TR215M/TR257M)

FEMALE SIZES: 8-24 (TR215F/TR257F)

- ✓ Shaped rear waistband for improved coverage and comfort
- ✓ Concealed swivel front fastening
- ✓ Covered flap hip pockets for protection against molten metal splashes and chemical exposure
- ✓ FR Spiral zip for increased strength and durability
- ✓ Reinforced gusset for increased durability and longevity in high stress area
- ✓ Bellowed combat pocket for extra storage, including dedicated phone pocket and concealed FR heat resistant D-ring
- ✓ Ruler pocket with flap for secure storage
- ✓ Top loading reinforced kneepad pocket with positional bar tacks
- ✓ Pre-bent knees for ease of movement
- ✓ Triple needle stitching for superior seam strength
- ✓ Backed by ProGARM Lifetime Seam Guarantee
- ✓ Reinforced hems
- ✓ Seven belt loops including an oversized centre back loop to help prevent belt ride up
- ✓ SafetylCON™ with Arc Class and ELIM rating for clearer visibility
- ✓ FR HEX industrial wash 100x reflective tape



TR215 APC 2 TWO-TONE COMBAT TROUSER

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

Assembly of two ProGARM VXS+ fabrics:
inherent ripstop outer and plain weave lining - 305gsm

PRODUCT CARE: 60° / [Wash] / [Dry] / [Iron] / [Bleach] / [Detergent]

EN STANDARDS

EN ISO 11612 2015	EN 1149-5: 2018	EN 61482-2 2020
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 2 ELIM = 17cal
EN 13034:2005 +A1:2009 Type PB (6)	EN ISO 11611 2015 A1 Class 1	EN ISO 20471 2013 +A1:2016 Class 2
EN 13758-2:2013 +A1:2016 UPF 40+	ARC RATING 17CAL 7KA APC 2	

TR257 APC 1 TWO-TONE COMBAT TROUSER

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

VXS+ Inherent Ripstop/Elastane - 265gsm

PRODUCT CARE: 60° / [Wash] / [Dry] / [Iron] / [Bleach] / [Detergent]

EN STANDARDS

EN ISO 11612 2015	EN 1149-5: 2018	EN 61482-2 2020
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 8cal
EN 13034:2005 +A1:2009 Type PB (6)	EN ISO 11611 2015 A1 Class 1	EN ISO 20471 2013 +A1:2016 Class 2
EN 13758-2:2013 +A1:2016 UPF 40+	ARC RATING 8CAL 4KA APC 1	

TWO-TONE DUNGAREE

FIT: Male & Female
Short | Regular | Long

MALE SIZES: 30"-52" (DG210M/DG250M)

FEMALE SIZES: 8-24 (DG210F/DG250M)

- ✓ Shaped rear waistband for improved coverage and comfort
- ✓ Concealed swivel front fastening
- ✓ Covered flap hip pockets for protection against molten metal splashes and chemical exposure
- ✓ FR Spiral zip for increased strength and durability
- ✓ Reinforced gusset for increased durability and longevity in high stress area
- ✓ Bellowed combat pocket for extra storage, including dedicated phone pocket and concealed FR heat resistant D-ring
- ✓ Ruler pocket with flap for secure storage
- ✓ Top loading reinforced kneepad pocket with positional bar tacks
- ✓ Pre-bent knees for ease of movement
- ✓ Triple needle stitching for superior seam strength
- ✓ Backed by ProGARM Lifetime Seam Guarantee
- ✓ Reinforced hems
- ✓ Seven belt loops including an oversized centre back loop to help prevent belt ride up
- ✓ SafetyICON™ with Arc Class and ELIM rating for clearer visibility
- ✓ FR HEX industrial wash 100x reflective tape
- ✓ Adjustable elastic brace with hidden fixed lock closing
- ✓ Bellowed chest pocket with pen pocket detail, concealed Velcro® closure at pocket flap with grab tab for increased grip and visibility



DG210 APC 2 TWO-TONE DUNGAREE

COLOUR: Navy / HV Yellow

FABRIC SPECIFICATION:

Assembly of two ProGARM VXS+ fabrics:
inherent ripstop outer and plain weave lining - 305gsm

PRODUCT CARE:

EN STANDARDS

 EN ISO 11612 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pl. 5:2018 Pl. 3:2004 Charge Decay	 EN 61482-2 2020 APC 2 ELIM = 17cal
 EN 13034:2005 + A1:2009 Type PB (6)	 EN ISO 11611 2015 A1 Class 1	 EN 13758-2:2013 + A1:2016 UPF 40+
ARC RATING 17CAL 7KA APC 2		

DG250 APC 1 TWO-TONE DUNGAREE

COLOUR: Navy / HV Yellow

FABRIC SPECIFICATION:

VXS+ Inherent Ripstop/Elastane - 265gsm

PRODUCT CARE:

EN STANDARDS

 EN ISO 11612 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pl. 5:2018 Pl. 3:2004 Charge Decay	 EN 61482-2 2020 APC 1 ELIM = 8cal
 EN 13034:2005 + A1:2009 Type PB (6)	 EN ISO 11611 2015 A1 Class 1	 EN 13758-2:2013 + A1:2016 UPF 40+
ARC RATING 8CAL 4KA APC 1		

TWO-TONE DUNGAREE

FIT: Male & Female
Short | Regular | Long

MALE SIZES: 30"-52" (DG215M/DG257M)

FEMALE SIZES: 8-24 (DG215F/DG257F)

- ✓ Shaped rear waistband for improved coverage and comfort
- ✓ Concealed swivel front fastening
- ✓ Covered flap hip pockets for protection against molten metal splashes and chemical exposure
- ✓ FR Spiral zip for increased strength and durability
- ✓ Reinforced gusset for increased durability and longevity in high stress area
- ✓ Bellowed combat pocket for extra storage, including dedicated phone pocket and concealed FR heat resistant D-ring
- ✓ Ruler pocket with flap for secure storage
- ✓ Top loading reinforced kneepad pocket with positional bar tacks
- ✓ Pre-bent knees for ease of movement
- ✓ Triple needle stitching for superior seam strength
- ✓ Backed by ProGARM Lifetime Seam Guarantee
- ✓ Reinforced hems
- ✓ Seven belt loops including an oversized centre back loop to help prevent belt ride up
- ✓ SafetyICON™ with Arc Class and ELIM rating for clearer visibility
- ✓ FR HEX industrial wash 100x reflective tape
- ✓ Adjustable elastic brace with hidden fixed lock closing
- ✓ Bellowed chest pocket with pen pocket detail, concealed Velcro® closure at pocket flap with grab tab for increased grip and visibility



DG215 APC 2 TWO-TONE DUNGAREE

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

Assembly of two ProGARM VXS+ fabrics:
inherent ripstop outer and plain weave lining - 305gsm

PRODUCT CARE: 60/ [Wash icon] [Dry icon] [P icon] [X icon]

EN STANDARDS

 EN ISO 11612 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN 61482-2 2020 APC 2 ELIM = 17cal	
 EN 13034:2005 +A1:2009 Type PB (6)	 EN ISO 11611 2015 A1 Class 1	 EN ISO 20471 2013 +A1:2016 Class 2	 EN 13758-2:2013 + A1:2016 UPF 40+

ARC RATING

17CAL

**7KA
APC 2**

DG257 APC 1 TWO-TONE DUNGAREE

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

VXS+ Inherent Ripstop/Elastane - 265gsm

PRODUCT CARE: 60/ [Wash icon] [Dry icon] [P icon] [X icon]

EN STANDARDS

 EN ISO 11612 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN 13758-2:2013 +A1:2016 UPF 40+
 EN 13034:2005 +A1:2009 Type PB (6)	 EN ISO 11611 2015 A1 Class 1	 EN ISO 20471 2013 +A1:2016 Class 2

ARC RATING

8CAL

**4KA
APC 1**

POLO SHIRT

SIZES

PS220M Male: S-4XL

PS220F Female: 8-18 Regular

More sizes & fits are available but are not stocked.
Leadtimes will apply.

PS220



- ✓ Enclosed stud placket to allow for quick fastening
- ✓ VXS+ Fabric with natural fibre, Breathable with good moisture management
- ✓ FR Plastic studs
- ✓ Knitted collar with topping to ensure best appearance after wash
- ✓ Rib-knit cuffs
- ✓ SafetyICON™ with ELIM rating

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Pique Fabric - 210gsm

PRODUCT CARE:

T-SHIRT

SIZES

TS221M Male: S-4XL

TS221F Female: 6-24 Regular

More sizes & fits are available but are not stocked.
Leadtimes will apply.

TS221



- ✓ Round contrast colour neck rib-knit
- ✓ Breathable with good moisture management
- ✓ Open cuffs
- ✓ Generous fit
- ✓ SafetyICON™ with ELIM rating
- ✓ Increase colour fastness and improved durability

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Jersey Fabric - 170gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN 13758-2:2003 +A1:2006
A1, B1 C1, F1	Pl. 5:2018 Pl. 3:2004 Charge Decay	APC 1 ELIM=5.1cal/cm²	UPF 40+

BOX TEST



ARC RATING



EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN 13758-2:2003 +A1:2006
A1, B1 C1, F1	Pl. 5:2018 Pl. 3:2004 Charge Decay	APC 1 ELIM=4.1cal/cm²	UPF 40+

BOX TEST



ARC RATING



DG222

DUNGAREE

SIZES

DG222M Male: 30"-42" Short | 30"-52" Regular | 30"-44" Tall

DG222F Female: 8-18 Regular

More sizes & fits are available but are not stocked.

Leadtimes will apply.

PRODUCT DESCRIPTION

Engineered for performance, this garment offers practical storage with bellowed combat and chest pockets, complete with a dedicated phone pocket, pen detail, and concealed FR D-ring. Reinforced kneepad pockets, adjustable elastic braces, and seven belt loops with oversized back loop ensure durability, comfort, and fit. Certified with SafetyICON™ ELIM rating.

FEATURES & BENEFITS

- ✓ Bellowed combat pocket for extra storage, including dedicated phone pocket and concealed FR heat resistant D-ring
- ✓ Top loading reinforced kneepad pocket with positional bar tacks
- ✓ Seven belt loops including an oversized centre back loop to help prevent belt ride up
- ✓ SafetyICON™ with ELIM rating
- ✓ Adjustable elastic brace with hidden fixed lock closing
- ✓ Bellowed chest pocket with pen pocket detail, concealed Velcro® closure at pocket flap with grab tab for increased grip and visibility

PRODUCT INFORMATION**COLOUR:** Navy**FABRIC SPECIFICATION:**

ProGARM VXS+ Inherent Ripstop Stretch Fabric - 265gsm

PRODUCT CARE:  60    

Bellowed chest pocket with pen pocket detail

Top loading reinforced kneepad pockets

**EN STANDARDS**

			
EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN 13758-2:2003 +A1:2006
A1, B1 C1, F1	Pl: 5:2018 Pl: 3:2004 Charge Decay	APC1 ELIM = 8cal/cm²	UPF 40+

BOX TEST**ARC RATING**

T-SHIRT

SIZES

TS250M Male: XS-4XL
TS250F Female: 8-16 Regular

More sizes & fits are available but are not stocked.
Leadtimes will apply.

TS250



- ✓ Round neck rib knit collar
- ✓ Thumb hole for extra hand protection
- ✓ Breathable with good moisture management
- ✓ Open cuffs
- ✓ Generous length
- ✓ SafetyICON™ with ELIM rating

PRODUCT INFORMATION

COLOUR: Yellow / Navy

FABRIC SPECIFICATION:

Modacrylic, Cotton, Anti-static
ProGARM VXS+ Inherent Jersey Fabric - 170gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN 13758-2:2003 +A1:2006
A1, B1 C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM ≥4.1cal/cm²	UPF 40+

BOX TEST

4KA
APC 1

ARC RATING

4.1 CAL
ARC 1

T-SHIRT

SIZES

TS254M Male: S-4XL
TS254F Female: 6-24 Regular

More sizes & fits are available but are not stocked.
Leadtimes will apply.

TS254



- ✓ Round neck rib knit collar
- ✓ Thumb hole for extra hand protection
- ✓ Breathable with good moisture management
- ✓ Open cuffs
- ✓ Generous length
- ✓ SafetyICON™ with ELIM rating

PRODUCT INFORMATION

COLOUR: Yellow / Navy

FABRIC SPECIFICATION:

Modacrylic, Cotton, Viscose FR,
Polyamiade, Para-aramid, Anti-static
ProGARM VXS+ Inherent Interlock Fabric - 225gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN 13758-2:2003 +A1:2006
A1, B1 C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM ≥8.3cal/cm²	UPF 40+

BOX TEST

4KA
APC 1

ARC RATING

8.3 CAL
ARC 2

T-SHIRT

SIZES

TS255M Male: XS-4XL

TS255F Female: 8-16 Regular

More sizes & fits are available but are not stocked.

Leadtimes will apply.

TS255



- ✓ Round neck rib knit collar
- ✓ Thumb hole for extra hand protection
- ✓ Breathable with good moisture management
- ✓ Open cuffs
- ✓ Generous length
- ✓ SafetyICON™ with ELIM and High Visibility Rating
- ✓ HEX heat applied, FR Stretch reflective tape

PRODUCT INFORMATION

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

Modacrylic, Cotton, Anti-static

ProGARM VXS+ Inherent Jersey Fabric - 170gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612:2015	EN 1149-5:2018
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay

EN 61482-2:2020	EN ISO 20471:2013+A1:2016	EN 13758-2:2013+A1:2016
APC 1 ELIM = 4.1cal	Class 2	UPF 40+

**BOX
TEST**



**ARC
RATING**



COVERALL

SIZES

CV255M Male: S-4XL Short | Regular | Tall

CV255F Female: 8-16 Regular

More sizes & fits are available but are not stocked.

Leadtimes will apply.

CV255



- ✓ 2 front chest pockets with zip and Velcro® closure
- ✓ 2 radio loops on the chest
- ✓ Ergonomic shaped elbow
- ✓ Left sleeve pocket built into paneling
- ✓ Hip pockets with flap
- ✓ Spacious bellow pocket with concealed Velcro® flap closure
- ✓ Concealed 'D' ring to pocket
- ✓ Top loading knee pad pocket
- ✓ Pre-bent knees, easy bending
- ✓ Bellowed back pocket with contrast grab tabs
- ✓ Fixed elasticated waistband ensures a close fit
- ✓ Triple-stitched side seams with lifetime guarantee
- ✓ Action back to allow for extra movement
- ✓ Thigh pockets include mobile and knife pockets
- ✓ Increased length leg zip opening, allowing for improved donning and doffing
- ✓ Navy hem to show less dirt
- ✓ Velcro® back leg adjustment
- ✓ Hi-vis yellow lower leg with 50mm HEX FR reflective heat seal tape circling the lower leg

PRODUCT INFORMATION

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

VXS+ Woven Dope Dyed Fabric with FC Finish - 250gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612:2015	EN 1149-5:2018	EN ISO 11611:2015
A1, A2, B1 C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	Class 1, A1, A2

EN ISO 20471:2013+A1:2016	EN 61482-2:2020	EN 13758-2:2003+A1:2006	EN 13034:2005+A1:2019
Class 3 M ale Fit Class 2 Female Fit	APC 1 ELIM = 8cal/cm²	UPF 40+	Type 6

**BOX
TEST**



**ARC
RATING**



T-SHIRT

SIZES

TS259M Male: XS-4XL
TS259F Female: 6-24 Regular

More sizes & fits are available but are not stocked.
Leadtimes will apply.

TS259



- ✓ Round neck rib knit collar
- ✓ Thumb hole for extra hand protection
- ✓ Breathable with good moisture management
- ✓ Open cuffs
- ✓ Generous length
- ✓ SafetylCON™ with ELIM and High Visibility Rating
- ✓ HEX heat applied, FR Stretch reflective tape

PRODUCT INFORMATION

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

Modacrylic, Cotton, Viscose FR, Polyamiade, Para-aramid, Anti-static
ProGARM VXS+ Inherent Interlock Fabric - 225gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612 2015	EN 1149-5: 2018		
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay		
EN 61482-2 2020	EN ISO 20471 2013 + A1:2016	EN 13758-2:2013 + A1:2016	
APC 1 ELIM = 8.3cal	Class 2	UPF 40+	
		APC 1	ARC 2

TROUSER

SIZES

TR259M Male: 30"-52" Regular | 30-44" Tall
TR259F Female: 8-18 Regular

More sizes & fits are available but are not stocked.
Leadtimes will apply.

TR259



- ✓ Waistband with concealed swivel front fastening
- ✓ Navy slanted hip pockets to minimise visible dirt in high traffic area
- ✓ FR Spiral zip for increase strength
- ✓ Gusset for ease of movement
- ✓ Combat pocket style with phone pocket on left hand side as worn
- ✓ Ruler and Tool pockets behind side seam on right hand side as worn
- ✓ Concealed D-ring to inner pocket
- ✓ Top loading reinforced kneepad pocket with positional bar tacks
- ✓ Pre-bent knees for ease of movement
- ✓ Triple needle stitching
- ✓ Reinforced hems
- ✓ 5 wide belt loops
- ✓ Large back belt loop to prevent belt from rising
- ✓ SafetylCON™ with ELIM rating
- ✓ FR Industrial wash reflective tape

PRODUCT INFORMATION

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

ProGARM VXS+ Ripstop Stretch - 265gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018		
A1, B1 C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay		
EN 61482-2: 2020	EN ISO 20471: 2013 + A1:2016	EN 13758-2:2003 + A1:2006	
APC 1 ELIM = 8cal/cm²	Class 1	UPF 40+	
		APC 1	ARC 2

DG259

DUNGAREE

SIZES

DG259M Male: 30"-52" Short | Regular | Tall

DG259F Female: 8-24 Short | Regular | Tall

More sizes & fits are available but are not stocked.

Leadtimes will apply.

PRODUCT DESCRIPTION

Crafted for professionals who demand performance and comfort, this coverall combines durability with smart design. Featuring a concealed swivel fastening, gusseted movement panels, and pre-bent knees, it ensures unrestricted mobility. Reinforced kneepad pockets, secure bellowed storage, and industrial wash reflective tape deliver reliability, while SafetylCON™ ELIM certification guarantees trusted protection.

FEATURES & BENEFITS

- ✓ Waistband with concealed swivel front fastening
- ✓ Navy slanted hip pockets to minimise visible dirt in high traffic area
- ✓ FR Spiral zip for increase strength
- ✓ Gusset for ease of movement
- ✓ Two spacious bellow combat pocket with concealed Velcro strap
- ✓ Concealed D-ring to inner pocket
- ✓ Top loading reinforced kneepad pocket with positional bar tacks
- ✓ Pre-bent knees for ease of movement
- ✓ Triple needle stitching
- ✓ Reinforced hems
- ✓ 5 wide belt loops
- ✓ Large back belt loop to prevent belt from rising
- ✓ SafetylCON with ELIM rating
- ✓ FR industrial wash 100x reflective tape
- ✓ Adjustable elastic brace with hidden fixed lock closing
- ✓ Navy bellowed chest pocket with pen pocket detail, concealed Velcro® closure at pocket flap with Hex grab tab for increased grip and visibility
- ✓ Concealed D-ring to inner chest pocket

PRODUCT INFORMATION**COLOUR:** HV Yellow / Navy**FABRIC SPECIFICATION:**

High tensile/tear resistance

Modacrylic, Cotton, Polyamide, Elastane, Anti-static, Ripstop weave - 265gsm

PRODUCT CARE:     **EN STANDARDS**

					
EN ISO 11612: 2015	EN 1149-5: 2018	EN ISO 11611: 2015	EN 61482-2: 2020	EN ISO 20471: 2013 +A1:2016	EN 13758-2:2003 +A1:2006
A1, B1, C1, F1	Pl. 5:2018 Pt. 3:2004 Charge Decay	Class 1, A1	APC 1 ELIM=8cal/cm²	Class 2	UPF 40+

BOX TEST**ARC RATING**

Bellowed chest pocket with pen pocket detail



Top loading reinforced kneepad pockets

T-SHIRT

SIZES

TS270M Male: XS-4XL
TS270F Female: 8-18 Regular

More sizes & fits are available but are not stocked.
Leadtimes will apply.

TS270



- ✓ Round contrast colour neck rib knit
- ✓ Breathable with good moisture management
- ✓ Knitted cuffs
- ✓ Generous fit
- ✓ FR HEX Heat applied stretch reflective tape, over the shoulder and two torso bands for added visibility
- ✓ SafetyICON™ with High visibility class and ELIM rating
- ✓ Increase colour fastness and improved durability
- ✓ Over 8 cal ELIM

PRODUCT INFORMATION

COLOUR: HV Yellow

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent FR and ARC knitted interlock fabric - 225gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018		
A1, B1 C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay		
EN ISO 20471: 2013 +A1:2016	EN 61482-2: 2020	EN 13758-2:2003 +A1:2006	
Class 3 Male Fit Class 2 Female Fit	APC 1 ELIM = 8.3cal/cm²	UPF 40+	
		BOX TEST	ARC RATING
		4KA	8.3 CAL
		APC 1	ARC 2


TROUSER

SIZES

TR270M Male: 30"-52" Short | Regular | Tall
TR270F Female: 8-18 Regular

More sizes & fits are available but are not stocked.
Leadtimes will apply.

TR270



- ✓ Waistband with concealed swivel front fastening
- ✓ Shaped raised back waistband for comfort when bending
- ✓ Large back belt loop to stop the belt rising
- ✓ 5 Self fabric belt loops
- ✓ Slanted hip pockets
- ✓ Spacious bellow pockets with concealed Velcro® flap closure
- ✓ Bellowed back pocket with contrast bar tacks
- ✓ Concealed Velcro® closure at pocket flap with Hex tab for increase grip and visibility
- ✓ All pockets Velcro® reinforced for durability
- ✓ FR spiral zip for increased strength
- ✓ Gusset for ease of movement
- ✓ Internal knee pad pockets
- ✓ EN Heat seal icons to leg pocket / SafetyICON™ with ELIM rating
- ✓ Triple needle stitching to main seams
- ✓ 70mm HEX FR reflective heat seal tape circling the lower leg

PRODUCT INFORMATION

COLOUR: HV Yellow

FABRIC SPECIFICATION:

ProGARM VXS+ Woven Yarn Dyed Fabric with FC Finish - 260gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN ISO 11611: 2015		
A1, A2, B1 C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	Class 1, A1, A2		
			BOX TEST	ARC RATING
EN 61482-2: 2020	EN ISO 20471: 2013 +A1:2016	EN 13758-2:2003 +A1:2006	4KA	8 CAL
APC 1 ELIM = 8cal/cm²	Class 2	UPF 40+	APC 1	ARC 2

ARC RATED WATERPROOF GARMENTS USING GORE-TEX PYRAD® STRETCH TECHNOLOGY



DURABLY WATERPROOF



ARC RATED PROTECTION



LIGHTWEIGHT



BREATHABLE



STRETCH

FIND YOUR SIZE GUIDES ON PAGE 112



ARC RATED
GORE-TEX
PYRAD® STRETCH
PRODUCT TECHNOLOGY



A close-up photograph of a high-visibility work jacket. The jacket features a bright orange main body and reflective grey panels with orange hexagonal stitching. A black GORE-TEX PYRA logo is printed on the orange fabric. The jacket is shown in a dynamic, slightly wrinkled pose against a light grey background.

GORE-TEX
PYRA

HI-VIS YELLOW & NAVY GORE-TEX PYRAD® STRETCH JACKET

WJ250M & WJ250F

- ✓ Concealed snappers for hood attachment
- ✓ Heat applied FR industrial wash ProGARM Hex reflective tape
- ✓ Articulated design for improved fit and ergonomics
- ✓ Internal knitted cuff for wearer comfort
- ✓ Peaked cuff with self fabric to cover the back hand, adjustable cuff opening
- ✓ FR wide main zip for increased durability
- ✓ Zipped Napoleon pocket
- ✓ Two zipped hip pockets with inner fleece for improved comfort, and grab tab for easier pocket opening whilst wearing gloves
- ✓ Inner collar fleece for additional comfort
- ✓ Internal inspection access for easier repairs
- ✓ Scooped back hem for additional cover when bending over
- ✓ Hanger loop
- ✓ FR heat applied SafetylCON™ for wearer awareness

PRODUCT DETAILS

FITS: Male & Female
LENGTHS: *Short | Regular | *Tall
SIZES: S-4XL
COLOUR: Hi-Vis Yellow & Navy

* Short and Tall not available from stock

FABRIC

SPECIFICATION:

Weight: 320gsm
 GORE-TEX
 Pyrad® Stretch



MATCHING PRODUCTS

TROUSER:

WT252M & WT252F

HOOD:

WH250S - Standard size
 WH250H - Helmet size

PRODUCT CARE:

- ✓ Maximum washing temp 60°C
- ✓ Do not bleach
- ✓ Tumble dry, low temperature
- ✓ Iron, high temperature
- ✓ Dry cleaning permissible



EN STANDARDS

EN 61482-2 2020	EN 61482-2 2020	EN ISO 11612 2015	EN ISO 11611 2015
ELIM = 30cal ATPV = 40cal	APC 2	A1, B2, C2, F1	A1 Class 1

EN 343 2019	EN 13034:2005 +A1:2009	EN 1149-5: 2018	EN 13758-2:2013 +A1:2016	EN ISO 20471 2013 +A1:2016
Class 4/4X	Type PB (6)	Pt. 3:2004 Charge Decay	UPF 40+	Class 3 Jacket

BOX TEST



ARC RATING



HI-VIS YELLOW & NAVY GORE-TEX PYRAD® STRETCH TROUSER

WT252M & WT252F

- ✓ Heat applied FR industrial wash ProGARM HEX Reflective Tape
- ✓ Articulated design for improved fit and ergonomics
- ✓ FR wide main zip for increased durability
- ✓ Inner fleece on the braces to additional comfort
- ✓ Internal inspection access for easier repairs
- ✓ Two large combat bellow pockets featuring grab tabs for easier opening and closing when wearing gloves
- ✓ Elasticated waist for better fit
- ✓ Reinforced knee area with special highly abrasion resistant fabric
- ✓ External kneepad pocket
- ✓ Removable braces
- ✓ Ladderlock braces adjustment for easier and quicker donning and doffing
- ✓ Wide belt loops to avoid belt riding up
- ✓ Ankle hook and loop adjustment
- ✓ Long leg zips for easier donning and doffing
- ✓ FR heat applied SafetyICON™ for wearer awareness

PRODUCT DETAILS

FITS: Male & Female
LENGTHS: *Short | Regular | *Tall
SIZES: S-4XL
COLOUR: Hi-Vis Yellow & Navy

* Short and Tall not available from stock

FABRIC

SPECIFICATION:

Weight: 320gsm
 GORE-TEX
 Pyrad® Stretch



PRODUCT CARE:

- ✓ Maximum washing temp 60°C
- ✓ Do not bleach
- ✓ Tumble dry, low temperature
- ✓ Iron, high temperature
- ✓ Dry cleaning permissible



MATCHING PRODUCTS

JACKET:
 WJ250M & WJ250F

HOOD:
 WH250S - Standard size
 WH250H - Helmet size

EN STANDARDS

EN 61482-2 2020	EN 61482-2 2020	EN ISO 11612 2015	EN ISO 11611 2015
ELIM = 30cal ATPV = 40cal	APC 2	A1, B2, C2, F1	A1 Class 1

EN 343 2019	EN 13034:2005 +A1:2009	EN 1149-5: 2018	EN 13758-2:2013 +A1:2016	EN ISO 20471 2013 +A1:2016
Class 4/4/X	Type PB (6)	Pt. 3:2004 Charge Decay	UPF 40+	Class 1 Trousers

**BOX
TEST**



**ARC
RATING**



HI-VIS ORANGE GORE-TEX PYRAD® STRETCH JACKET

WJ240M & WJ240F

- ✓ Concealed snappers for hood attachment
- ✓ Heat applied FR industrial wash ProGARM Hex reflective tape
- ✓ Articulated design for improved fit and ergonomics
- ✓ Internal knitted cuff for wearer comfort
- ✓ Peaked cuff with self fabric to cover the back hand, adjustable cuff opening
- ✓ FR wide main zip for increased durability
- ✓ Zipped Napoleon pocket
- ✓ Two zipped hip pockets with inner fleece for improved comfort, and grab tab for easier pocket opening whilst wearing gloves
- ✓ Inner collar fleece to additional comfort
- ✓ Internal inspection access for easier repairs
- ✓ Scooped back hem for additional cover when bending over
- ✓ Hanger loop
- ✓ FR heat applied SafetylCON™ for wearer awareness

PRODUCT DETAILS

FITS: Male & Female
LENGTHS: *Short | Regular | *Tall
SIZES: S-4XL
COLOUR: Hi-Vis Orange

* Short and Tall not available from stock

FABRIC

SPECIFICATION:

Weight: 320gsm

GORE-TEX

Pyrad® Stretch



MATCHING PRODUCTS

TROUSER:

WT240M & WT240F

HOOD:

WH240S - Standard size

WH240H - Helmet size

PRODUCT CARE:

- ✓ Maximum washing temp 60°C
- ✓ Do not bleach
- ✓ Tumble dry, low temperature
- ✓ Iron, high temperature
- ✓ Dry cleaning permissible



EN STANDARDS

 EN 61482-2 2020 ELIM = 30cal ATPV = 40cal	 EN 61482-2 2020 APC 2	 EN ISO 11612 2015 A1, B2, C2, F1	 EN ISO 11611 2015 A1 Class 1	 EN 343 2019 Class 4/4/X
 EN 13034:2005 +A1:2009 Type PB (6)	 EN 1149-5: 2018 Pt. 3:2004 Charge Decay	 EN 13758-2:2013 +A1:2016 UPF 40+	 EN ISO 20471 2013 +A1:2016 Class 3 Jacket	 RIS 3279 Compliant Issue 2

BOX TEST



ARC RATING



HI-VIS ORANGE GORE-TEX PYRAD® STRETCH TROUSER

WT240M & WT240F

- ✓ Heat applied FR industrial wash ProGARM HEX Reflective Tape
- ✓ Articulated design for improved fit and ergonomics
- ✓ FR wide main zip for increased durability
- ✓ Inner fleece on the braces to additional comfort
- ✓ Internal inspection access for easier repairs
- ✓ Two large combat bellow pockets featuring grab tabs for easier opening and closing when wearing gloves
- ✓ Elasticated waist for better fit
- ✓ Reinforced knee area with special highly abrasion resistant fabric
- ✓ External kneepad pocket
- ✓ Removable braces
- ✓ Ladderlock braces adjustment for easier and quicker donning and doffing
- ✓ Wide belt loops to avoid belt riding up
- ✓ Ankle hook and loop adjustment
- ✓ Long leg zips for easier donning and doffing
- ✓ FR heat applied SafetyICON™ for wearer awareness

PRODUCT DETAILS

FITS: Male & Female
LENGTHS: *Short | Regular | *Tall
SIZES: S-4XL
COLOUR: Hi-Vis Orange

* Short and Tall not available from stock

FABRIC

SPECIFICATION:

Weight: 320gsm
 GORE-TEX
 Pyrad® Stretch



PRODUCT CARE:

- ✓ Maximum washing temp 60°C
- ✓ Do not bleach
- ✓ Tumble dry, low temperature
- ✓ Iron, high temperature
- ✓ Dry cleaning permissible



MATCHING PRODUCTS

JACKET:
 WJ240M & WJ240F

HOOD:
 WH240S - Standard size
 WH240H - Helmet size

EN STANDARDS

 EN 61482-2 2020 ELIM = 30cal ATPV = 40cal	 EN 61482-2 2020 APC 2	 EN ISO 11612 2015 A1, B2, C2, F1	 EN ISO 11611 2015 A1 Class 1	 EN 343 2019 Class 4/4/X
 EN 13034:2005 +A1:2009 Type PB (6)	 EN 1149-5: 2018 Pt. 3:2004 Charge Decay	 EN 13758-2:2013 +A1:2016 UPF 40+	 EN ISO 20471 2013 +A1:2016 Class 1 Trousers	 RIS 3279 Compliant Issue 2

**BOX
TEST**



**ARC
RATING**



ARC RATED SWITCHING SUIT WITH PYRAD® TECHNOLOGY BY GORE-TEX LABS



ARC RATED PROTECTION



LIGHTWEIGHT



BREATHABLE



COMFORT FIT

**FIND YOUR SIZE GUIDES
ON PAGE 112**





*Arc-rated PYRAD® technology by
GORE-TEX LABS delivers advanced
thermal protection in an
ultra-lightweight, single-ply laminate.*

*Designed for flexibility, breathability,
and comfort, it supports mobility,
reduces fatigue, and is available in a
wide range of inclusive fits.*

ARC 4 SWITCHING JACKET

WITH PYRAD® TECHNOLOGY BY GORE-TEX LABS

9505M & 9505F

- ✓ Shaped high collar for extra neck protection
- ✓ Chest suitable for profiling and customer logos
- ✓ FR Spiral zip for increase strength
- ✓ SafetyICON with ELIM rating
- ✓ FR HEX Heat applied reflective tape for added visibility
- ✓ Adjustable cuff tabs
- ✓ Internal zipped napoleon pocket
- ✓ Storm flap for windproofing
- ✓ Lightweight PYRAD® Technology by GORE-TEX Labs

PRODUCT DETAILS

FITS: Male & Female
MALE SIZES: S-5XL (9505M)
FEMALE SIZES: 6-24 (9505F)
COLOUR: Grey


FABRIC

SPECIFICATION:
 Weight: 320gsm
 Pyrad® Technology
 by GORE-TEX Labs



PRODUCT CARE:

- ✓ Washing Temperature: 60°C
- ✓ Drying Temperature: up to 60°C
- ✓ Do not iron
- ✓ Do not dry clean
- ✓ Do not use bleach



MATCHING PRODUCTS

DUNGAREE:
 9515M & 9515F

HOOD:
 9501 - One size



EN STANDARDS



BOX TEST



ARC RATING



ARC 4 SWITCHING DUNGAREE

WITH PYRAD® TECHNOLOGY BY GORE-TEX LABS

9515M & 9515F

- ✓ Easily adjustable braces using 260°C heat resistant buckles
- ✓ Studs side opening for easier donning and doffing
- ✓ Adjustable waist band using 260°C heat resistant buckles
- ✓ Shaped knee panelling
- ✓ Leg opening with FR spiral zip, adjustable leg hem
- ✓ SafetyICON with ELIM rating
- ✓ FR HEX Heat applied reflective tape for added visibility
- ✓ Lightweight PYRAD® Technology by GORE-TEX Labs

PRODUCT DETAILS

FITS: Male & Female
LENGTHS: Short | Regular | Tall
MALE SIZES: S-5XL (9515M)
FEMALE SIZES: 6-24 (9515F)
COLOUR: Grey

FABRIC

SPECIFICATION:
 Weight: 320gsm
 Pyrad® Technology
 by GORE-TEX Labs



PRODUCT CARE:

- ✓ Washing Temperature: 60°C
- ✓ Drying Temperature: up to 60°C
- ✓ Do not iron
- ✓ Do not dry clean
- ✓ Do not use bleach



MATCHING PRODUCTS

JACKET:
 9505M & 9505F

HOOD:
 9501 - One size



EN STANDARDS



BOX TEST



ARC RATING



ARC 4 SWITCHING HOOD

WITH PYRAD® TECHNOLOGY BY GORE-TEX LABS

9501

FEATURES & BENEFITS

Assembly of hood, visor and helmet have been independently tested to:

- ✓ EN166:2002
- ✓ GS-ET-29:2011 (APC 2)
- ✓ ASTM F2178

VISOR

- ✓ Premium anti-fog coated highlight transparent Arc Flash protective shield, colour grey, meeting NFPA 70E, ASTM F2178 (40cal), ANSI Z87.1

HELMET

- ✓ Manufactured from high quality strong ABS material, up to 20% lighter than most other helmets, features Dry-Tech sweatband for maximum comfort and an adjustable ratchet, meeting EN 397 (LD, MM, -40°C), EN50365, ANSI/ISEA Class 3

PRODUCT DETAILS

FITS: One size

COLOUR: Grey

FABRIC

SPECIFICATION:

Weight: 320gsm
Pyrad® Technology
by GORE-TEX Labs



PRODUCT CARE:

- ✓ Washing Temperature: 60°C
- ✓ Drying Temperature: up to 60°C
- ✓ Do not iron
- ✓ Do not dry clean
- ✓ Do not use bleach



MATCHING PRODUCTS

JACKET:

9505M & 9505F

DUNGAREE:

9515M & 9515F



EN STANDARDS



BOX TEST



ARC RATING





Image:

9501

Arc 4 Switching Hood

9505

Arc 4 Switching Jacket

9515

Arc 4 Switching Dungaree

ProGARM®
PROTECTING LIVES

NAVY COLLECTION

FIND YOUR SIZE GUIDES ON PAGES 102-105

Image below:
5790 Lined Fleece

POLO SHIRT

SIZES

5200 Male: S-4XL
5202 Female: 8-16

More sizes & fits are available but are not stocked. Leadtimes will apply.

5200



5202

Non-stocked product
Cut in a specific women's fit



- ✓ Enclosed stud placket for quick fastening
- ✓ VXS+ blend / Natural feel, comfortable and soft
- ✓ Breathable / Good moisture management
- ✓ ThermSAFE™ plastic FR poppers / CE Certified
- ✓ Knitted collar with tipping / Ensures best appearance after washing
- ✓ Rib knit cuffs / Close fit
- ✓ Colour matched to other navy ProGARM garments
- ✓ SafetyICON™ on arm / Visual EN Standard icon system

PRODUCT INFORMATION

COLOUR: Navy



FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Interlock Fabric, Navy - 260gsm

LOI: 31.2%

PRODUCT CARE: 40

EN STANDARDS



BOX TEST



ARC RATING



5530

HOODIE

SIZES:

S-4XL

More sizes & fits are available but are not stocked. Leadtimes will apply.

Drawstring hood with warm neck design



Front pockets for small items

PRODUCT DESCRIPTION

Stay warm and comfortable with this brushed fleece garment, crafted from the soft, breathable VXS+ blend for natural comfort and moisture control. A higher round neck collar, rib knit cuffs, and stretch rib hem lock in warmth, while front pockets, colour-matched styling, and SafetyICON™ certification add practicality and protection.

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Sweat Fabric, Navy - 320gsm

LOI: 30.8%

PRODUCT CARE:

FEATURES & BENEFITS

- ✓ Brushed fleece inner / Winter warmth
- ✓ VXS+ blend / Natural feel, comfortable and soft
- ✓ Breathable with good moisture management
- ✓ Round neck higher collar / Additional warmth
- ✓ 5cm stretch rib hem / Best fit around waist and cuffs
- ✓ Rib knit cuffs / Close fit
- ✓ Colour matched to other navy ProGARM garments
- ✓ SafetyICON™ on arm / Visual EN Norm icon system
- ✓ Front pockets / Useful for phone or small items

EN STANDARDS



BOX TEST



ARC RATING



SWEATSHIRT

SIZES: S-4XL

More sizes & fits are available but are not stocked.
Leadtimes will apply.

5630

Round neck
collar with
stretch rib

SafetyICON™
EN Standard
identification



- ✓ Brushed fleece inner / Winter warmth
- ✓ VXS+ blend / Natural feel, comfortable and soft
- ✓ Breathable / Good moisture management
- ✓ Round neck collar with stretch rib / Smart appearance
- ✓ 5cm stretch rib hem / Best fit around waist
- ✓ Rib knit cuffs / Close fit
- ✓ Colour matched to other navy ProGARM garments
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ Arm pocket / Useful pocket for phone or small items

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Sweat Fabric, Navy - 320gsm

LOI: 30.8%

PRODUCT CARE:      

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C2, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	BOX TEST	ARC RATING
 EN 61482-2: 2020 APC 1 ELIM=12 cal/cm ² ATPV=13 cal/cm ²	 EN 13758-2:2003 +A1:2006 UPF 40+		
		APC 1	ARC 2

LINED FLEECE

SIZES: S-4XL

More sizes & fits are available but are not stocked.
Leadtimes will apply.

5790

Extra
warmth &
protection

Close waist fit
for comfort



- ✓ Mandarin collar / Maximum neck protection
- ✓ Two front pockets with zippers / Secure storage
- ✓ Internal pocket / Secure Velcro® tab
- ✓ Fully lined / Extra warmth & protection
- ✓ Drawcord waist adjustment with toggles / Close waist fit
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ Elasticated cuff / Close fit around wrist
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ Extended back / Protection when bending over

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

Outer Layer: VXS+ 310F Fleece Inherent Fabric - 300gsm

Lining: VXS+ 230C Woven Fabric - 230gsm

PRODUCT CARE:      

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1, F1	BOX TEST	ARC RATING
 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay		
 EN 61482-2: 2020 APC1 ELIM = 23 cal/cm² ATPV = 26 cal/cm²	 4KA APC 1	 23 CAL ARC 2

5850

JACKET

SIZES:

S-4XL

More sizes & fits are available but are not stocked. Leadtimes will apply.

Chest pocket with zippers for secure storage



Velcro® secured cuff tabs



Side access pockets with flaps



PRODUCT DESCRIPTION

Built for safety and comfort, this garment features a Mandarin collar for maximum neck protection, ThermSAFE™ FR zipper, and triple-stitched seams for lifetime durability. With reflective tape, secure storage options, Easy-Stretch™ panels, and SafetyICON™ EN compliance, it delivers reliable protection, comfort, and functionality in demanding work environments.

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ 250W Woven Inherent Fabric - 250gsm

LOI: 30.6%

PRODUCT CARE: 

FEATURES & BENEFITS

- ✓ Mandarin collar / Maximum neck protection
- ✓ One front pocket with zippers / Secure storage
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets with flaps / Prevents entry of debris
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ Extended back / Protection when bending over
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wearer comfort

EN STANDARDS

				
EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN ISO 11611: 2015	EN 13758-2:2003 +A1:2006
A1, A2, B1, C1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM =8cal/cm²	Class 1, A1+A2	UPF 40+

BOX TEST

4KA
APC 1

ARC RATING

8 CAL
ARC 2

6100

COVERALL

MALE SIZES:

S-4XL Reg leg (31"/80cm)

M-2XL Tall leg (33"/85cm)

Short leg by re-hemming

Velcro® secured cuff tabs

Internal elasticated waistband
for improved fit**FEMALE SIZES:**

8-16 Reg leg (29"/75cm)

6101Cut in a specific
women's fitMore sizes & fits are
available but are not
stocked. Leadtimes
will apply.**AVAILABLE
IN ORANGE****PRODUCT DESCRIPTION**

Engineered for demanding environments, this coverall blends smart design with dependable protection. A mandarin collar, secure storage pockets, and gas monitor loop keep you work-ready, while Easy-Stretch™ panels, an action back, and adjustable fit ensure all-day comfort. Durable triple-stitched seams and ThermSAFE™ FR zippers complete this professional essential.

PRODUCT INFORMATION**COLOUR:** Navy**FABRIC SPECIFICATION:**

VXS+ 250W Woven Inherent Fabric - 250gsm

LOI: 30.6%**PRODUCT CARE:** **FEATURES & BENEFITS**

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Chest pockets with zippers / Secure storage
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Side access pockets / With access inside the coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband // Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort
- ✓ Action back for improved comfort

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN ISO 11611: 2015	EN 13758-2:2003 +A1:2006
A1, A2, B1, C1, E1, F1	Pl. 5:2018 Pl. 3:2004 Charge Decay	APC 1 ELIM=8cal/cm²	Class 1, A1+A2	UPF 40+

**BOX
TEST****ARC
RATING**

TROUSER

MALE SIZES:

30" - 52" Reg leg (32"/81cm)
32" - 44" Tall leg (34"/86cm)
30" - 42" Short leg (30"/76cm)

More sizes & fits are available but are not stocked.
Leadtimes will apply.

7638

FEMALE SIZES:

8-16 Reg leg (30"/76cm)

7636

Cut in a specific women's fit

Triple needle stitch seams for extra longevity

- ✓ Combat pocket with flap / Safe storage space
- ✓ Mobile phone pocket / Keep your phone safe
- ✓ Side access pockets / Traditional style
- ✓ Extra wide belt loop at rear / Prevents belt riding up
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ SafetyICON™ on leg pocket / Visual EN Standard icon system
- ✓ Rear pockets with flap / Secure storage space
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Reinforced crotch / Improved longevity
- ✓ ThermSAFE™ jeans button / Jeans style fastening

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ 250W Woven Inherent Fabric - 250gsm

LOI: 30.6%

PRODUCT CARE:     

EN STANDARDS

	
EN ISO 11612: 2015	EN 1149-5: 2018
A1, A2, B1, C1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay

		
EN ISO 11611: 2015	EN 61482-2: 2020	EN 13758-2:2003 +A1:2006
Class 1, A1, A2	APC 1 ELIM=8cal/cm²	UPF 40+

BOX TEST



ARC RATING



SOFTSHELL JACKET

SIZES: S-4XL

More sizes & fits are available but are not stocked.
Leadtimes will apply.

9931

Zipped Napoleon pocket with integrated phone pocket

Microfleece lining for extra warmth

- ✓ Elasticated inner cuffs / Wind proofing
- ✓ Velcro® fastening tabs on cuffs and back / Improved fit
- ✓ Zipped Napoleon pocket on left breast with incorporated phone pocket / Safe and secure
- ✓ Inner pockets on right breast / Storage space
- ✓ Covered, zipped hand pockets / Keeps out debris and keeps contents secure
- ✓ Mandarin collar / Maximum neck protection
- ✓ Microfleece lining / Warmth and comfort
- ✓ Easy Stretch side panels / Extra comfort
- ✓ Extended back / Protection when bending over
- ✓ SafetyICON™ on arm / Visual EN standard
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ ThermSAFE™ two-way plastic FR zipper / Flexibility

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Woven Weave Fabric with Waterproof Membrane - 340gsm

LOI: 30.6%

PRODUCT CARE:     

EN STANDARDS


EN ISO 11612: 2015
A1, B1, C1, F1

	
EN 1149-5: 2018	EN 61482-2: 2020
Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM=23 cal/cm² ATPV=26 cal/cm²

BOX TEST



ARC RATING



HI VIS ORANGE COLLECTION

FIND YOUR SIZE GUIDES ON PAGES 102-105

Image below:
5390 Polo Shirt

JACKET

SIZES: S-4XL

More sizes & fits are available but are not stocked.
Leadtimes will apply.

4608

Vertical pocket
with zipper

Adjustable waist
fastening for
improved fit



- ✓ Mandarin collar for maximum neck protection
- ✓ Vertical chest pocket with zipper / Discreet design
- ✓ Gas monitor loop / Secure fixing point
- ✓ Safety/CON™ on arm / Visual EN Standard icon system
- ✓ 5cm FR AS reflective Tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets with flaps / Prevents entry of debris
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ Extended back / Protection when bending over
- ✓ Double stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Woven Fabric, HV Orange - 290gsm

PRODUCT CARE: 60

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN 61482-2: 2020 APC 1 ATPV= 9.3cal/cm² ELIM= 8cal/cm²
 EN ISO 11611: 2015 Class 1, A1	 EN ISO 20471: 2013+A1:2016 Class 3	 RIS 3279 Compliant Issue 2

**BOX
TEST**

**ARC
RATING**



TROUSER

MALE SIZES:

30"- 52" Reg leg (32"/81cm)
32"- 44" Tall leg (34"/86cm)
30"- 42" Short leg (30"/76cm)

More sizes & fits are available
but are not stocked.
Leadtimes will apply.

4616

FEMALE SIZES:

8-16 Reg leg (30"/76cm)

4614

Cut in a specific women's fit

Triple needle
stitch seams
for extra
longevity

- ✓ Combat pocket with flap / Safe storage space
- ✓ Mobile phone pocket / Keeps your phone safe
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Side access pockets with flaps / Protects from debris entry
- ✓ Extra wide belt loop at rear / Prevents belt riding up
- ✓ SafetyICON™ on leg pocket / Visual EN Standard icon system
- ✓ Rear pockets with flap / Secure storage space
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Reinforced crotch / Improved longevity
- ✓ ThermSAFE™ jeans button / Jeans style fastening
- ✓ 5cm FR AS reflective tape / Double stitched for longer life

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Woven Fabric, HV Orange - 290gsm

PRODUCT CARE:      

EN STANDARDS

		
EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC1 ATPV=9.3cal/cm² ELIM=8cal/cm²

BOX TEST

ARC RATING

		
EN ISO 11611: 2015	EN ISO 20471: 2013 +A1:2016	Compliant
Class 1, A1	Class 1	Issue 2

4KA

8 CAL

APC 1

ARC 2

TROUSER

MALE SIZES:

30"- 52" Reg leg (32"/81cm)
32"- 44" Tall leg (34"/86cm)
30"- 42" Short leg (30"/76cm)

More sizes & fits are available
but are not stocked.
Leadtimes will apply.

4616-ARA

FEMALE SIZES:

8-16 Reg leg (30"/76cm)

4614-ARA

Cut in a specific women's fit

Combat
pocket
with flap

- ✓ Combat pocket with flap / Safe storage space
- ✓ Mobile phone pocket / Keeps your phone safe
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Side access pockets with flaps / Protects from debris entry
- ✓ Extra wide belt loop at rear / Prevents belt riding up
- ✓ SafetyICON™ on leg pocket / Visual EN Standard icon system
- ✓ Rear pockets with flap / Secure storage space
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Reinforced crotch / Improved longevity
- ✓ ThermSAFE™ jeans button / Jeans style fastening
- ✓ 5cm FR AS reflective tape / Double stitched for longer life

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Woven Fabric, HV Orange - 240gsm

PRODUCT CARE:      

EN STANDARDS

		
EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC1 ELIM 6.2 cal/cm² ATPV 6.67 cal/cm²

BOX TEST

ARC RATING

		
EN ISO 11611: 2015	EN ISO 20471: 2013 +A1:2016	Compliant
Class 1, A1	Class 1	Issue 2

4KA

6.2 CAL

APC 1

ARC 1

4690

COVERALL

MALE SIZES:

S-4XL Reg leg (31"/80cm)

M-2XL Tall leg (33"/85cm)



Internal elasticated waistband
for improved fit



Wear with kneepads for
extra protection

**FEMALE SIZES:**

8-16 Reg leg (29"/75cm)

4692

Cut in a specific
women's fit



More sizes & fits are
available but are not
stocked. Leadtimes
will apply.

PRODUCT DESCRIPTION

Stay protected and comfortable all day with this high-performance coverall. Designed with a Mandarin collar, kneepad pockets, and Easy-Stretch™ side panels, it offers durability, secure storage, and all-day comfort. With reflective tape, ThermSAFE™ FR zippers, and SafetyICON™ EN compliance, it's built for tough, demanding environments.

PRODUCT INFORMATION**COLOUR:** HV Orange**FABRIC SPECIFICATION:**

ProGARM VXS+ Inherent Woven Fabric, HV Orange - 290gsm

PRODUCT CARE:**FEATURES & BENEFITS**

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Chest pockets with flaps / Secure storage
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyICON™ on arm / Visual EN Standard
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN ISO 11611: 2015	EN ISO 20471: 2013 +A1:2016	Compliant
A1, B1, C1, F1	Pl. 5:2018 Pl. 3:2004 Charge Decay	APC 1 ATPV=9.3cal/cm² ELIM=8cal/cm²	Class 1, A1	Class 3	Issue 2

**BOX
TEST****ARC
RATING**

4693

COVERALL

MALE SIZES:

S-4XL Reg leg (31"/80cm)

M-2XL Tall leg (33"/85cm)



Double stitched ThermSAFE™
reflective tape for longevity



Back pockets for secure storage



FEMALE SIZES:

8-16 Reg leg (29"/75cm)

4694

Cut in a specific
women's fit



More sizes & fits are
available but are not
stocked. Leadtimes
will apply.

PRODUCT DESCRIPTION

Built for protection and performance, this coverall features a Mandarin collar, kneepad pockets, and Easy-Stretch™ side panels for lasting comfort. With secure storage, ThermSAFE™ FR zippers, and double-stitched seams, it ensures durability. Reflective tape, SafetyICON™ EN compliance, and an arc rating of 6.2 cal/cm² deliver proven safety in every environment.

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Woven Fabric, HV Orange - 240gsm

PRODUCT CARE:

FEATURES & BENEFITS

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra comfort
- ✓ Chest pockets / Secure storage
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyICON™ on arm / Visual EN Norm icon system
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Cuff tabs with VELCRO® brand fasteners / Close fit around wrists
- ✓ Side access pockets with flaps / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Double stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN ISO 11611: 2015	EN ISO 20471: 2013 +A1:2016	Compliant
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC1 ELJM 6.2 cal/cm² ATPV 6.7 cal/cm²	Class 1, A1	Class 3	Issue 2

BOX
TESTARC
RATING

POLO SHIRT

SIZES

5290 Male: S-4XL
5292 Female: 8-16

More sizes & fits are available but are not stocked. Leadtimes will apply.

5290



5292

Cut in a specific women's fit



- ✓ Enclosed stud placket for quick fastening
- ✓ Breathable with good moisture management
- ✓ VXS+ blend / Natural feel, comfortable and soft
- ✓ ThermSAFE™ plastic FR poppers / CE Certified
- ✓ Knitted collar with tipping / Ensures best appearance after washing
- ✓ Contrast colour collar / Stylish and practical
- ✓ Rib knit cuffs / Close fit
- ✓ SafetylCON™ on arm / Visual EN Standard icon system
- ✓ 5cm FR AS reflective tape / Heat applied to improve flexibility

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Pique Fabric, HV Orange - 220gsm

PRODUCT CARE:

POLO SHIRT

SIZES: S-4XL

More sizes & fits are available but are not stocked. Leadtimes will apply.

5390



Ultra-soft and durable VXS+ Fabric

- ✓ Enclosed stud placket / Allows quick fastening
- ✓ VXS+ blend / Natural feel, comfortable and soft
- ✓ Breathable with good moisture management
- ✓ ThermSAFE™ plastic FR poppers / CE Certified
- ✓ Knitted collar with tipping / Ensures best appearance after washing
- ✓ Contrast colour collar / Stylish & practical
- ✓ Rib knit cuffs / Close fit
- ✓ SafetylCON™ on arm / Visual EN Norm icon system
- ✓ 5cm FR AS Reflective tape / Heat applied to improve flexibility

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Knitted Fabric, HV Orange - 250gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018
A1, B1, C1	Pt. 5:2018 Pt. 3:2004 Charge Decay

BOX TEST

ARC RATING

EN 61482-2: 2020	EN ISO 20471: 2013 +A1:2016	Compliant
APC1 ATPV = 6.3 cal/cm² ELIM = 5.9 cal/cm²	Class 3	Issue 2

4KA

5.9 CAL

APC 1

ARC 1

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018
A1, B1, C1	Pt. 5:2018 Pt. 3:2004 Charge Decay

BOX TEST

ARC RATING

EN 61482-2: 2020	EN ISO 20471: 2013 +A1:2016	Compliant
APC1 ATPV = 6.9 cal/cm² ELIM = 6.2 cal/cm²	Class 3	Issue 2

4KA

6.2 CAL

APC 1

ARC 1

5648

SWEATSHIRT

SIZES:

S-4XL

More sizes & fits are available but are not stocked. Leadtimes will apply.



Fleece lined for extra warmth



Twin needle stitch on neckline



Useful arm pocket for phone or small items

PRODUCT DESCRIPTION

This garment is engineered for both comfort and performance in demanding conditions. The brushed fleece inner provides reliable winter warmth, while the VXS+ blend fabric delivers a natural, soft feel that remains breathable with excellent moisture management. A dependable choice that balances warmth, durability, and safety with a modern, professional appearance.

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Sweat Fabric, HV Orange - 430gsm

LOI: 30.2%

PRODUCT CARE:

FEATURES & BENEFITS

- ✓ Brushed fleece inner / Winter warmth
- ✓ VXS+ blend / Natural feel, comfortable and soft
- ✓ Breathable with good moisture management
- ✓ Round neck collar with stretch rib / Smart appearance
- ✓ Contrast colour collar / Stylish and practical
- ✓ Rib knit cuffs / Close fit
- ✓ 5cm stretch rib hem / Best fit around the waist
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ Arm pocket / Useful pocket for phone or small items
- ✓ 5cm FR AS reflective tape / Heat applied to improve flexibility

EN STANDARDS

EN ISO 11612: 2015	EN 61482-2: 2020	EN ISO 20471: 2013 + A1:2016	Compliant	EN 13758-2:2003 + A1:2006
A1, B1, C2, F1	APC1 ELIM=9.9cal/cm² ATPV=14cal/cm²	Class 3	Issue 2	UPF 40+

BOX
TEST

4KA
APC 1

ARC
RATING

9.9 CAL
ARC 2

WATERPROOF JACKET

SIZES:
S-4XL

More sizes & fits are available but are not stocked. Leadtimes will apply.

9140



**9141
HOOD**



- ✓ Mandarin collar / Maximum neck protection
- ✓ Adjustable cuffs / Close fit around wrists or gloves
- ✓ Two front pockets / Extra, secure storage
- ✓ Adjustable waist tabs / Ensures close fit
- ✓ Studs to attach waterproof hood / Protection from all weather
- ✓ Ability to attach padded liner jacket / For extra warmth
- ✓ Internal pockets / Secure storage

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ FR Inherent Woven Fabric - 250gsm

PRODUCT CARE:

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1 D1, E1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN ISO 11611: 2015 Class 1, A1	 EN ISO 20471: 2013 +A1:2016 Class 3
 EN 343: 2019 Class 4/3/x	 EN 13034:2005 +A1:2009 Type 6	 EN 61482-2: 2020 APC 1 ELIM 9.3 cal/cm² ATPV 11 cal/cm²	 Compliant Issue 2

**BOX
TEST**

4KA

APC 1

**ARC
RATING**

9.3CAL

ARC 2

UNLINED WATERPROOF DUNGAREE

SIZES:
S-4XL

9144



More sizes & fits are available but are not stocked. Leadtimes will apply.

The 9144 Unlined Waterproof Dungaree offers the ultimate innovation and protection. As a RIS-3279-TOM compliant garment, it's also suitable for use on or near railways. Dungaree should be worn with 9140 Unlined Waterproof Jacket as a two-piece set.

- ✓ Elasticated waist
- ✓ 2 bands of FR heat applied reflective tape
- ✓ Press studs at leg hem to reduce width

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

Outer Layer: VXS+ Inherent Special Weave Fabric with Waterproof Membrane - 250gsm

PRODUCT CARE:

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1 D1, E1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN ISO 11611: 2015 Class 1, A1	 EN ISO 20471: 2013 +A1:2016 Class 1
 EN 343: 2019 Class 4/3/x	 EN 13034:2005 +A1:2009 Type 6	 EN 61482-2: 2020 APC 1 ELIM 9.3 cal/cm² ATPV 11 cal/cm²	 Compliant Issue 2

**BOX
TEST**

4KA

APC 1

**ARC
RATING**

9.3CAL

ARC 2

9422

WATERPROOF JACKET

SIZES: More sizes & fits are available but are not stocked. Leadtimes will apply.
S-4XL



No seams on shoulders to improve durability and comfort whilst wearing harness



Covered, zipped hand pockets



- ✓ Elasticated inner cuffs / Wind proofing
- ✓ Storm flap / Wind proofing
- ✓ Taped seams / Waterproof and windproof
- ✓ Cuff tabs with Velcro® brand fasteners / Improved fit
- ✓ Fully adjustable, fold away hood with Velcro®
- ✓ Removable hood
- ✓ Radio loop attaching point on left breast
- ✓ Zipped Napoleon pocket on left breast with incorporated phone pocket / Safe and secure
- ✓ Inner pockets on right hand breast / Storage space
- ✓ Covered, zipped hand pockets / Keeps out debris and keeps contents secure
- ✓ No seams on shoulder / Improved durability and comfort whilst wearing a harness

- ✓ Mandarin collar / Maximum neck protection
- ✓ 50mm FR reflective tape / Increased durability
- ✓ 120gsm lining / Lightweight
- ✓ Easy-Stretch™ side panels / Wear comfort
- ✓ Extended back / Protection when bending over
- ✓ SafetyICON™ / Visual EN standards
- ✓ ThermSAFE™ plastic FR zipper / CE Certified

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

Outer Layer: VXS+ Inherent Special Weave Fabric with Waterproof Membrane - 250gsm

Lining Layer: VXS+ Inherent Woven Fabric - 120gsm

PRODUCT CARE:

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1 D1, E1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN ISO 11611: 2015 Class 1, A1	 EN ISO 20471: 2013 +A1:2016 Class 3
 EN 343: 2019 Class 4/3/x	 EN 13034:2005 +A1:2009 Type 6	 EN 61482-2: 2020 APC 2 ELIM 23 cal/cm² ATPV 25 cal/cm²	 RIS 3279 Compliant Issue 2

BOX TEST

7KA

APC 2

ARC RATING

23 CAL

ARC 2

9622

WATERPROOF SALOPETTE

SIZES: S-4XL More sizes & fits are available but are not stocked.
Leadtimes will apply.

PRODUCT DESCRIPTION

Engineered for tough conditions, these trousers deliver the perfect mix of protection, comfort, and practicality. Featuring 50mm FR reflective tape for enhanced visibility and increased durability, they're designed to keep you safe without compromising on performance. For a customizable fit, the trousers come with removable, adjustable suspenders and a suspender back plate, designed to adapt for long-lasting comfort. An extra-wide rear belt loop prevents belts from riding up, keeping everything securely in place.

FEATURES & BENEFITS

- ✓ 50mm FR reflective tape / Increased durability
- ✓ Combat pocket with phone pocket
- ✓ 2 side pockets / Storage space
- ✓ Side access / For use as overtrousers
- ✓ 120gsm lining / Lightweight
- ✓ Removable and adjustable suspenders
- ✓ Suspender back plate / Adjustable for comfort
- ✓ SafetyICON™ on arm / Visual EN Certified
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ Extra wide belt loop at rear / Prevents belt riding up

PRODUCT INFORMATION

COLOUR: HV Orange

FABRIC SPECIFICATION:

Outer Layer: VXS+ Inherent Special Weave Fabric with Waterproof Membrane - 250gsm

Lining Layer: VXS+ Inherent Woven Fabric -120gsm

PRODUCT CARE:     

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1 D1, E1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN ISO 11611: 2015 Class 1, A1	 EN ISO 20471: 2013 +A1:2016 Class 1
 EN 343: 2019 Class 4/3/x	 EN 13034:2005 +A1:2009 Type 6	 EN 61482-2: 2020 APC 2 ELJM 23 cal/cm² ATPV 25 cal/cm²	 RIS 3279 Compliant Issue 2

**BOX
TEST**



**ARC
RATING**



Removable
and adjustable
braces

Expandable
ankle opening
with zipper



Image:

9422

Waterproof Jacket

9622

Waterproof Salopette

ProGARM[®]
PROTECTING LIVES

HI VIS YELLOW COLLECTION

FIND YOUR SIZE GUIDES ON PAGES 102-105

Image below:
7482 Coverall

POLO SHIRT

SIZES

5286 Male: S-4XL
5287 Female: 8-16

More sizes & fits are available
but are not stocked.
Leadtimes will apply.

5286



5287

Cut in a specific women's fit



- ✓ Enclosed stud placket
Allows quick fastening
- ✓ VXS+ blend / Natural feel,
comfortable and soft
- ✓ Breathable / Good moisture management
- ✓ ThermSAFE™ plastic FR poppers / CE Certified
- ✓ Knitted collar with tipping / Ensures best appearance after washing
- ✓ Contrast colour collar / Stylish and practical
- ✓ Rib knit cuffs / Close fit
- ✓ SafetyICON™ on arm / Visual EN Standards icon system
- ✓ 5cm FR AS reflective tape / Heat applied to improve flexibility

PRODUCT INFORMATION

COLOUR: HV Yellow

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Pique Fabric, HV Yellow - 210gsm

PRODUCT CARE: 40° / Iron / No Bleach / No Dry Clean / P

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay

EN 61482-2: 2020	EN ISO 20471: 2013 + A1:2016	EN 13758-2:2003 + A1:2006
APC 1 ELIM = 5.6cal/cm² ATPV = 6.2cal/cm²	Class 3	UPF 40+

BOX TEST

4KA
APC 1

ARC RATING

5.6 CAL
ARC 1

SWEATSHIRT

SIZES: S-4XL

More sizes & fits are available but are not stocked.
Leadtimes will apply.

5626

Twin needle
stitch on
neckline

Rib knit cuff
with Lycra® for
comfort and
close fit



- ✓ VXS+ blend / Natural feel, comfortable and soft
- ✓ Breathable / Good moisture management
- ✓ Rib knit cuffs / Close fit
- ✓ SafetyICON™ on arm / Visual EN Standards icon system
- ✓ Heat applied 5cm FR AS reflective tape / Heat applied to improve flexibility
- ✓ Brushed fleece inner / Winter warmth
- ✓ Round neck collar with stretch rib / Smart appearance
- ✓ 5cm stretch rib hem / Best fit around the waist
- ✓ Arm pocket / Useful pocket for phone or small items

PRODUCT INFORMATION

COLOUR: HV Yellow

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Sweat Fabric, HV Yellow - 320gsm

LOI: 30.8%

PRODUCT CARE: 

EN STANDARDS

	
EN ISO 11612: 2015	EN 1149-5: 2018
A1, B1, C2, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay

	
EN 61482-2: 2020	EN ISO 20471: 2013 + A1:2016
APC 1 ELIM = 12cal/cm²	Class 3


EN 13758-2:2003 + A1:2006
UPF 40+

BOX TEST

4KA
APC 1

ARC RATING

12 CAL
ARC 2

TROUSER

MALE SIZES:

30"- 52" Reg leg (32"/81cm)
32"- 44" Tall leg (34"/86cm)
30"- 42" Short leg (30"/76cm)

More sizes & fits are available but are not stocked.
Leadtimes will apply.

7418

FEMALE SIZES:

8-16 Reg leg (30"/76cm)

7414

Cut in a specific women's fit

Triple needle
stitch seams
for extra
longevity



- ✓ Combat pocket with flap / Safe storage space
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Mobile phone pocket / Keeps your phone safe
- ✓ Side access pockets with flaps / Protects from debris entry
- ✓ Extra wide belt loop at rear / Prevents belt riding up
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ SafetyICON™ on leg pocket / Visual EN Standards icon system
- ✓ Rear pockets with flap / Secure storage space
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Reinforced crotch / Improved longevity
- ✓ ThermSAFE™ jeans button / Jeans style fastening

PRODUCT INFORMATION

COLOUR: HV Yellow

FABRIC SPECIFICATION:

VXS+ HVY250W Woven Inherent Hi-Visibility Fabric - 250gsm

LOI: 30.6%

PRODUCT CARE: 

EN STANDARDS

		
EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, A2, B1, C1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 8cal/cm²

		
EN ISO 11611: 2015	EN ISO 20471: 2013 + A1:2016	EN 13758-2:2003 + A1:2006
Class 1, A1+A2	Class 2	UPF 40+

BOX TEST

4KA
APC 1

ARC RATING

8 CAL
ARC 2

7480

COVERALL

MALE SIZES:

S-4XL Reg leg (31"/80cm)

M-2XL Tall leg (33"/85cm)

Featuring flame resistant
ThermSAFE™ hook and loop

Side access pockets

**FEMALE SIZES:**

8-16 Reg leg (29"/75cm)

7482Cut in a specific
women's fitMore sizes & fits
are available but
are not stocked.
Leadtimes will apply.**PRODUCT DESCRIPTION**

Engineered for professionals who demand performance, this coverall combines advanced protection, functional design, and lasting comfort. The Mandarin collar delivers maximum neck protection, while the internal elastic, 2-point adjustable waistband and Easy-Stretch™ side panels ensure a close, comfortable fit that moves with you.

PRODUCT INFORMATION**COLOUR:** HV Yellow**FABRIC SPECIFICATION:**

VXS+ HVY250W Woven Inherent Hi-Visibility Fabric - 250gsm

LOI: 30.6%**PRODUCT CARE:** **FEATURES & BENEFITS**

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Chest pockets with flaps / Secure storage
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyICON™ on arm / Visual EN Standards icon system
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN ISO 11611: 2015	EN ISO 20471: 2013 +A1:2016	EN 13758-2:2003 +A1:2006
A1, A2, B1, C1, E1, F1	Pl. 5:2018 Pl. 3:2004 Charge Decay	APC1 ELIM = 8cal/cm²	Class 1, A1+A2	Class 3	UPF 40+

**BOX
TEST****ARC
RATING**

UNLINED WATERPROOF JACKET

SIZES: More sizes & fits are available but are not stocked.
S-4XL Leadtimes will apply.

9150



**9151
HOOD**



- ✓ Mandarin collar / Maximum neck protection
- ✓ Adjustable cuffs / Close fit around wrists or gloves
- ✓ Two front pockets / Extra, secure storage
- ✓ Adjustable waist tabs / Ensures close fit
- ✓ Studs to attach waterproof hood / Protection from all weather
- ✓ Ability to attach padded liner jacket / For extra warmth
- ✓ Internal pockets / Secure storage

PRODUCT INFORMATION

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

ProGARM VXS+ FR Inherent Woven Fabric - 250gsm

PRODUCT CARE:     

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1 D1, E1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN ISO 11611: 2015 Class 1, A1
---	--	--

 EN ISO 20471: 2013 + A1:2016 Class 3	 EN 343: 2019 Class 4/3/x	 EN 13034:2005 + A1:2009 Type 6	 EN 61482-2: 2020 APC 1 ELIM = 9.3cal/cm² ATPV = 11cal/cm²
--	--	--	---

**BOX
TEST**



**ARC
RATING**



UNLINED WATERPROOF DUNGAREE

SIZES:
S-4XL

9155

More sizes & fits are available but are not stocked.
Leadtimes will apply.

The 9155 Unlined Waterproof Dungaree offers the ultimate innovation and protection. As a RIS-3279-TOM compliant garment, it's also suitable for use on or near railways. Dungaree should be worn with 9150 Unlined Waterproof Jacket as a two-piece set.

- ✓ Elasticated waist
- ✓ 2 bands of FR heat applied reflective tape
- ✓ Press studs at leg hem to reduce width

PRODUCT INFORMATION

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

ProGARM VXS+ FR Inherent Woven Fabric - 250gsm

PRODUCT CARE:     

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1 D1, E1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN ISO 11611: 2015 Class 1, A1
---	--	--

 EN ISO 20471: 2013 + A1:2016 Class 3	 EN 343: 2019 Class 4/3/x	 EN 13034:2005 + A1:2009 Type 6	 EN 61482-2: 2020 APC 1 ELIM = 9.3cal/cm² ATPV = 11cal/cm²
--	--	--	---

**BOX
TEST**



**ARC
RATING**



9720

WATERPROOF JACKET

SIZES:

S-4XL

More sizes & fits are available
but are not stocked.
Leadtimes will apply.



No seams on shoulders to
improve durability and comfort
whilst wearing harness



PRODUCT DESCRIPTION

Built for protection and performance, this jacket offers windproofing, waterproof taped seams, and a removable foldaway hood. Reflective tape, and SafetyICON™ certification enhance safety, while Easy-Stretch™ panels, extended back, and lightweight lining ensure all-day comfort. Multiple secure pockets and harness-friendly design complete this professional essential.

PRODUCT INFORMATION

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

Outer Layer: VXS+ Inherent Special Weave Fabric with Waterproof Membrane - 250gsm

Lining Layer: VXS+ Inherent Woven Fabric - 120gsm

PRODUCT CARE: 

EN STANDARDS

		
EN ISO 11612: 2015	EN 1149-5: 2018	EN ISO 11611: 2015
A1, B1, C1 D1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	Class 1, A1

			
EN ISO 20471: 2013 +A1:2016	EN 343: 2019	EN 13034:2005 +A1:2019	EN 61482-2: 2020
Class 3	Class 4/3/x	Type 6	APC 2 ELIM = 23cal/cm² ATPV = 25cal/cm²

**BOX
TEST**



**ARC
RATING**



FEATURES & BENEFITS

- ✓ Elasticated inner cuffs / Wind proofing
- ✓ Cuff tabs with Velcro® brand fasteners / Improved fit
- ✓ Fully adjustable, fold away hood with Velcro®
- ✓ Storm flap / Wind proofing
- ✓ Removable hood
- ✓ Radio loop attaching point on left breast
- ✓ Zipped Napoleon pocket on left breast with incorporated phone pocket / Safe and secure
- ✓ Inner pockets on right hand breast / Storage space
- ✓ Taped seams / Waterproof and windproof
- ✓ Covered, zipped hand pockets / Keeps out debris and keeps contents secure
- ✓ No seams on shoulder / Improved durability and comfort whilst wearing a harness
- ✓ Mandarin collar / Maximum neck protection
- ✓ 50mm FR reflective tape / Increased durability
- ✓ 120gsm lining / Lightweight
- ✓ Easy-Stretch™ side panels / Wear comfort
- ✓ Extended back / Protection when bending over
- ✓ SafetyICON™ / Visual EN Standards
- ✓ ThermSAFE™ plastic FR zipper / CE Certified

9820

WATERPROOF SALOPETTE

SIZES: S-4XLMore sizes & fits are available but are not stocked.
Leadtimes will apply.

PRODUCT DESCRIPTION

Designed for versatility, these salopettes feature 50mm durable FR reflective tape, lightweight lining, and side access for easy layering. Practical storage includes combat and side pockets, while removable suspenders with adjustable back plate ensure comfort. Finished with a ThermSAFE™ FR zipper, wide rear belt loop, and SafetyICON™ certification.

FEATURES & BENEFITS

- ✓ 50mm FR reflective tape / Increased durability
- ✓ Combat pocket with phone pocket for convenience and storage space
- ✓ 2 side pockets / Storage space
- ✓ Side access / For use as overtrousers
- ✓ 120gsm lining / Lightweight
- ✓ Removable & adjustable suspenders
- ✓ Suspender back plate / Adjustable for comfort
- ✓ SafetyICON™ on arm / Visual EN Certified
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ Extra wide belt loop at rear / Prevents belt riding up


PRODUCT INFORMATION

COLOUR: HV Yellow / Navy

FABRIC SPECIFICATION:

Outer Layer: VXS+ Inherent Special Weave Fabric with Waterproof Membrane - 250gsm**Lining Layer:** VXS+ Inherent Woven Fabric - 120gsm**PRODUCT CARE:**      


Removable
and adjustable
braces



Expandable
ankle opening
with zipper

EN STANDARDS

		
EN ISO 11612: 2015	EN 1149-5: 2018	EN ISO 11611: 2015
A1, B1, C1 D1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	Class 1, A1

			
EN ISO 20471: 2013 +A1:2016	EN 343: 2019	EN 13034:2005 +A1:2019	EN 61482-2: 2020
Class 3	Class 4/3/x	Type 6	APC 2 ELIM = 23cal/cm² ATPV = 25cal/cm²

**BOX
TEST****ARC
RATING**

9930


SOFTSHELL JACKET

SIZES:

S-4XL

More sizes & fits are available
but are not stocked.
Leadtimes will apply.

Adjustable cuff with
soft cuffing on inside
for extra warmth



50mm double
stitched
reflective tape



Covered
zipped hand
pockets



PRODUCT DESCRIPTION

This jacket combines style and practicality with microfleece warmth, windproof elasticated cuffs, and easy-stretch panels. Safety features include double-stitched reflective tape, ThermSAFE™ FR zippers, and the SafetyICON™ system, with smart storage pockets and a mandarin collar for maximum protection.

PRODUCT INFORMATION

COLOUR: HV Yellow

FABRIC SPECIFICATION:

VXS+ Inherent Woven Weave Fabric with
Waterproof Membrane - 340gsm

PRODUCT CARE:

FEATURES & BENEFITS

- ✓ Two tone design / Practical and stylish
- ✓ Elasticated inner cuffs / Wind proofing
- ✓ Velcro® fastening tabs on cuffs and back / Improved fit
- ✓ Radio loop attaching point on left breast
- ✓ Zipped Napoleon pocket on left breast with incorporated phone pocket / Safe and secure
- ✓ Inner pockets on right hand breast / Storage space
- ✓ Covered, zipped hand pockets / Keeps out debris and keeps contents secure
- ✓ Mandarin collar / Maximum neck protection
- ✓ 50mm double stitched reflective tape / Increased durability
- ✓ Microfleece lining / Warmth and comfort
- ✓ Easy Stretch side panels / Wearer comfort
- ✓ Extended back / Protection when bending over
- ✓ SafetyICON™ on arm / Visual EN Standards
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ ThermSAFE™ two-way plastic FR zipper / Flexibility

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 11482-2: 2020	EN ISO 20471: 2013 +A1:2016
A1, B1, C1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC2 ELIM=23cal/cm² EBT50=28cal/cm²	Class 3 excludes Clause 5.6

BOX TEST



ARC RATING





Image:
9720
Waterproof Jacket

ProGARM®
PROTECTING LIVES

TWO TONE COLOUR COLLECTION

FIND YOUR SIZE GUIDES ON PAGES 102-105

Image below:
6460 Coverall



COVERALL

SIZES:

S-4XL Reg leg (31"/80cm)

M-2XL Tall leg (33"/85cm)

4658

More sizes & fits
are available but
are not stocked.
Leadtimes will apply.



ThermSAFE™ plastic FR zippers

Chest pockets
with zippers for
secure storage

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra comfort
- ✓ Vertical zip chest pockets / Accessible when wearing a harness
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyIcon™ on arm / Visual EN Norm icon system
- ✓ 5cm heat applied reflective tape / Lighter weight
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets with flaps / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort
- ✓ Combat pocket on leg plus sleeve pocket / Ample space
- ✓ Expandable ankle opening with zippers / Easy removal

PRODUCT INFORMATION

COLOUR: Navy/HV Orange

FABRIC SPECIFICATION:

ProGARM VXS+ Inherent Woven Fabric, HV Orange - 290gsm

ProGARM VXS+ Inherent Woven Fabric, Navy - 240gsm

PRODUCT CARE: 60°C / Iron / No Dry Clean / No Bleach / No Tumble Dry

EN STANDARDS

 EN ISO 11612: 2015 A1, B1, C1, F1	 EN 1149-5: 2018 Pt. 5:2018 Pt. 3:2004 Charge Decay	 EN 61482-2: 2020 APC 1 ELIM = 8cal/cm² ATPV = 9.3cal/cm²
 EN ISO 11611: 2015 Class 1, A1	 EN ISO 20471: 2013 + A1:2016 Class 3	 RIS 3279 Compliant Issue 1

**BOX
TEST**

**ARC
RATING**



HI-VIS JACKET

SIZES: S-4XL

More sizes & fits are available but are not stocked.
Leadtimes will apply.

5805

Dual gas
monitor/radio
loops on chest



- ✓ Mandarin collar / Maximum neck protection
- ✓ Extended back / Protection when bending over
- ✓ Adjustable waist tabs / Creates a good fit
- ✓ Adjustable wrist tabs for a snug fit over gloves and protection
- ✓ Two front chest bellows pockets with flaps / Secure storage
- ✓ Side access pockets with zips / For hands and secure storage
- ✓ Phone and pen pocket on sleeve with flap / Safe and secure
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ ThermSAFE™ plastic FR zipper and components / CE Certified
- ✓ SafetyICON™ on arm / Visual EN Norm icon system
- ✓ Triple-stitched side seams / Lifetime seam guarantee
- ✓ 2x gas monitor and/or radio loops / Secure fixing points

PRODUCT INFORMATION

COLOUR: Navy/HV Yellow

FABRIC SPECIFICATION:

VXS+ 300W Woven Inherent Fabric with FC Finish - 300gsm

LOI: 29.3%

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, A2, B1, C1, D1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 9cal/cm² ATPV = 12 cal/cm²

EN ISO 11611: 2015	EN ISO 20471: 2013 + A1:2016	EN 13034:2005 + A1:2009	EN 13758-2:2003 + A1:2006
Class 1, A1 + A2	Class 2	Type 6	UPF 40+

**BOX
TEST**

**ARC
RATING**

4KA

9 CAL

APC 1

ARC 2

JACKET

SIZES: S-4XL

More sizes & fits are available but are not stocked.
Leadtimes will apply.

5808

Double stitched
reflective tape
on HV yellow
shoulder



- ✓ Mandarin collar / Maximum neck protection
- ✓ Two front pockets with zippers / Secure storage
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Extended back / Protection when bending over
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort

PRODUCT INFORMATION

COLOUR: Navy/HV Yellow

FABRIC SPECIFICATION:

VXS+ 300W Woven Inherent Fabric with FC Finish - 300gsm

LOI: 29.3%

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, A2, B1, C1, D1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 9cal/cm² ATPV = 12 cal/cm²

EN ISO 11611: 2015	EN 13034:2005 + A1:2009	EN 13758-2:2003 + A1:2006
Class 1, A1 + A2	Type 6	UPF 40+

**BOX
TEST**

**ARC
RATING**

4KA

9 CAL

APC 1

ARC 2

TROUSER

MALE SIZES:

30"- 52" Reg leg (32"/81cm)
32"- 44" Tall leg (34"/86cm)
30"- 42" Short leg (30"/76cm)

More sizes & fits are available
but are not stocked.
Leadtimes will apply.

5816



FEMALE SIZES:

8-16 Reg leg (30"/76cm)

5814

Non-stocked product

Cut in a specific women's fit



- ✓ 5cm FR AS reflective tape, double stitched for longer life
- ✓ Combat pocket with flap / Safe storage space
- ✓ Mobile phone pocket / Keep your phone safe
- ✓ Internal kneepad pocket to fit ProGARM 2240 Kneepad
- ✓ Side access pockets with flaps / Protects from debris entry
- ✓ Extra wide belt loop at rear / Prevents belt riding up
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ SafetyICON™ on leg pocket / Visual EN Standard icon system
- ✓ Two rear pockets with flaps / Secure storage space
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Reinforced crotch / Improved longevity
- ✓ ThermSAFE™ jeans button / Jeans style fastening

PRODUCT INFORMATION

COLOUR: Navy/HV Yellow

FABRIC SPECIFICATION:

VXS+ 300W Woven Inherent Fabric with FC Finish - 300gsm

LOI: 29.3%

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, A2, B1, C1, D1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 9cal/cm² AIPV = 12 cal/cm²

BOX TEST

ARC RATING

EN ISO 11611: 2015	EN 13034:2005 +A1:2009	EN 13758-2:2003 +A1:2006
Class 1, A1 + A2	Type 6	UPF 40+

4KA

9 CAL

APC 1

ARC 2

TROUSER

MALE SIZES:

30"- 52" Reg leg (32"/81cm)
32"- 44" Tall leg (34"/86cm)
30"- 42" Short leg (30"/76cm)

5815



FEMALE SIZES:

8-16 Reg leg (30"/76cm)

5810

Cut in a specific women's fit



- ✓ 5cm FR AS reflective tape, double stitched for longer life
- ✓ External kneepad pockets for extra comfort and knee protection
- ✓ 2 x combat pockets with flaps / Safe storage space
- ✓ Mobile phone pocket on leg / Keep your phone safe
- ✓ Side access pockets / For easy access storage
- ✓ Extra wide belt loop at rear / Prevents belt riding up
- ✓ ThermSAFE™ plastic FR zipper and jeans button / CE Certified
- ✓ SafetyICON™ on leg pocket / Visual EN Norm icon system
- ✓ Two rear pockets with flaps / Secure storage space
- ✓ Triple-stitched structural seams / Lifetime quality assurance
- ✓ Reinforced crotch / Improves garment durability

PRODUCT INFORMATION

COLOUR: Navy/HV Yellow

FABRIC SPECIFICATION:

VXS+ 300W Woven Inherent Fabric with FC Finish - 300gsm

LOI: 29.3%

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, A2, B1, C1, D1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 9cal/cm² AIPV = 12 cal/cm²

BOX TEST

ARC RATING

EN ISO 11611: 2015	EN ISO 20471: 2013 +A1:2016	EN 13034:2005 +A1:2009	EN 13758-2:2003 +A1:2006
Class 1, A1	Class 1	Type 6	UPF 40+

4KA

9 CAL

APC 1

ARC 2

6444

COVERALL

MALE SIZES:

S-4XL Reg leg (31"/80cm)
M-2XL Tall leg (33"/85cm)



Chest pockets with zippers
for secure storage



ThermSAFE™ plastic FR zippers



FEMALE SIZES:

8-16 Reg leg (29"/75cm)

6446

Cut in a specific
women's fit



More sizes & fits
are available but
are not stocked.
Leadtimes will apply.

PRODUCT DESCRIPTION

Built for performance, this coverall combines all-day comfort and smart design with Easy-Stretch™ panels, action back, and adjustable fit. Featuring durable reflective tape, ThermSAFE™ FR zippers, and SafetyICON™ certification, plus multiple secure pockets for ultimate practicality and protection.

PRODUCT INFORMATION

COLOUR: Navy/HV Yellow

FABRIC SPECIFICATION:

VXS+ 300W Woven Inherent Fabric with FC Finish - 300gsm

LOI: 29.3%

PRODUCT CARE:

FEATURES & BENEFITS

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Chest pockets with zippers / Secure storage
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort
- ✓ Action back for improved comfort

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN ISO 11611: 2015	EN ISO 20471: 2013 +A1:2016	EN 13034:2005 +A1:2009	EN 13758-2:2003 +A1:2006
A1, A2, B1, C1, D1, E1, F1	Pl. 5:2018 Pl. 3:2004 Charge Decay	APC1 ELIM=9cal/cm² ATPV=12cal/cm²	Class 1, A1+A2	Class 3	Type 6	UPF 40+

BOX
TESTARC
RATING

6458

COVERALL

SIZES:

S-4XL Reg leg (31"/80cm)

M-2XL Tall leg (33"/85cm)

More sizes & fits are available
but are not stocked.
Leadtimes will apply.

Vertical chest
pockets for use
with harnesses

PRODUCT DESCRIPTION

Engineered for tough working conditions, this coverall offers outstanding protection, comfort, and durability. A mandarin collar and kneepad pockets provide extra protection, while vertical zip chest pockets remain accessible when wearing a harness. With Easy-Stretch™ panels, adjustable waistband, and expandable ankle openings, movement is effortless. Lightweight reflective tape, ThermSAFE™ FR zippers, and triple-stitched seams guarantee safety and lasting performance.

FEATURES & BENEFITS

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Expandable ankle opening with zippers / Easy removal
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ 5cm heat applied reflective tape / Lighter weight
- ✓ Combat pocket on leg plus sleeve pocket / Ample space
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband ensuring a close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wearer comfort

PRODUCT INFORMATION

COLOUR: Navy/HV Yellow

FABRIC SPECIFICATION:

VXS+ 240W Woven Inherent Fabric - 240gsm

LOI: 30.6%

PRODUCT CARE:     

EN STANDARDS

		
EN ISO 11612: 2015	IEC 61482-2: 2018	EN 61482-2: 2020
A1, A2, B1, C1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 8cal/cm²
		
EN ISO 11611: 2015	EN ISO 20471: 2013 +A1:2016	EN 13758-2:2003 +A1:2006
Class 1, A1+A2	Class 3	UPF 40+

**BOX
TEST**



**ARC
RATING**



Combat pocket
on right leg



6460

COVERALL

SIZES:

S-4XL Reg leg (31"/80cm)

M-2XL Tall leg (33"/85cm)

More sizes & fits are available
but are not stocked.
Leadtimes will apply.

PRODUCT DESCRIPTION

Engineered for tough working conditions, this coverall offers outstanding protection, comfort, and durability. A mandarin collar and kneepad pockets provide extra protection, while vertical zip chest pockets remain accessible when wearing a harness. With Easy-Stretch™ panels, adjustable waistband, and expandable ankle openings, movement is effortless. Lightweight reflective tape, ThermSAFE™ FR zippers, and triple-stitched seams guarantee safety and lasting performance.

FEATURES & BENEFITS

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra comfort
- ✓ Vertical zip chest pockets / Accessible when wearing a harness
- ✓ Expandable ankle opening with zippers / Easy removal
- ✓ SafetyICON™ on arm / Visual EN Norm icon system
- ✓ 5cm heat applied reflective tape / Lighter weight
- ✓ Combat pocket on leg plus sleeve pocket / Ample space
- ✓ Cuff tabs with Velcro® brand fasteners / Close fit around
- ✓ Side access pockets / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort

PRODUCT INFORMATION

COLOUR: Navy/HV Yellow

FABRIC SPECIFICATION:

VXS+ 160W Woven Inherent Fabric - 160gsm

PRODUCT CARE:     

Vertical chest
pockets for use
with harnesses



Combat pocket
on right leg with
phone pocket

EN STANDARDS



BOX TEST



ARC RATING



BASELAYER COLLECTION

FIND YOUR SIZE GUIDES ON PAGE 102

Image below:
8210 Baselayer Top
& 6444 Coverall



BALACLAVA

SIZES:
ONE SIZE

8100

- ✓ Extra soft fabric
- ✓ Elastic fabric to fit all shapes and sizes



PRODUCT INFORMATION

COLOURS: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Jersey Fabric, Navy - 220gsm

PRODUCT CARE: 40° [X] [] [X] [X] [X]

EN STANDARDS



EN ISO 11612:
2015

A1, B1, C1



EN 1149-5:
2018

Pt. 5:2018
Pt. 3:2004
Charge Decay



EN 61482-2:
2020

APC1
ELIM =
3.6cal/cm²

ARC RATING

3.6CAL

ARC

8300

SNOOD

SIZES:
ONE SIZE

- ✓ Can be worn in multiple forms
- ✓ Elastic fabric to fit all shapes and sizes



PRODUCT INFORMATION

COLOURS: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Jersey Fabric, Navy - 220gsm

PRODUCT CARE: 40° [X] [] [X] [X] [X]

EN STANDARDS



EN ISO 11612:
2015

A1, B1, C1



EN 1149-5:
2018

Pt. 5:2018
Pt. 3:2004
Charge Decay



EN 61482-2:
2020

APC1
ELIM =
3.6cal/cm²

ARC RATING


3.6CAL

ARC

8210

BASELAYER TOP


SIZES:
S-4XL



Double stitching
for longevity



Thumb hole
in cuff for
extra warmth



Shoulder
stitching pattern
for improved
ergonomics

PRODUCT DESCRIPTION

Designed with layering benefits for extra protection, this garment combines advanced safety with exceptional comfort. Made from extra soft flame resistant fabric with contrast threads, it offers durability and style. The elastic fit adapts to all body shapes, while a thumb hole and extended back provide added protection. Featuring L-shaped seams for comfort and fully machine washable convenience, it's the perfect base layer for demanding environments.


PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Jersey Fabric, Navy - 220gsm

PRODUCT CARE:



FEATURES & BENEFITS

- ✓ Garment layering benefits for extra protection
- ✓ Extra soft flame resistant fabric
- ✓ Contrast threads
- ✓ Elastic fabric to fit all shapes and sizes
- ✓ Thumb hole for extra hand protection
- ✓ Extended back
- ✓ L-shaped seams for wearer comfort
- ✓ Fully machine washable

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, B1, C1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC1 ELIM = 3.6cal/cm²

ARC RATING



8220

BASELAYER LEGGINGS

SIZES: S-4XLContrast
stitching

PRODUCT DESCRIPTION

Made with extra soft flame resistant fabric, this garment offers the perfect balance of protection and comfort, making it ideal for long shifts in demanding environments. Contrast threads and an innovative stitching pattern not only enhance durability but also improve wearer comfort and style. A clear, traceable label ensures total confidence in quality and compliance, while its fully machine washable design delivers everyday practicality without compromising performance.

FEATURES & BENEFITS

- ✓ Extra soft flame resistant fabric
- ✓ Contrast threads
- ✓ Innovative stitching pattern for improved comfort
- ✓ Fully machine washable
- ✓ Clear label with batch traceability

PRODUCT INFORMATION

COLOUR: Navy**FABRIC SPECIFICATION:**

VXS+ Inherent Jersey Fabric, Navy - 220gsm

PRODUCT CARE: 

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, B1, C1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC1 ELIM = 3.6cal/cm²

ARC RATING



HELMET LINER

SIZES:
ONE SIZE

8400



- ✓ Extra soft fabric
- ✓ Contrast threads
- ✓ Elastic fabric to fit all shapes and sizes

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Jersey Fabric, Navy - 220gsm

PRODUCT CARE:

EN STANDARDS



ARC RATING

3.6 CAL

ARC

BOXER BRIEFS

SIZES: S/M, L/XL, 2XL/3XL

8700M



- ✓ Mesh stripes on side of garment for increased breathability
- ✓ Elasticated waist band and seamless sides for additional comfort

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Knitted Fabric - 180gsm

PRODUCT CARE:

EN STANDARDS



8700F

Cut in a specific women's fit



FR BRA

SIZES:
XS-2XL

8770



- ✓ Extra soft fabric
- ✓ Elastic fabric to fit all shapes and sizes

PRODUCT INFORMATION

COLOUR: Black

FABRIC SPECIFICATION: 330gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018
A1, B1, C1	Pt. 5:2018 Pt. 3:2004 Charge Decay

SOCKS

SIZES:
UK: 4-7 | UK: 8-11
EU: 38/41 S/M | EU: 40/46 L/XL

2105



- ✓ Extra soft fabric
- ✓ Elastic fabric to fit all shapes and sizes

PRODUCT INFORMATION

COLOUR: Black

PRODUCT CARE:

EN STANDARDS

EN 1149-5: 2018
Pt. 5:2018 Pt. 3:2004 Charge Decay

ALSO TESTED TO:

CONVECTIVE HEAT
(ISO 9151:2016) - RESULT B1

RADIANT HEAT
(ISO 6942:2002 METHOD B) - RESULT C2

LIMITED FLAME SPREAD
(ISO 15025:2016) - RESULT INDEX 3

FR HIJAB

SIZES: ONE SIZE

8144



- ✓ Extra soft fabric
- ✓ Elastic fabric to fit all shapes and sizes

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:
VXS+ Inherent Knitted Fabric with
inherent stretch knitted rib

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018
A1, B1, C1	Pt. 5:2018 Pt. 3:2004 Charge Decay



Image:

6100
Coverall

ProGARM[®]
PROTECTING LIVES



SUSTAINABLE COLLECTION

FIND YOUR SIZE GUIDES ON PAGES 102-105

Image below:
JK128M Jacket



SUSTAINABLE SOURCES

TROUSER

MALE SIZES:

30"- 52" Reg leg (32"/81cm)
32"- 44" Tall leg (34"/86cm)
30"- 42" Short leg (30"/76cm)

More sizes & fits are available but are not stocked. Leadtimes will apply.

TR120M



FEMALE SIZES:

8-16 Reg leg (30"/76cm)

TR120F

Cut in a specific women's fit



- ✓ Combat pocket with flap / Safe storage space
- ✓ Mobile phone pocket / Keep your phone safe
- ✓ Side access pockets / Traditional style
- ✓ Extra wide belt loop at rear / Prevents belt riding up
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Reinforced crotch / Improved longevity
- ✓ ThermSAFE™ jeans button / Jeans style fastening
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ SafetyICON™ on leg pocket / Visual EN Standard icon system
- ✓ Rear pockets with flap / Secure storage space

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Sustainable Woven Fabric - 270gsm

PRODUCT CARE: 60/ / X / P

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018
A1, A2, B1, C1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay

EN 61482-2: 2020	EN ISO 11611: 2015	EN 13758-2:2003 +A1:2006
APC 1 ELIM = 8cal/cm²	Class 1, A1, A2	UPF 40+

BOX TEST



ARC RATING



JK128M

JACKET

SIZES: S-4XL

More sizes & fits are available but are not stocked. Leadtimes will apply.

Reflective tape, double stitched for longer life



SafetyICON™
EN Standard
identification

PRODUCT DESCRIPTION

Built for performance, this coverall blends protection, comfort, and style. A mandarin collar, extended back, and Easy-Stretch™ panels ensure all-day comfort, while secure storage pockets and gas monitor loop add practicality. Finished with durable reflective tape, ThermSAFE™ FR zipper, triple-stitched seams, and SafetyICON™ certification for trusted safety and quality.

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Sustainable Woven Fabric - 270gsm

PRODUCT CARE:      

FEATURES & BENEFITS

- ✓ Mandarin collar / Maximum neck protection
- ✓ One front pocket with zippers / Secure storage
- ✓ Gas monitor loop / Secure fixing point
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets with flaps / Prevents entry of debris
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ Extended back / Protection when bending over
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wearer comfort
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure

EN STANDARDS

				
EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020	EN ISO 11611: 2015	EN 13758-2:2003 +A1:2006
A1, A2, B1, C1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 8cal/cm²	Class 1, A1+A2	UPF 40+

BOX TEST



ARC RATING





COVERALL

MALE SIZES:

S-4XL Reg leg (31"/80cm)
M-2XL Tall leg (33"/85cm)
Short leg by re-hemming

More sizes & fits are available
but are not stocked.
Leadtimes will apply.

CV100M



Internal
elasticated
waistband for
improved fit

FEMALE SIZES:

8-16 Reg leg (29"/75cm)

CV100F

Cut in a specific women's fit



- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Chest pockets with zippers / Secure storage
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ Easy-Stretch™ side panels / Maximum wear comfort
- ✓ Action back for improved comfort
- ✓ Phone pocket on sleeve with flap / Safe and secure
- ✓ Side access pockets / With access inside the coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance

PRODUCT INFORMATION

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ Inherent Sustainable Woven Fabric - 270gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018
A1, A2, B1, C1, E1, F1	Pl. 5:2018 Pt. 3:2004 Charge Decay

EN 61482-2: 2020	EN ISO 11611: 2015
APC 1 ELIM = 8cal/cm²	Class 1, A1, A2

EN 13758-2:2003 +A1:2006
UPF 40+

BOX TEST

4KA
APC 1

ARC RATING

8 CAL
ARC 2



COVERALL

SIZES:

S-4XL Reg leg (31"/80cm)
M-2XL Tall leg (33"/85cm)

CV155M

More sizes & fits
are available but
are not stocked.
Leadtimes will apply.



Internal elasticated
waistband for
improved fit

Combat
pocket on leg

Vertical chest
pockets for use
with harnesses

- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Expandable ankle opening with zippers / Easy removal
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wearer comfort
- ✓ SafetyICON™ on arm / Visual EN Standard icon system
- ✓ 5cm heat applied reflective tape / Lighter weight
- ✓ Combat pocket on leg plus sleeve pocket / Ample space

PRODUCT INFORMATION

COLOUR: Navy/HV Yellow

FABRIC SPECIFICATION:

VXS+ Inherent Sustainable Woven Fabric - 270gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, A2, B1, C1, E1, F1	Pl. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 8cal/cm²

EN ISO 11611: 2015	EN 13758-2:2003 +A1:2006	EN ISO 20471: 2013 +A1:2016
Class 1, A1, A2	UPF 40+	Class 3

BOX TEST

4KA
APC 1

ARC RATING

8 CAL
ARC 2

TROUSER

MALE SIZES:

30"- 52" Reg leg (32"/81cm)
32"- 44" Tall leg (34"/86cm)
30"- 42" Short leg (30"/76cm)

More sizes & fits are available but are not stocked. Leadtimes will apply.

TR170M

FEMALE SIZES:

8-16 Reg leg (30"/76cm)

TR170F

Cut in a specific women's fit



Combat pocket on right leg with SafetyICON™ EN Standard identification



- ✓ Combat pocket with flap / Safe storage space
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Mobile phone pocket / Keeps your phone safe
- ✓ Side access pockets with flaps / Protects from debris entry
- ✓ Reinforced crotch / Improved longevity
- ✓ ThermSAFE™ jeans button / Jeans style fastening
- ✓ Extra wide belt loop at rear / Prevents belt riding up
- ✓ ThermSAFE™ plastic FR zipper / CE Certified
- ✓ SafetyICON™ on leg pocket / Visual EN Standards icon system
- ✓ Rear pockets with flap / Secure storage space
- ✓ Triple-stitched side seams / Lifetime quality assurance

PRODUCT INFORMATION

COLOUR: HV Yellow

FABRIC SPECIFICATION:

VXS+ Inherent Sustainable Woven Fabric - 270gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, A2, B1, C1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 8cal/cm²
EN ISO 11611: 2015	EN 13758-2:2003 +A1:2006	EN ISO 20471: 2013 +A1:2016
Class 1, A1, A2	UPF 40+	Class 2

BOX TEST



ARC RATING



COVERALL

MALE SIZES:

S-4XL Reg leg (31"/80cm)
M-2XL Tall leg (33"/85cm)

More sizes & fits are available but are not stocked. Leadtimes will apply.

CV170M

FEMALE SIZES:

8-16 Reg leg (29"/75cm)

CV170F

Cut in a specific women's fit



Featuring flame resistant ThermSAFE™ hook and loop



- ✓ Mandarin collar / Maximum neck protection
- ✓ Kneepad pockets / Wear with kneepads for extra protection
- ✓ Chest pockets with flaps / Secure storage
- ✓ Velcro® secured cuff tabs / Close fit around wrist or gloves
- ✓ Side access pockets / With entry inside coverall
- ✓ ThermSAFE™ plastic FR zippers / CE Certified
- ✓ Internal elastic 2 point adjustable waistband / Ensures close fit
- ✓ Triple-stitched side seams / Lifetime quality assurance
- ✓ Easy-Stretch™ side panels / Maximum wear comfort
- ✓ Gas monitor loop / Secure fixing point
- ✓ SafetyICON™ on arm / Visual EN Standards icon system
- ✓ 5cm FR AS reflective tape / Double stitched for longer life
- ✓ Phone pocket on sleeve with flap / Safe and secure

PRODUCT INFORMATION

COLOUR: HV Yellow

FABRIC SPECIFICATION:

VXS+ Inherent Sustainable Woven Fabric - 270gsm

PRODUCT CARE:

EN STANDARDS

EN ISO 11612: 2015	EN 1149-5: 2018	EN 61482-2: 2020
A1, A2, B1, C1, E1, F1	Pt. 5:2018 Pt. 3:2004 Charge Decay	APC 1 ELIM = 8cal/cm²
EN ISO 11611: 2015	EN 13758-2:2003 +A1:2006	EN ISO 20471: 2013 +A1:2016
Class 1, A1, A2	UPF 40+	Class 3

BOX TEST



ARC RATING



TR170M meets Class 2 and TR170F meets Class 1

HEAD PROTECTION

Image below:
2660 Safety Helmet Class 1

FRONT SWEATBAND

SIZES:
ONE SIZE

2662




- ✓ Replacement soft velour and foam sweatband for comfort and moisture absorption
- ✓ Velcro® fastening

CHIN STRAP

SIZES:
ONE SIZE

2664



- ✓ Replacement chin strap with quick release fasteners
- ✓ Adjust and 4-point fitting

BACK SWEATBAND

SIZES:
ONE SIZE

2666



- ✓ Replacement soft velour and foam sweatband for comfort and moisture absorption
- ✓ Velcro® fastening

VISOR CLEANING CLOTH

SIZES:
ONE SIZE

2672



- ✓ Replacement soft cotton cloth to clean the visor
- ✓ For use with either of ProGARM 2660, 2688 or 2690 Arc Flash helmets

STORAGE BAG

SIZES:
ONE SIZE

2677

- ✓ Storage bag to transport and protect ProGARM Arc Flash helmets and other accessories



HEAD HARNESS

SIZES:
ONE SIZE

2674



- ✓ Complete replacement 4-point harness with textile webbing, front and rear sweatbands and ratchet mechanism for practical and easy one-hand size adjustment

ZONE EAR DEFENDER ADAPTERS

SIZES:
ONE SIZE

2682



- ✓ Adaptors to fit the popular zone ear defenders to the arc helmets

2660

SAFETY HELMET CLASS 1


SIZES:
ONE SIZE



HELMET

- ✓ Stroke absorption after conditioning in temperatures of (-30°C) and (0°C)
- ✓ Resistance to penetration after conditioning in temperatures of (-30°C) and (+50°C)
- ✓ Working temperature range (-30°C) and (+50°C)
- ✓ Wheel ratchet adjustment
- ✓ Adjustable head circumference from 53-63cm
- ✓ Two level height adjustment feature
- ✓ Electrical insulation (Class 0) 1000V AC, 1500V DC
- ✓ Protection against molten metal splash - symbol MM
- ✓ Protection against lateral deformations - symbol LD

EN STANDARDS



PRODUCT INFORMATION

LIFETIME: 5 Years

SIZES: One Size

COLOURS AVAILABLE: White, Blue, Black

2668

REPLACEMENT VISOR

SIZES:
ONE SIZE




VISOR

- ✓ Level of protection 1.2 (transparent face shield)
- ✓ Level of protection 1.7 (dimmed face shield)
- ✓ Protection against droplets and splashes of liquids (3)
- ✓ Optical powers, light transmission factor, luminance factor of dispersed light Optical Class 1
- ✓ Resistance to medium energy impact (speed stroke up to 120m/s, mass of ball 0.86kg) (B)
- ✓ Protection against short circuit electric arc (8)
- ✓ Protection against thermal hazards of an electric arc, Class 1 (box test; 4kA/0.5s) VLT factor > 75% for class 0
- ✓ Protection against molten metal and hot solids (9)
- ✓ Resistance to surface damage by fine particles (K)

2695

ARC HELMET APC 2

SIZES:
ONE SIZE



HELMET

- ✓ Made of ABS
- ✓ Suitable for live working
- ✓ Smooth head circumference adjustment, range 53cm-63cm
- ✓ Helmet type (ANSI standard) - Type 1
- ✓ Lateral deformation resistance (EN Standard) - LD
- ✓ Molten metal splash resistance (EN Standard) - MM
- ✓ Resistance to penetration after conditioning in temperatures of -40°C to +60°C
- ✓ Electrical properties (EN standard) - 440 Vac
- ✓ Electrical Class O (1000 V AC/1500 V DC) according to EN 50365
- ✓ Electrical Class E (20kV AC) according to ANSI Z89.1.1
- ✓ Compliance with ANSI Z89.1; EN397; EN 50365 standards
- ✓ Approved to EN 50365 - Electrically insulating helmets for use on low voltage installation
- ✓ Approved to ANSI Z89.1 - Industrial head protection
- ✓ Improved visibility with reflective stickers
- ✓ Manufacturing date and utilisation date permanently marked

VISOR

- ✓ Protection against droplets and splashes of liquids (3)
- ✓ Resistance to UV radiation (2)
- ✓ Protection against short circuit electric arc (8)
- ✓ Resistance to medium energy impact (speed stroke up to 120m/s, mass of ball 0.86kg) (B)
- ✓ Optical powers, light transmission factor, luminance factor of dispersed light Optical class 1
- ✓ Protection against thermal hazards of an electric arc, Class 2 (box test; 7kA/0.5s) VLT factor > 75% for class 0
- ✓ Resistance to fogging (N)

EN STANDARDS

- ✓ EN 397:2012 + A1:2012
- ✓ EN 166:2001
- ✓ EN: 50365:2002
- ✓ GS-ET-29:2011-05
- ✓ ANSI/ISEA Z89.1-2014

BOX TEST



PRODUCT INFORMATION

LIFETIME: 5 Years

SIZES: One Size

COLOURS AVAILABLE:
White, Blue, Red,
Green, Yellow, Orange,
HV Yellow

2696

SAFETY HELMET CLASS 2

SIZES:
ONE SIZE



HELMET

- ✓ Made of ABS
- ✓ Suitable for live working
- ✓ Smooth head circumference adjustment, range 53cm-63cm
- ✓ Helmet type (ANSI standard) - Type 1
- ✓ Lateral deformation resistance (EN Standard) - LD
- ✓ Molten metal splash resistance (EN Standard) - MM
- ✓ Resistance to penetration after conditioning in temperatures of -40°C to +60°C
- ✓ Electrical properties (EN standard) - 440 Vac
- ✓ Electrical Class O (1000 V AC/1500 V DC) according to EN 50365
- ✓ Electrical Class E (20kV AC) according to ANSI Z89.1.1
- ✓ Compliance with ANSI Z89.1; EN397; EN 50365 standards
- ✓ Approved to EN 50365 - Electrically insulating helmets for use on low voltage installation
- ✓ Approved to ANSI Z89.1 - Industrial head protection
- ✓ Improved visibility with reflective stickers
- ✓ Manufacturing date and utilisation date permanently marked

EN STANDARDS

- ✓ EN 397:2012 + A1:2012
- ✓ EN:50365:2002
- ✓ ANSI/ISEA Z89.1-2014
- ✓ GS-ET-29:2011-05
- ✓ ASTM F2178
- ✓ EN 166:2001

BOX TEST



ARC RATING



2697

REPLACEMENT VISOR

SIZES:
ONE SIZE



VISOR

- ✓ Made from Polycarbonate
- ✓ Protection against high-speed particles - B
- ✓ Protection against droplets and splashes of liquids (3)
- ✓ Full face, chin and neck protection against thermal hazards caused by electric arc flash
- ✓ Resistance to fogging - N
- ✓ Protection against electric arc Class 2 - Box test 7kA/0.5s ATPV > 36cal/cm²
- ✓ Compliance with standards: EN 166; GS-ET-29; ASTM F2178
- ✓ Code number for ultra-violet filter (UV) - 2C-2
- ✓ Visible light transmittance (VLT) < 50% - Class 2
- ✓ Optical Class - 1
- ✓ Protection against molten metals and hot solids (9)
- ✓ Approved to ASTM F2178 - Standard specification for arc rated eye or face protective products
- ✓ Premium class anti-fog and anti-scratch protection
- ✓ Easy to wear with eyeglasses
- ✓ Incident energy - ATPV = 36cal /cm²

CHIN STRAP

- ✓ 4-point strap recommended for working at height
- ✓ Quick, clasp - easy operation with protective gloves

PRODUCT INFORMATION

LIFETIME: 5 Years

SIZES: One Size

COLOURS AVAILABLE: White, Blue, Red, Green, Yellow, Orange, HV Yellow



Image:

2696

Safety Helmet Class 2

ProGARM®
PROTECTING LIVES

ACCESSORY RANGE

Image below:
2707 G-Tek® Gloves
& 2000 Kit Bag



KIT BAG

SIZES:
ONE SIZE

2000



- ✓ Zipped front and main compartment pockets
- ✓ Internal baseboard for rigidity
- ✓ Protective base feet for longer bag life
- ✓ Detachable and adjustable shoulder strap

PRODUCT INFORMATION

SIZES: 50cm x 25cm x 25cm
(34 Litres)

COLOUR: Black

FR KNEE PADS

SIZES:
ONE SIZE

2240



- ✓ EN ISO 11612 Certified for optimum safety
- ✓ Notched sides for flexibility
- ✓ High impact absorption from high grade cellular rubber
- ✓ Wash tested to ISO 15797, 12 cycles // Perfect stability
- ✓ Excellent breathability due to air holes in the foam

PRODUCT INFORMATION

SIZES: Width: 145mm
Length: 235mm

COLOUR: Black

FR BELT

SIZES:
Waists 30"-38" (110cm)
Waists 40"-48" (130cm)

2400



2678

ARC GLOVES

SIZES:

L (9), XL (10), XXL (11)

- ✓ ARC Rated 50cm² / High ARC resistant rating
- ✓ Cut resistant / Level 2 & 3* according to ANSI/ISEA 105 Scale
- ✓ Flame resistant / Exceeds industry standards according to ASTM D6413
- ✓ Durability / 5 x more durable than traditional driver gloves

PRODUCT INFORMATION

SIZES: L (9), XL (10), XXL (11)

COLOUR: Tan

EN STANDARDS



ARC RATING



2707

G-TEK® GLOVES

SIZES:

S-2XL

- ✓ Seamless knit construction provides comfort without sacrificing dexterity
- ✓ PolyKor® blended shell with Aramid is lightweight and provides excellent dexterity, tactile sensitivity, and cut resistance while providing protection in heat resistant applications, where sparks and heat are present
- ✓ Neoprene foam coating provides a secure grip in dry, wet and oily conditions, infused with thousands of tiny suction cup pockets that create a vacuum effect that dispenses fluids away on contact

PRODUCT INFORMATION

COLOUR: Green

FABRIC SPECIFICATION:

G-Tek® PolyKor®

AR Seamless Knit PolyKor®/Aramid blend glove with neoprene foam coated grip on palm and fingers

PRODUCT CARE:

EN STANDARDS




2800

ARC COVER

SIZES:
ONE SIZE

Double stitched ThermSAFE™
reflective tape for longevity



ANCHOR



Anchor element to
allow for safe
setup of the arc cover

FR studs for attaching
multiple covers



FEATURES & BENEFITS

- ✓ Two layer construction featuring padding
- ✓ 50cm FR industrial wash reflective tape
- ✓ FR studs for attaching multiple covers
- ✓ Includes anchor point to hold cover in place
- ✓ Water resistance fabric layer
- ✓ Machine washable
- ✓ Main fabric layer tested to EN 11612 and achieves A1, B1, C1, D2, E3, F1
- ✓ Main fabric layer tested to EN 11611 and achieves Class 2
- ✓ Main fabric passes test requirements within EN 20471 and RIS-3279
- ✓ Main fabric consists of a PU membrane, making it water resistant as per EN343
- ✓ Main fabric achieves EN1149-5 charge decay
- ✓ Main fabric tested to EN13034 for chemical repellency
- ✓ Main fabric tested to arc flash as a single layer and achieves EBT50 = 22cal/cm2 and APC 1

PRODUCT INFORMATION

DIMENSIONS: 68.5cm x 50cm

COLOUR: HV Orange

TENSILE STRENGTH: 750N/1300N

TEAR RESISTANCE: 30N/50N

PRODUCT CARE:

7721

DETACHABLE HOLSTER POCKET

SIZES:
ONE SIZE

Detachable holster pocket does not meet any EN standards on its own, must be worn with 7720 combat trousers.

PRODUCT INFORMATION

SIZES: One size

COLOUR: Navy

FABRIC SPECIFICATION:

VXS+ Woven Inherent Fabric, 300gsm



8050

FR BEANIE HAT

SIZES:
ONE SIZE

ProGARM introduces new FR Beanie Hat, as part of the accessories range, ideal for wear underneath the ProGARM™. Helmet or on its own. Can be worn in conjunction with the 8300 Snood or 8100 Balaclava.

- ✓ Double layered for warmth
- ✓ Contrast threads
- ✓ Elastic fabric to fit all shapes and sizes
- ✓ FR properties last the lifetime of the fabric and do not wash out
- ✓ Ultimate protection against flame and ARC Flash hazards
- ✓ Breathable, soft to wear and fantastic to touch

PRODUCT INFORMATION

SIZES: One Size

COLOUR: Navy

PRODUCT CARE:      

EN STANDARDS

		
EN ISO 14116: 2015	EN 1149-5: 2018	EN ISO 11612: 2015
Index 3	Pt. 5:2018 Pt. 3:2004 Charge Decay	A1, B2, C2



EN STANDARDS AT A GLANCE



RIS-3279

Rail industry standard -
high visibility clothing



EN 1149-5

Protective clothing -
electrostatic properties



EN 61482-2

Protective clothing against the
thermal hazards of electric arc



EN ISO 11611

Protective clothing for use in
welding and allied processes



EN ISO 20471

High visibility clothing - testing
methods and requirements



EN ISO 14116

Protection against heat &
flame - limited flame spread



EN ISO 11612

Clothing to protect
against heat and flame



EN 13034

Protective clothing
against liquid chemicals



EN 342

Protective clothing –
protection against cold



EN 14404

Personal protective
equipment, knee protectors for
work in the kneeling position



EN 343

Protective clothing –
protection against rain



EN 13758

Ultraviolet Protection Factor
Protective clothing –
protection against UV rays



WEARER FIT GUIDES

* PRODUCT AVAILABILITY

Not all sizes are available, and lead times will apply for some fit and size combinations. Contact us to find out specific details.

JACKETS

MALE & FEMALE

PRODUCTS 4608, 5808, 5850*

UK SIZE	DE SIZE	CHEST (cm / Inches)	
XS-Small	42/44	92 - 96cm	36 - 38"
Small	44/46	96 - 103cm	38 - 40½"
Medium	46/50	103 - 113cm	40½ - 44½"
Large	50/54	113 - 123cm	44½ - 48½"
XL-Large	54/56	123 - 133cm	48½ - 52½"
2X-Large	56/60	133 - 143cm	52½ - 56½"
3X-Large	60/62	143 - 153cm	56½ - 60½"
4X-Large	62/66	153 - 163cm	60½ - 64½"
5X-Large	66/68	163 - 173cm	64½ - 68½"

PRODUCT 5805

UK SIZE	DE SIZE	CHEST (cm / Inches)	
Small	44/46	98 - 106cm	38½ - 41½"
Medium	46/50	106 - 114cm	41½ - 45"
Large	50/54	114 - 122cm	45 - 48"
XL-Large	54/56	122 - 130cm	48 - 51"
2X-Large	56/60	130 - 138cm	51 - 54½"
3X-Large	60/62	138 - 146cm	54½ - 57½"
4X-Large	62/66	146 - 154cm	57½ - 60½"
5X-Large	66/68	154 - 162cm	60½ - 63½"

HOODIE

MALE & FEMALE

PRODUCT 5530

UK SIZE	DE SIZE	CHEST (cm / Inches)	
Small	44/46	95 - 101cm	37½ - 39½"
Medium	46/50	101 - 107cm	39½ - 42"
Large	50/54	107 - 113cm	42 - 44½"
XL-Large	54/56	113 - 119cm	44½ - 47"
2X-Large	56/60	119 - 125cm	47 - 49½"
3X-Large	60/62	125 - 131cm	49½ - 51½"
4X-Large	62/66	131 - 137cm	51½ - 54"
5X-Large	66/68	137 - 143cm	54 - 56½"
6X-Large	68/70	143 - 149cm	56½ - 58½"

LINED FLEECE

MALE & FEMALE

PRODUCT 5790

UK SIZE	DE SIZE	CHEST (cm / Inches)	
Small	44/46	88 - 95cm	34½ - 37½"
Medium	46/50	95 - 105cm	37½ - 41½"
Large	50/54	105 - 115cm	41½ - 45½"
XL-Large	54/56	115 - 125cm	45½ - 49½"
2X-Large	56/60	125 - 135cm	49½ - 53½"
3X-Large	60/62	135 - 145cm	53½ - 57½"
4X-Large	62/66	145 - 155cm	57½ - 61½"
5X-Large	66/68	155 - 165cm	61½ - 65½"

POLO SHIRTS

MALE

PRODUCTS 5200, 5286, 5290, 5390, PS220M

UK SIZE	DE SIZE	CHEST (cm / Inches)	
X-Small	42/44	82 - 88cm	32 - 34½"
Small	44/46	88 - 94cm	34½ - 37"
Medium	46/50	94 - 100cm	37 - 39½"
Large	50/54	100 - 108cm	39½ - 42½"
X-Large	54/56	108 - 116cm	42½ - 45½"
2X-Large	56/60	116 - 124cm	45½ - 48½"
3X-Large	60/62	124 - 132cm	48½ - 52½"
4X-Large	62/66	132 - 140cm	52½ - 55½"
5X-Large	66/68	140 - 148cm	55½ - 58½"
6X-Large	68/70	148 - 156cm	58½ - 61½"

FEMALE

PRODUCTS 5202, 5287, 5292, 5392, PS220F

UK SIZE	DE SIZE	CHEST (cm / Inches)	
8	34	81 - 86cm	32 - 34"
10	36	86 - 91cm	34 - 36"
12	38	91 - 96cm	36 - 38"
14	40	96 - 101cm	38 - 40"
16	42	101 - 106cm	40 - 42"
18	44	106 - 111cm	42 - 44"
20	46	111 - 116cm	44 - 46"
22	48	116 - 121cm	46 - 48"
24	50	121 - 126cm	48 - 50"

BASELAYER TOP

MALE & FEMALE

PRODUCT 8210

UK SIZE	DE SIZE	CHEST (cm / Inches)	
Small	44/46	86 - 94cm	34 - 37"
Medium	48/50	94 - 102cm	37 - 40"
Large	52/54	102 - 110cm	40 - 43"
XL-Large	56/58	110 - 118cm	43 - 46½"
2X-Large	60/62	118 - 126cm	46½ - 49½"
3X-Large	64/66	126 - 134cm	49½ - 52½"
4X-Large	68/70	134 - 142cm	52½ - 56"
5X-Large	72/74	142 - 150cm	56 - 59"

BASELAYER LEGGINGS

MALE & FEMALE

PRODUCT 8220

UK SIZE	DE SIZE	WAIST (cm / Inches)	
Small	42/44	64 - 72cm	25 - 28½"
Medium	46/48	72 - 80cm	28½ - 31½"
Large	50/52	80 - 88cm	31½ - 34½"
XL-Large	54/56	88 - 96cm	34½ - 37½"
2X-Large	58/60	96 - 104cm	37½ - 41"
3X-Large	62/64	104 - 112cm	41 - 44"
4X-Large	66/68	112 - 120cm	44 - 47"
5X-Large	70/72	120 - 128cm	47 - 50½"

SWEATSHIRT

MALE & FEMALE

PRODUCTS 5626, 5630, 5648

UK SIZE	DE SIZE	CHEST (cm / Inches)	
Small	44/46	93 - 99cm	36½ - 39"
Medium	46/50	99 - 106cm	39 - 42"
Large	50/54	106 - 114cm	42 - 45"
XL-Large	54/56	114 - 122cm	45 - 48"
2X-Large	56/60	122 - 130cm	48 - 51"
3X-Large	60/62	130 - 138cm	51 - 54"
4X-Large	62/66	138 - 146cm	54 - 57"
5X-Large	66/68	146 - 154cm	57 - 60"

WATERPROOF DUNGAREES

MALE

PRODUCTS 9144, 9155

UK SIZE	DE SIZE	WAIST (cm / Inches)	
Small	50	72-80cm	28½"-31½"
Medium	52	80-88cm	31½"-34½"
Large	54	88-96cm	34½"-37½"
XL-Large	56	96-104cm	37½"-41"
2X-Large	58	104-112cm	41"-44"
3X-Large	60	112-120cm	44"-47"
4X-Large	62	120-128cm	47"-50½"

DUNGAREES

MALE

PRODUCTS 7522

UK SIZE	DE SIZE	WAIST (cm / Inches)	
30	44	75 - 80cm	29½ - 31½"
32	46	80 - 85cm	30½ - 33½"
34	48	85 - 90cm	33½ - 35½"
36	52	90 - 95cm	35½ - 37½"
38	54	95 - 100cm	37½ - 39½"
40	56	100 - 105cm	39½ - 41½"
42	58	105 - 110cm	41½ - 43½"
44	60	110 - 115cm	43½ - 45½"
46	62	115 - 120cm	45½ - 47¾"
48	64	120 - 125cm	47½ - 49½"
50	66	125 - 130cm	49½ - 51½"
52	68	130 - 135cm	51½ - 53½"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	156-170cm	5'2"-5'7"	77cm	30"
Regular	170-180cm	5'7"-5'11"	81cm	32"
Tall	180-188cm	5'11"-6'2"	85cm	34"

FEMALE

PRODUCTS 7522

UK SIZE	DE SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
6	32	60 - 65cm	23½ - 25½"	86 - 91cm	33½ - 35½"
8	34	65 - 70cm	25½ - 27½"	91 - 96cm	35½ - 37½"
10	36	70 - 75cm	27½ - 29½"	96 - 101cm	37½ - 39½"
12	38	75 - 80cm	29½ - 31½"	101 - 106cm	39½ - 41½"
14	40	80 - 85cm	31½ - 33½"	106 - 111cm	41½ - 43½"
16	42	85 - 90cm	33½ - 35½"	111 - 116cm	43½ - 45½"
18	44	90 - 95cm	35½ - 37½"	116 - 121cm	45½ - 47½"
20	46	95 - 100cm	37½ - 39½"	121 - 126cm	47½ - 49½"
22	48	100 - 105cm	39½ - 41½"	126 - 131cm	49½ - 51½"
24	50	105 - 110cm	41½ - 43½"	131 - 136cm	51½ - 53½"

GARMENT LENGTH


SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Regular	164-176cm	5'5"-5'9"	76cm	30"
Tall	176-188cm	5'9"-6'2"	79cm	31"
Extra Tall	176-188cm	5'9"-6'2"	83cm	32½"

WATERPROOF JACKET

MALE & FEMALE

PRODUCT 9150

UK SIZE	DE SIZE	CHEST (cm / Inches)	
Small	44/46	89-95cm	35"-37½"
Medium	46/50	95-101cm	37½"-39½"
Large	50/54	101-107cm	39½"-42"
XL-Large	54/56	107-113cm	42"-44½"
2X-Large	56/60	113-119cm	44½"-46½"
3X-Large	60/62	119-125cm	46½"-49"
4X-Large	62/66	125-131cm	49"-51½"
5X-Large	66/68	131-137cm	51½"-54"



MEASURING GUIDE

Measurements must be taken wearing clothing usually worn underneath waterproof outerwear. The tape measure should be fairly loose and not pulled too tight.

- ✓ **CHEST/BUST** - measure under the arms at the fullest part around the chest horizontally with arms by your side
- ✓ **WAIST** - measure around the natural waistline at the fullest part
- ✓ **SEAT/HIP** - with the feet together measure around fullest part of the hips
- ✓ **HEIGHT** - with bare feet together measure from the top of the head to the floor
- ✓ **INSIDE LEG** - in bare feet take the measurement from the top of the inside leg and measure down the inside leg to the floor

Once measurements are taken compare them to the fit guide measurement tables to find your garment size.

When fitting the trouser, if the waist and seat measurements fall into different size categories then choose the larger size to ensure the trouser is not too close fitting.

If the height and inside leg measurements fall into different length categories then choose the jacket length based on the height measurement and the trouser length based on the inside leg measurement.

Please note when using the measurement tables that all manufacturing tolerances and standard garment over-measures have been taken into account. This ensures any slight variances in manufacture or fabric shrinkage after washing will not affect the fit of the garments.

WEARER FIT GUIDES

* PRODUCT AVAILABILITY

Not all sizes are available, and lead times will apply for some fit and size combinations.
Contact us to find out specific details.

T-SHIRTS

MALE

PRODUCTS TS221M*, TS250M, TS254M, TS255M, TS259M

UK SIZE	DE SIZE	CHEST (cm / Inches)	
X-Small	42/44	78 - 86cm	30½ - 33½"
Small	44/46	86 - 94cm	33½ - 37"
Medium	46/50	94 - 102cm	37 - 40"
Large	50/54	102 - 110cm	40 - 43"
X-Large	54/56	110 - 118cm	43 - 46½"
2X-Large	56/60	118 - 126cm	46½ - 49½"
3X-Large	60/62	126 - 134cm	49½ - 52½"
4X-Large	62/66	134 - 142cm	52½ - 56"
5X-Large	66/68	142 - 150cm	56 - 59"
6X-Large	68/70	150 - 158cm	59 - 62"

FEMALE

PRODUCTS TS221F*, TS250F, TS254F, TS255F, TS259F

UK SIZE	DE SIZE	CHEST (cm / Inches)	
8	34	82 - 87cm	32 - 34"
10	36	87 - 92cm	34 - 36"
12	38	92 - 97cm	36 - 38"
14	40	97 - 102cm	38 - 40"
16	42	102 - 107cm	40 - 42"
18	44	107 - 112cm	42 - 44"
20	46	112 - 117cm	44 - 46"
22	48	117 - 122cm	46 - 48"
24	50	122 - 127cm	48 - 50"
26	52	127 - 132cm	50 - 52"

SOFTSHELL JACKET

MALE & FEMALE

PRODUCTS 9930, 9931

UK SIZE	DE SIZE	CHEST (cm / Inches)	
Small	44/46	80 - 88cm	31½ - 34½"
Medium	46/50	88 - 96cm	34½ - 37½"
Large	50/54	96 - 104cm	37½ - 41"
X-Large	54/56	104 - 112cm	41 - 44"
2X-Large	56/60	112 - 120cm	44 - 47"
3X-Large	60/62	120 - 128cm	47 - 50½"
4X-Large	62/66	128 - 136cm	50½ - 53½"

TROUSERS

MALE

PRODUCTS TR120M, TR170M, 4616, 5815*, 5816, 7418, 7638, 7715, 7720

UK SIZE	DE SIZE	WAIST (cm / Inches)	
28	42	68 - 73cm	26¾ - 28¾"
30	44	73 - 78cm	28¾ - 30¾"
32	46	78 - 83cm	30¾ - 32¾"
34	48	83 - 88cm	32¾ - 34¾"
36	52	88 - 93cm	34¾ - 36¾"
38	54	93 - 98cm	36¾ - 38¾"
40	56	98 - 103cm	38¾ - 40¾"
42	58	103 - 108cm	40¾ - 42¾"
44	60	108 - 113cm	42¾ - 44¾"
46	62	113 - 118cm	44¾ - 46¾"
48	64	118 - 123cm	46¾ - 48¾"
50	66	123 - 128cm	48¾ - 50¾"
52	68	128 - 133cm	50¾ - 52¾"
54	70	133 - 138cm	52¾ - 54¾"
56	72	138 - 143cm	54¾ - 56¾"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	156-170cm	5'2"-5'7"	76cm	30"
Regular	170-180cm	5'7"-5'11"	81cm	32"
Tall	180-188cm	5'11"-6'2"	86cm	34"

FEMALE

PRODUCTS TR120F*, TR170F*, 4614*, 5810, 5814, 7414*, 7636*, 7714

UK SIZE	DE SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
6	32	65 - 70cm	25½ - 27½"	90 - 95cm	35½ - 37½"
8	34	70 - 75cm	27½ - 29½"	95 - 100cm	37½ - 39½"
10	36	75 - 80cm	29½ - 31½"	100 - 105cm	39½ - 41½"
12	38	80 - 85cm	31½ - 33½"	105 - 110cm	41½ - 43½"
14	40	85 - 90cm	33½ - 35½"	110 - 115cm	43½ - 45½"
16	42	90 - 95cm	35½ - 37½"	115 - 120cm	45½ - 47½"
18	44	95 - 100cm	37½ - 39½"	120 - 125cm	47½ - 49½"
20	46	100 - 105cm	39½ - 41½"	125 - 130cm	49½ - 51½"
22	48	105 - 110cm	41½ - 43½"	130 - 135cm	51½ - 53½"
24	50	110 - 115cm	43½ - 45½"	135 - 140cm	53½ - 55½"
26	52	120 - 125cm	47½ - 49½"	140 - 145cm	55½ - 57½"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	152-164cm	5'0"-5'5"	70cm	27½"
Regular	164-176cm	5'5"-5'9"	75cm	29½"
Tall	176-188cm	5'9"-6'2"	80cm	31½"

COVERALLS

MALE

PRODUCTS 4690, 6100, 6444, 6458, 7480

UK SIZE	DE SIZE	CHEST (cm / Inches)	
38/Small	48	106-111cm	42-44"
40/Medium	50	111-116cm	44-46"
42	52	116-121cm	46-48"
44/Large	56	121-126cm	48-50"
46	58	126-131cm	50-52"
48/X-Large	60	131-136cm	52-54"
50	62	136-141cm	54-56"
52/2X-Large	64	141-146cm	56-58"
54	66	146-151cm	58-60"
56/3X-Large	68	151-156cm	60-62"
58	70	156-161cm	62-64"
60/4X-Large	72	161-166cm	64-66"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	156-170cm	5'2"-5'7"	75cm	29½"
Regular	170-180cm	5'7"-5'11"	80cm	31½"
Tall	180-188cm	5'11"-6'2"	85cm	33½"

PRODUCTS 4658, 4693, 6460

UK SIZE	DE SIZE	CHEST (cm / Inches)	
38/Small	48	102-107cm	40-42"
40/Medium	50	107-112cm	42-44"
42	52	112-117cm	44-46"
44/Large	56	117-122cm	46-48"
46	58	122-127cm	48-50"
48/X-Large	60	127-132cm	50-52"
50	62	132-137cm	52-54"
52/2X-Large	64	137-142cm	54-56"
54	66	142-147cm	56-58"
56/3X-Large	68	147-152cm	58-60"
58	70	152-157cm	60-62"
60/4X-Large	72	157-162cm	62-64"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	156-170cm	5'2"-5'7"	75cm	29½"
Regular	170-180cm	5'7"-5'11"	80cm	31½"
Tall	180-188cm	5'11"-6'2"	85cm	33½"

FEMALE

PRODUCTS 4692, 4694, 7482

UK SIZE	DE SIZE	CHEST (cm / Inches)	
8	36	85-90cm	33½-35½"
10	38	90-95cm	35½-37½"
12	40	95-100cm	37½-39½"
14	42	100-105cm	39½-41½"
16	44	105-110cm	41½-43½"
18	46	110-115cm	43½-45½"
20	48	115-120cm	45½-47½"
22	50	120-125cm	47½-49½"
24	52	125-130cm	49½-51½"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	152-164cm	5'0"-5'5"	70cm	27½"
Regular	164-176cm	5'5"-5'9"	75cm	29½"
Tall	176-188cm	5'9"-6'2"	80cm	31½"

PRODUCTS 6101, 6446

UK SIZE	DE SIZE	CHEST (cm / Inches)	
8	36	81-86cm	32-34"
10	38	86-91cm	34-36"
12	40	91-96cm	36-38"
14	42	96-101cm	38-40"
16	44	101-116cm	40-42"
18	46	106-111cm	42-44"
20	48	111-116cm	44-46"
22	50	116-121cm	46-48"
24	52	121-126cm	48-50"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	152-164cm	5'0"-5'5"	70cm	27½"
Regular	164-176cm	5'5"-5'9"	75cm	29½"
Tall	176-188cm	5'9"-6'2"	80cm	31½"

GEN² | APC 1 & APC 2

WEARER FIT GUIDES

JACKET

MALE

SHORT (Height 158-170cm / 62-67 Inches)

DE SIZE	24	25	26	27	28	29	30
UK SIZE	S/S	M/S	L/S	XL/S	2XL/S	3XL/S	4XL/S
CHEST	86-94cm 34"-37"	94-102cm 37"-40"	102-110cm 40"-44"	110-118cm 44"-47"	118-126cm 47"-49.5"	126-134cm 49.5"-53"	134-142cm 53"-56"
WAIST	72-80cm 28"-31.5"	80-88cm 31.5"-35"	88-96cm 35"-38"	96-104cm 38"-41"	104-112cm 41"-44"	112-120cm 44"-47"	120-128cm 47"-50.5"
SEAT	84-92cm 33"-36"	92-100cm 36"-39"	100-108cm 39"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"	124-132cm 49"-52"	132-140cm 52"-55"

REGULAR (Height 170-180cm / 67-71 Inches)

DE SIZE	44/46	48/50	52/54	56/58	60/62	64/66	68/70
UK SIZE	S/R	M/R	L/R	XL/R	2XL/R	3XL/R	4XL/R
CHEST	86-94cm 34"-37"	94-102cm 37"-40"	102-110cm 40"-44"	110-118cm 44"-47"	118-126cm 47"-49.5"	126-134cm 49.5"-53"	134-142cm 53"-56"
WAIST	72-80cm 28"-31.5"	80-88cm 31.5"-35"	88-96cm 35"-38"	96-104cm 38"-41"	104-112cm 41"-44"	112-120cm 44"-47"	120-128cm 47"-50.5"
SEAT	84-92cm 33"-36"	92-100cm 36"-39"	100-108cm 39"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"	124-132cm 49"-52"	132-140cm 52"-55"

TALL (Height 180-188cm / 71-74 Inches)

DE SIZE	90	94	98	102	106	110	114
UK SIZE	S/T	M/T	L/T	XL/T	2XL/T	3XL/T	4XL/T
CHEST	86-94cm 34"-37"	94-102cm 37"-40"	102-110cm 40"-44"	110-118cm 44"-47"	118-126cm 47"-49.5"	126-134cm 49.5"-53"	134-142cm 53"-56"
WAIST	72-80cm 28"-31.5"	80-88cm 31.5"-35"	88-96cm 35"-38"	96-104cm 38"-41"	104-112cm 41"-44"	112-120cm 44"-47"	120-128cm 47"-50.5"
SEAT	84-92cm 33"-36"	92-100cm 36"-39"	100-108cm 39"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"	124-132cm 49"-52"	132-140cm 52"-55"

JACKET

FEMALE

SHORT (Height 156-168cm / 61-66 Inches)

DE SIZE	18	19/20	21/22	23/24	25/26	27/28	29
UK SIZE	S/S	M/S	L/S	XL/S	2XL/S	3XL/S	4XL/S
BUST	84-92cm 33"-36"	92-100cm 36"-39"	100-108cm 39"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"	124-132cm 49"-52"	132-140cm 52"-55"
WAIST	68-76cm 27"-30"	76-84cm 30"-33"	84-92cm 33"-36"	92-100cm 36"-39.5"	100-108cm 39.5"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"
HIP	90-98cm 35.5"-38"	98-106cm 38"-42"	106-114cm 42"-45"	114-122cm 45"-48"	122-130cm 48"-51"	130-138cm 51"-54"	138-146cm 54"-57"

REGULAR (Height 168-178cm / 66-70 Inches)

DE SIZE	36	38/40	42/44	46/48	50/52	54/56	58
UK SIZE	S/R	M/R	L/R	XL/R	2XL/R	3XL/R	4XL/R
BUST	84-92cm 33"-36"	92-100cm 36"-39"	100-108cm 39"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"	124-132cm 49"-52"	132-140cm 52"-55"
WAIST	68-76cm 27"-30"	76-84cm 30"-33"	84-92cm 33"-36"	92-100cm 36"-39.5"	100-108cm 39.5"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"
HIP	90-98cm 35.5"-38"	98-106cm 38"-42"	106-114cm 42"-45"	114-122cm 45"-48"	122-130cm 48"-51"	130-138cm 51"-54"	138-146cm 54"-57"

TALL (Height 178-186cm / 70-73 Inches)

DE SIZE	72	76/80	84/88	92/96	100/104	108/112	116
UK SIZE	S/T	M/T	L/T	XL/T	2XL/T	3XL/T	4XL/T
BUST	84-92cm 33"-36"	92-100cm 36"-39"	100-108cm 39"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"	124-132cm 49"-52"	132-140cm 52"-55"
WAIST	68-76cm 27"-30"	76-84cm 30"-33"	84-92cm 33"-36"	92-100cm 36"-39.5"	100-108cm 39.5"-42.5"	108-116cm 42.5"-46"	116-124cm 46"-49"
HIP	90-98cm 35.5"-38"	98-106cm 38"-42"	106-114cm 42"-45"	114-122cm 45"-48"	122-130cm 48"-51"	130-138cm 51"-54"	138-146cm 54"-57"

GEN² | APC 1 & APC 2

WEARER FIT GUIDES

TROUSER

MALE

SHORT (Height 164-172cm / 65-68 Inches | Inside Leg 76cm / 30 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		UK SIZE	DE SIZE	WAIST (cm / Inches)	
28s	21	70-75cm	28"-30"	42s	29	105-110cm	42"-44"
30s	22	75-80cm	30"-32"	44s	30	110-115cm	44"-46"
32s	23	80-85cm	31"-33"	46s	31	115-120cm	46"-47"
34s	24	85-90cm	33"-35"	48s	32	120-125cm	47"-49"
35s	25	90-95cm	35"-37"	50s	33	125-130cm	49"-51"
36s	26	95-98cm	37"-39"	52s	34	130-135cm	51"-53"
38s	27	98-100cm	39"-40"	54s	35	135-140cm	53"-55"
40s	28	100-105cm	40"-42"	56s	36	140-145cm	55"-57"

REGULAR (Height 172-180cm / 68-71 Inches | Inside Leg 81cm / 32 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		UK SIZE	DE SIZE	WAIST (cm / Inches)	
28R	42	70-75cm	28"-30"	42R	58	105-110cm	42"-44"
30R	44	75-80cm	30"-32"	44R	60	110-115cm	44"-46"
32R	46	80-85cm	31"-33"	46R	62	115-120cm	46"-47"
34R	48	85-90cm	33"-35"	48R	64	120-125cm	47"-49"
35R	50	90-95cm	35"-37"	50R	66	125-130cm	49"-51"
36R	52	95-98cm	37"-39"	52R	68	130-135cm	51"-53"
38R	54	98-100cm	39"-40"	54R	70	135-140cm	53"-55"
40R	56	100-105cm	40"-42"	56R	72	140-145cm	55"-57"

TALL (Height 180-188cm / 71-74 Inches | Inside Leg 86cm / 34 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		UK SIZE	DE SIZE	WAIST (cm / Inches)	
28T	86	70-75cm	28"-30"	42T	118	105-110cm	42"-44"
30T	90	75-80cm	30"-32"	44T	122	110-115cm	44"-46"
32T	94	80-85cm	31"-33"	46T	126	115-120cm	46"-47"
34T	98	85-90cm	33"-35"	48T	130	120-125cm	47"-49"
35T	102	90-95cm	35"-37"	50T	134	125-130cm	49"-51"
36T	106	95-98cm	37"-39"	52T	138	130-135cm	51"-53"
38T	110	98-100cm	39"-40"	54T	142	135-140cm	53"-55"
40T	114	100-105cm	40"-42"	56T	146	140-145cm	55"-57"

TROUSER

FEMALE

SHORT (Height 157-164cm / 62-65 Inches | Inside Leg 76cm / 30 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
8s	17	68-73cm	27"-29"	88-93cm	34"-37"
10s	18	73-78cm	29"-31"	93-98cm	37"-39"
12s	19	78-83cm	31"-33"	98-103cm	39"-41"
14s	20	83-88cm	33"-35"	103-108cm	41"-43"
16s	21	88-93cm	35"-37"	108-113cm	43"-45"
18s	22	93-98cm	37"-39"	113-118cm	45"-47"
20s	23	98-103cm	39"-41"	118-123cm	47"-49"
22s	24	103-108cm	41"-43"	123-128cm	49"-51"
24s	25	108-113cm	43"-45"	128-133cm	51"-53"

REGULAR (Height 164-172cm / 65-68 Inches | Inside Leg 81cm / 32 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
8R	34	68-73cm	27"-29"	88-93cm	34"-37"
10R	36	73-78cm	29"-31"	93-98cm	37"-39"
12R	38	78-83cm	31"-33"	98-103cm	39"-41"
14R	40	83-88cm	33"-35"	103-108cm	41"-43"
16R	42	88-93cm	35"-37"	108-113cm	43"-45"
18R	44	93-98cm	37"-39"	113-118cm	45"-47"
20R	46	98-103cm	39"-41"	118-123cm	47"-49"
22R	48	103-108cm	41"-43"	123-128cm	49"-51"
24R	50	108-113cm	43"-45"	128-133cm	51"-53"

TALL (Height 172-180cm / 68-71 Inches | Inside Leg 86cm / 34 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
8T	68	68-73cm	27"-29"	88-93cm	34"-37"
10T	72	73-78cm	29"-31"	93-98cm	37"-39"
12T	76	78-83cm	31"-33"	98-103cm	39"-41"
14T	80	83-88cm	33"-35"	103-108cm	41"-43"
16T	84	88-93cm	35"-37"	108-113cm	43"-45"
18T	88	93-98cm	37"-39"	113-118cm	45"-47"
20T	92	98-103cm	39"-41"	118-123cm	47"-49"
22T	96	103-108cm	41"-43"	123-128cm	49"-51"
24T	100	108-113cm	43"-45"	128-133cm	51"-53"

MEASURING GUIDE

Measurements must be taken wearing clothing usually worn underneath waterproof outerwear. The tape measure should be fairly loose and not pulled too tight.


- ✓ **CHEST/BUST** - measure under the arms at the fullest part around the chest horizontally with arms by your side
- ✓ **WAIST** - measure around the natural waistline at the fullest part
- ✓ **SEAT/HIP** - with the feet together measure around fullest part of the hips
- ✓ **HEIGHT** - with bare feet together measure from the top of the head to the floor
- ✓ **INSIDE LEG** - in bare feet take the measurement from the top of the inside leg and measure down the inside leg to the floor

Once measurements are taken compare them to the fit guide measurement tables to find your garment size.

When fitting the trouser, if the waist and seat measurements fall into different size categories then choose the larger size to ensure the trouser is not too close fitting.

If the height and inside leg measurements fall into different length categories then choose the jacket length based on the height measurement and the trouser length based on the inside leg measurement.

Please note when using the measurement tables that all manufacturing tolerances and standard garment over-measures have been taken into account. This ensures any slight variances in manufacture or fabric shrinkage after washing will not affect the fit of the garments.



GEN² | APC 1 & APC 2

WEARER FIT GUIDES

DUNGAREE

MALE

SHORT (Height 164-172cm / 65-68 Inches | Inside Leg 76cm / 30 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		UK SIZE	DE SIZE	WAIST (cm / Inches)	
28s	21	70-75cm	28"-30"	42s	29	105-110cm	42"-44"
30s	22	75-80cm	30"-32"	44s	30	110-115cm	44"-46"
32s	23	80-85cm	31"-33"	46s	31	115-120cm	46"-47"
34s	24	85-90cm	33"-35"	48s	32	120-125cm	47"-49"
35s	25	90-95cm	35"-37"	50s	33	125-130cm	49"-51"
36s	26	95-98cm	37"-39"	52s	34	130-135cm	51"-53"
38s	27	98-100cm	39"-40"	54s	35	135-140cm	53"-55"
40s	28	100-105cm	40"-42"	56s	36	140-145cm	55"-57"

REGULAR (Height 172-180cm / 68-71 Inches | Inside Leg 81cm / 32 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		UK SIZE	DE SIZE	WAIST (cm / Inches)	
28R	42	70-75cm	28"-30"	42R	58	105-110cm	42"-44"
30R	44	75-80cm	30"-32"	44R	60	110-115cm	44"-46"
32R	46	80-85cm	31"-33"	46R	62	115-120cm	46"-47"
34R	48	85-90cm	33"-35"	48R	64	120-125cm	47"-49"
35R	50	90-95cm	35"-37"	50R	66	125-130cm	49"-51"
36R	52	95-98cm	37"-39"	52R	68	130-135cm	51"-53"
38R	54	98-100cm	39"-40"	54R	70	135-140cm	53"-55"
40R	56	100-105cm	40"-42"	56R	72	140-145cm	55"-57"

TALL (Height 180-188cm / 71-74 Inches | Inside Leg 86cm / 34 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		UK SIZE	DE SIZE	WAIST (cm / Inches)	
28T	86	70-75cm	28"-30"	42T	118	105-110cm	42"-44"
30T	90	75-80cm	30"-32"	44T	122	110-115cm	44"-46"
32T	94	80-85cm	31"-33"	46T	126	115-120cm	46"-47"
34T	98	85-90cm	33"-35"	48T	130	120-125cm	47"-49"
35T	102	90-95cm	35"-37"	50T	134	125-130cm	49"-51"
36T	106	95-98cm	37"-39"	52T	138	130-135cm	51"-53"
38T	110	98-100cm	39"-40"	54T	142	135-140cm	53"-55"
40T	114	100-105cm	40"-42"	56T	146	140-145cm	55"-57"

DUNGAREE

FEMALE

SHORT (Height 157-164cm / 62-65 Inches | Inside Leg 76cm / 30 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
8s	17	68-73cm	27"-29"	88-93cm	34"-37"
10s	18	73-78cm	29"-31"	93-98cm	37"-39"
12s	19	78-83cm	31"-33"	98-103cm	39"-41"
14s	20	83-88cm	33"-35"	103-108cm	41"-43"
16s	21	88-93cm	35"-37"	108-113cm	43"-45"
18s	22	93-98cm	37"-39"	113-118cm	45"-47"
20s	23	98-103cm	39"-41"	118-123cm	47"-49"
22s	24	103-108cm	41"-43"	123-128cm	49"-51"
24s	25	108-113cm	43"-45"	128-133cm	51"-53"

REGULAR (Height 164-172cm / 65-68 Inches | Inside Leg 81cm / 32 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
8R	34	68-73cm	27"-29"	88-93cm	34"-37"
10R	36	73-78cm	29"-31"	93-98cm	37"-39"
12R	38	78-83cm	31"-33"	98-103cm	39"-41"
14R	40	83-88cm	33"-35"	103-108cm	41"-43"
16R	42	88-93cm	35"-37"	108-113cm	43"-45"
18R	44	93-98cm	37"-39"	113-118cm	45"-47"
20R	46	98-103cm	39"-41"	118-123cm	47"-49"
22R	48	103-108cm	41"-43"	123-128cm	49"-51"
24R	50	108-113cm	43"-45"	128-133cm	51"-53"

TALL (Height 172-180cm / 68-71 Inches | Inside Leg 86cm / 34 Inches)

UK SIZE	DE SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
8T	68	68-73cm	27"-29"	88-93cm	34"-37"
10T	72	73-78cm	29"-31"	93-98cm	37"-39"
12T	76	78-83cm	31"-33"	98-103cm	39"-41"
14T	80	83-88cm	33"-35"	103-108cm	41"-43"
16T	84	88-93cm	35"-37"	108-113cm	43"-45"
18T	88	93-98cm	37"-39"	113-118cm	45"-47"
20T	92	98-103cm	39"-41"	118-123cm	47"-49"
22T	96	103-108cm	41"-43"	123-128cm	49"-51"
24T	100	108-113cm	43"-45"	128-133cm	51"-53"

COVERALLS

MALE

SIZE	CHEST (cm / Inches)		WAIST (cm / Inches)		SEAT (cm / Inches)	
Small	94-96cm	37-38"	83-85cm	32-33"	90-92cm	35-36"
Medium	96-106cm	38-42"	85-95cm	33-37"	92-102cm	36-40"
Large	106-116cm	42-45"	95-105cm	37-41"	102-112cm	40-44"
X-Large	116-126cm	45-49"	105-115cm	41-45"	112-122cm	44-48"
2X-Large	126-136cm	49-53"	115-125cm	45-49"	122-132cm	48-52"
3X-Large	136-146cm	53-57"	125-135cm	49-53"	132-142cm	52-56"
4X- Large	146-156cm	57-61"	135-145cm	53-57"	142-152cm	56-60"
5X-Large	156-166cm	61-65"	145-155cm	57-61"	152-162cm	60-64"
6X-Large	166-176cm	65-69"	155-165cm	61-65"	162-172cm	64-68"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	160 -170cm	5'4" - 5'7"	73cm	29"
Regular	170 -180cm	5'7" - 5'11"	78cm	31"
Tall	180-188cm	5'11"-6'2"	83cm	33"

FEMALE

SIZE	BUST (cm / Inches)		WAIST (cm / Inches)		HIP (cm / Inches)	
8	89-91cm	34-36"	73-75cm	29-30"	96-98cm	38-39"
10	91-96cm	36-38"	75-80cm	30-31"	98-103cm	39-41"
12	96-101cm	38-40"	80-85cm	31-33"	103-108cm	41-43"
14	101-106cm	40-42"	85-90cm	33-35"	108-113cm	43-44"
16	106-111cm	42-44"	90-95cm	35-37"	113-118cm	44-46"
18	111-116cm	44-46"	95-100cm	37-39"	118-123cm	46-48"
20	116-121cm	46-48"	100-105cm	39-41"	123-128cm	48-50"
22	121-126cm	48-50"	105-110cm	41-43"	128-133cm	50-52"
24	126-131cm	50-52"	110-115cm	43-45"	133-138cm	52-54"
26	131-136cm	52-54"	115-120cm	45-47"	138-143cm	54-56"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	160 -170cm	5'4" - 5'7"	73cm	29"
Regular	170 -180cm	5'7" - 5'11"	78cm	31"
Tall	180-188cm	5'11"-6'2"	84cm	33"

GORE-TEX®

WEARER FIT GUIDES

JACKET

MALE

UK SIZE	CHEST (cm / Inches)	
X-Small	84-92cm	33-36"
Small	92-100cm	36-39"
Medium	100-108cm	39-42"
Large	108-116cm	42-45"
X-Large	116-124cm	45-49"
2X-Large	124-132cm	49-52"
3X-Large	132-140cm	52-55"
4X-Large	140-148cm	55-58"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)	
Short	156-170cm	5'2"-5'7"
Regular	170-180cm	5'7"-5'11"
Tall	180-188cm	5'11"-6'2"
X-Tall	188-196cm	6'2"-6'5"
XX-Tall	196-204cm	6'5"-6'8"

FEMALE

UK SIZE	BUST (cm / Inches)	
X-Small	82-90cm	32-35"
Small	90-98cm	35-38"
Medium	98-106cm	38-42"
Large	106-114cm	42-45"
X-Large	114-122cm	45-48"
2X-Large	122-130cm	48-51"
3X-Large	130-138cm	51-54"
4X-Large	138-148cm	54-58"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)	
Short	156-170cm	5'2"-5'7"
Regular	170-180cm	5'7"-5'11"
Tall	180-188cm	5'11"-6'2"
X-Tall	188-196cm	6'2"-6'5"
XX-Tall	196-204cm	6'5"-6'8"

TROUSER

MALE

UK SIZE	WAIST (cm / Inches)		SEAT (cm / Inches)	
X-Small	68-76cm	27-30"	78-86cm	31-34"
Small	76-84cm	30-33"	86-94cm	34-37"
Medium	84-92cm	33-36"	94-102cm	37-40"
Large	92-100cm	36-39"	102-110cm	40-43"
X-Large	100-108cm	39-42"	110-118cm	43-46"
2X-Large	108-116cm	42-45"	118-126cm	46-50"
3X-Large	116-124cm	45-49"	126-134cm	49-53"
4X-Large	124-132cm	49-52"	134-142cm	53-56"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	156-170cm	5'2"-5'7"	74cm	29"
Regular	170-180cm	5'7"-5'11"	79cm	31"
Tall	180-188cm	5'11"-6'2"	84cm	33"
X-Tall	188-196cm	6'2"-6'5"	89cm	35"
XX-Tall	196-204cm	6'5"-6'8"	94cm	37"

FEMALE

UK SIZE	WAIST (cm / Inches)		HIP (cm / Inches)	
X-Small	68-76cm	27-30"	86-94cm	34-37"
Small	76-84cm	30-33"	94-102cm	37-40"
Medium	84-92cm	33-36"	102-110cm	40-43"
Large	92-100cm	36-39"	110-118cm	43-46"
X-Large	100-108cm	39-42"	118-126cm	46-50"
2X-Large	108-116cm	42-45"	126-134cm	49-53"
3X-Large	116-124cm	45-49"	134-142cm	53-56"
4X-Large	124-132cm	49-52"	142-150cm	56-59"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	156-170cm	5'2"-5'7"	74cm	29"
Regular	170-180cm	5'7"-5'11"	79cm	31"
Tall	180-188cm	5'11"-6'2"	84cm	33"
X-Tall	188-196cm	6'2"-6'5"	89cm	35"
XX-Tall	196-204cm	6'5"-6'8"	94cm	37"

COVERALLS

MALE

SIZE	CHEST (cm / Inches)		WAIST (cm / Inches)		SEAT (cm / Inches)	
X-Small	84-92cm	33-36"	68-76cm	27-30"	82-90cm	32-35"
Small	92-100cm	36-39"	76-84cm	30-33"	90-98cm	35-39"
Medium	100-108cm	39-42"	84-92cm	33-36"	98-106cm	39-42"
Large	108-116cm	42-45"	92-100cm	36-39"	106-114cm	42-45"
X-Large	116-124cm	45-49"	100-108cm	39-42"	114-122cm	45-48"
2X-Large	124-132cm	49-52"	108-116cm	42-45"	122-130cm	48-51"
3X-Large	132-140cm	52-55"	116-124cm	45-49"	130-138cm	51-54"
4X-Large	140-148cm	55-58"	124-132cm	49-52"	138-146cm	54-57"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	164-172cm	5'5"-5'8"	74cm	29"
Regular	172-180cm	5'8"-5'11"	78cm	31"
Tall	180-188cm	5'11"-6'2"	83cm	33"
X-Tall	188-196cm	6'2"-6'5"	89cm	35"
XX-Tall	196-204cm	6'5"-6'8"	94cm	37"

FEMALE

SIZE	BUST (cm / Inches)		WAIST (cm / Inches)		HIP (cm / Inches)	
X-Small	82-90cm	32-35"	66-74cm	26-29"	88-96cm	35-38"
Small	90-98cm	35-38"	74-82cm	29-32"	96-104cm	38-41"
Medium	98-106cm	38-42"	82-90cm	32-35"	104-112cm	41-44"
Large	106-114cm	42-45"	90-98cm	35-39"	112-120cm	44-47"
X-Large	114-122cm	45-48"	98-106cm	39-42"	120-128cm	47-50"
2X-Large	122-130cm	48-51"	106-114cm	42-45"	128-136cm	50-53"
3X-Large	130-138cm	51-54"	114-122cm	45-48"	136-144cm	53-57"
4X-Large	138-146cm	54-58"	122-130cm	48-51"	144-152cm	57-60"

GARMENT LENGTH

SIZE	WEARER HEIGHT (cm / Inches)		WEARER INSIDE LEG (cm / Inches)	
Short	164-172cm	5'5"-5'8"	74cm	29"
Regular	172-180cm	5'8"-5'11"	79cm	31"
Tall	180-188cm	5'11"-6'2"	84cm	33"
X-Tall	188-196cm	6'2"-6'5"	89cm	35"
XX-Tall	196-204cm	6'5"-6'8"	94cm	37"



Image:

WJ240 Jacket
WT240 Trousers

ProGARM®
PROTECTING LIVES

PRODUCT MATRIX

APC1 & APC2 COLLECTION										
										
	JK210M PAGE 24	JK210F PAGE 24	JK250M PAGE 24	JK250F PAGE 24	JK215M PAGE 25	JK215F PAGE 25	JK257M PAGE 25	JK257F PAGE 25	TR210M PAGE 26	TR210F PAGE 26
	JACKET	FEMALE JACKET	JACKET	FEMALE JACKET	JACKET	FEMALE JACKET	JACKET	FEMALE JACKET	COMBAT TROUSER	FEMALE COMBAT TROUSER
	NAVY /HV YELLOW	NAVY /HV YELLOW	NAVY /HV YELLOW	NAVY /HV YELLOW	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	NAVY /HV YELLOW	NAVY /HV YELLOW
	305 GSM	305 GSM	265 GSM	265 GSM	305 GSM	305 GSM	265 GSM	265 GSM	305 GSM	305 GSM
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING ELIM RATING									
	17 CAL/CM ²	17 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	17 CAL/CM ²	17 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	17 CAL/CM ²	17 CAL/CM ²
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING ATPV RATING									
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC BOX TEST METHOD, CLASS 1 OR 2									
	APC 2	APC 2	APC 1	APC 1	APC 2	APC 2	APC 1	APC 1	APC 2	APC 2
	CLOTHING TO PROTECT AGAINST HEAT & FLAME (LETTER 'A' LIMITED FLAME SPREAD, LETTER 'B' CONVECTIVE HEAT, LETTER 'C' RADIANT HEAT, LETTER 'D' MOLTEN ALUMINIUM SPLASH, LETTER 'E' MOLTEN IRON SPLASH, LETTER 'F' CONTACT HEAT)									
	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1
	PROTECTIVE CLOTHING WITH ELECTROSTATIC PROPERTIES									
	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
	PROTECTIVE CLOTHING FOR WELDING AND ALLIED PROCESSES (CLASS 1 OR 2)									
	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1
	HIGH VISIBILITY CLOTHING (CLASS 1, 2 OR 3)									
					CLASS 2	CLASS 2	CLASS 2	CLASS 2		
	RAIL STANDARD HIGH VISIBILITY									
	PROTECTION AGAINST RAIN									
	PROTECTION AGAINST CHEMICAL LIQUIDS									
	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT
	SOLAR UV PROTECTIVE PROPERTIES									
	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+

APC1 & APC2 COLLECTION									
									
TR250M PAGE 26	TR250F PAGE 26	TR215M PAGE 27	TR215F PAGE 27	TR257M PAGE 27	TR257F PAGE 27	DG210M PAGE 28	DG210F PAGE 28	DG250M PAGE 28	DG250F PAGE 28
COMBAT TROUSER	FEMALE COMBAT TROUSER	COMBAT TROUSER	FEMALE COMBAT TROUSER	COMBAT TROUSER	FEMALE COMBAT TROUSER	DUNGAREE	FEMALE DUNGAREE	DUNGAREE	FEMALE DUNGAREE
NAVY /HV YELLOW	NAVY /HV YELLOW	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	NAVY /HV YELLOW	NAVY /HV YELLOW	NAVY /HV YELLOW	NAVY /HV YELLOW
265 GSM	265 GSM	305 GSM	305 GSM	265 GSM	265 GSM	305 GSM	305 GSM	265 GSM	265 GSM
8 CAL/CM²	8 CAL/CM²	17 CAL/CM²	17 CAL/CM²	8 CAL/CM²	8 CAL/CM²	17 CAL/CM²	17 CAL/CM²	8 CAL/CM²	8 CAL/CM²
APC 1	APC 1	APC 2	APC 2	APC 1	APC 1	APC 2	APC 2	APC 1	APC 1
A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1
☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1
		CLASS 2	CLASS 2	CLASS 2	CLASS 2				
TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT
UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+

PRODUCT MATRIX

	APC1 & APC2 COLLECTION				GEN 2 COLLECTION					
										
	DG215M PAGE 29	DG215F PAGE 29	DG257M PAGE 29	DG257F PAGE 29	PS220M PAGE 30	PS220F PAGE 30	TS221M PAGE 30	TS221F PAGE 30	TR222M PAGE 31	TR222F PAGE 31
	DUNGAREE	FEMALE DUNGAREE	DUNGAREE	FEMALE DUNGAREE	POLO SHIRT	FEMALE POLO SHIRT	T-SHIRT	FEMALE T-SHIRT	COMBAT TROUSER	FEMALE COMBAT TROUSER
	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY
	305 GSM	305 GSM	265 GSM	265 GSM	210 GSM	210 GSM	170 GSM	170 GSM	265 GSM	265 GSM
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING. ELIM RATING				17 CAL/CM ²	17 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	5 CAL/CM ²	5 CAL/CM ²
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING. ATPV RATING				4 CAL/CM ²	4 CAL/CM ²	4 CAL/CM ²	4 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC BOX TEST METHOD, CLASS 1 OR 2				APC 2	APC 2	APC 1	APC 1	APC 1	APC 1
	CLOTHING TO PROTECT AGAINST HEAT & FLAME (LETTER 'A' LIMITED FLAME SPREAD, LETTER 'B' CONVECTIVE HEAT, LETTER 'C' RADIANT HEAT, LETTER 'D' MOLTEN ALUMINIUM SPLASH, LETTER 'E' MOLTEN IRON SPLASH, LETTER 'F' CONTACT HEAT)				A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1
	PROTECTIVE CLOTHING WITH ELECTROSTATIC PROPERTIES				✓	✓	✓	✓	✓	✓
	PROTECTIVE CLOTHING FOR WELDING AND ALLIED PROCESSES (CLASS 1 OR 2)				CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1
	HIGH VISIBILITY CLOTHING (CLASS 1, 2 OR 3)				CLASS 2	CLASS 2	CLASS 2	CLASS 2	CLASS 2	CLASS 2
	RAIL STANDARD HIGH VISIBILITY RIS 3279									
	PROTECTION AGAINST RAIN									
	PROTECTION AGAINST CHEMICAL LIQUIDS				TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT
	SOLAR UV PROTECTIVE PROPERTIES				UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+

GEN 2 COLLECTION									
									
DG222M PAGE 32	DG222F PAGE 32	TS250M PAGE 33	TS250F PAGE 33	TS254M PAGE 33	TS254F PAGE 33	TS255M PAGE 34	TS255F PAGE 34	CV255M PAGE 34	CV255F PAGE 34
DUNGAREE	FEMALE DUNGAREE	T-SHIRT	FEMALE T-SHIRT	T-SHIRT	FEMALE T-SHIRT	T-SHIRT	FEMALE T-SHIRT	COVERALL	FEMALE COVERALL
NAVY	NAVY	NAVY/YELLOW	NAVY/YELLOW	NAVY/YELLOW	NAVY/YELLOW	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY
265 GSM	265 GSM	170 GSM	170 GSM	225 GSM	225 GSM	170 GSM	170 GSM	250 GSM	250 GSM
8 CAL/CM²	8 CAL/CM²	4.1 CAL/CM²	4.1 CAL/CM²	8.3 CAL/CM²	8.3 CAL/CM²	4.1 CAL/CM²	4.1 CAL/CM²	8 CAL / CM²	8 CAL/CM²
APC 1	APC 1	APC1	APC1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1
A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, A2, B1, C1, F1	A1, A2, B1, C1, F1
☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
								CLASS 1, A1, A2	CLASS 1, A1, A2
						CLASS 2	CLASS 2	CLASS 3	CLASS 2
								TYPE 6 GARMENT	TYPE 6 GARMENT
UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+

PRODUCT MATRIX

GEN 2 COLLECTION										
										
TS259M PAGE 35	TS259F PAGE 35	TR259M PAGE 35	TR259F PAGE 35	DG259M PAGE 36	DG259F PAGE 36	TS270M PAGE 37	TS270F PAGE 37	TR270M PAGE 37	TR270F PAGE 37	
T-SHIRT	FEMALE T-SHIRT	COMBAT TROUSER	FEMALE COMBAT TROUSER	DUNGAREE	FEMALE DUNGAREE	T-SHIRT	FEMALE T-SHIRT	COMBAT TROUSER	FEMALE COMBAT TROUSER	
HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	HV YELLOW	HV YELLOW	HV YELLOW	HV YELLOW	
225 GSM	225 GSM	265 GSM	265 GSM	265 GSM	265 GSM	225 GSM	225 GSM	260 GSM	260 GSM	
 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING ELIM RATING	8.3 CAL/CM ²	8.3 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	8.3 CAL/CM ²	8.3 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²
 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING ATPV RATING										
 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC BOX TEST METHOD, CLASS 1 OR 2	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1
 CLOTHING TO PROTECT AGAINST HEAT & FLAME (LETTER 'A' LIMITED FLAME SPREAD, LETTER 'B' CONVECTIVE HEAT, LETTER 'C' RADIANT HEAT, LETTER 'D' MOLTEN ALUMINIUM SPLASH, LETTER 'E' MOLTEN IRON SPLASH, LETTER 'F' CONTACT HEAT)	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, A2, B1, C1, F1	A1, A2, B1, C1, F1
 PROTECTIVE CLOTHING WITH ELECTROSTATIC PROPERTIES	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
 PROTECTIVE CLOTHING FOR WELDING AND ALLIED PROCESSES (CLASS 1 OR 2)					CLASS 1, A1	CLASS 1, A1			CLASS 1, A1, A2	CLASS 1, A1, A2
 HIGH VISIBILITY CLOTHING (CLASS 1, 2 OR 3)	CLASS 2	CLASS 2	CLASS 1	CLASS 1	CLASS 2	CLASS 2	CLASS 3	CLASS 2	CLASS 2	CLASS 2
 RAIL STANDARD HIGH VISIBILITY RIS 3279										
 PROTECTION AGAINST RAIN										
 PROTECTION AGAINST CHEMICAL LIQUIDS										
 SOLAR UV PROTECTIVE PROPERTIES 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+

GORE-TEX® COLLECTION									
									
WJ250M PAGE 40	WJ250F PAGE 40	WT252M PAGE 41	WT252F PAGE 41	WJ240M PAGE 42	WJ240F PAGE 42	WT240M PAGE 43	WT240F PAGE 43	9505M PAGE 46	9505F PAGE 46
WATERPROOF JACKET	FEMALE WATERPROOF JACKET	WATERPROOF TROUSER	FEMALE WATERPROOF TROUSER	WATERPROOF JACKET	FEMALE WATERPROOF JACKET	WATERPROOF TROUSER	FEMALE WATERPROOF TROUSER	SWITCHING JACKET	FEMALE SWITCHING JACKET
HV YELLOW / NAVY	HV YELLOW / NAVY	HV YELLOW / NAVY	HV YELLOW / NAVY	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	GREY	GREY
320 GSM GORE-TEX PYRAD® STRETCH	320 GSM GORE-TEX PYRAD® STRETCH	320 GSM GORE-TEX PYRAD® STRETCH	320 GSM GORE-TEX PYRAD® STRETCH	320 GSM GORE-TEX PYRAD® STRETCH	320 GSM GORE-TEX PYRAD® STRETCH	320 GSM GORE-TEX PYRAD® STRETCH	320 GSM GORE-TEX PYRAD® STRETCH	320 GSM GORE-TEX® LABS	320 GSM GORE-TEX® LABS
30 CAL/CM²	30 CAL/CM²	30 CAL/CM²	30 CAL/CM²	30 CAL/CM²	30 CAL/CM²	30 CAL/CM²	30 CAL/CM²	40 CAL/CM²	40 CAL/CM²
40 CAL/CM²	40 CAL/CM²	40 CAL/CM²	40 CAL/CM²	40 CAL/CM²	40 CAL/CM²	40 CAL/CM²	40 CAL/CM²		
APC 2	APC 2	APC 2	APC 2	APC 2	APC 2	APC 2	APC 2	APC 2	APC 2
A1, B2, C2, F1	A1, B2, C2, F1	A1, B2, C2, F1	A1, B2, C2, F1	A1, B2, C2, F1	A1, B2, C2, F1	A1, B2, C2, F1	A1, B2, C2, F1	A1, B2, C1, F1	A1, B2, C1, F1
									
CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1		
CLASS 3	CLASS 3	CLASS 1	CLASS 1	CLASS 3	CLASS 3	CLASS 1	CLASS 1		
				ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2		
CLASS 4/4/X	CLASS 4/4/X	CLASS 4/4/X	CLASS 4/4/X	CLASS 4/4/X	CLASS 4/4/X	CLASS 4/4/X	CLASS 4/4/X		
TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT	TYPE PB (6) GARMENT		
UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+		

PRODUCT MATRIX

	GORE-TEX® COLLECTION			NAVY COLLECTION						
										
	9515M PAGE 47	9515F PAGE 47	9501 PAGE 48	5200 PAGE 50	5202 PAGE 50	5530 PAGE 51	5630 PAGE 52	5790 PAGE 52	5850 PAGE 53	6100 PAGE 54
	SWITCHING DUNGAREE	FEMALE SWITCHING DUNGAREE	SWITCHING HOOD	POLO SHIRT	FEMALE POLOSHIRT	HOODIE	SWEATSHIRT	LINED FLEECE	JACKET	COVERALL
	GREY	GREY	GREY	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY
 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING, ELIM RATING	320 GSM GORE-TEX® LABS	320 GSM GORE-TEX® LABS	320 GSM GORE-TEX® LABS	260 GSM	260 GSM	320 GSM	320 GSM	300 GSM + 230 GSM	250 GSM	250 GSM
	40 CAL/CM²	40 CAL/CM²	40 CAL/CM²	11 CAL/CM²	11 CAL/CM²	12 CAL/CM²	12 CAL/CM²	23 CAL/CM²	8 CAL/CM²	8 CAL/CM²
				14 CAL/CM²	14 CAL/CM²	EBT50 13.2 CAL/CM²	13 CAL/CM²	26 CAL/CM²		
	APC 2	APC 2	APC 2	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1
	 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC BOX TEST METHOD, CLASS 1 OR 2									
	 CLOTHING TO PROTECT AGAINST HEAT & FLAME (LETTER 'A' LIMITED FLAME SPREAD, LETTER 'B' CONVECTIVE HEAT, LETTER 'C' RADIANT HEAT, LETTER 'D' MOLTEN ALUMINIUM SPLASH, LETTER 'E' MOLTEN IRON SPLASH, LETTER 'F' CONTACT HEAT)	A1, B2, C1, F1	A1, B2, C1, F1	A1, B2, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C2, F1	A1, B1, C2, F1	A1, B1, C1, F1	A1, A2, B1, C1, E1, F1
	 PROTECTIVE CLOTHING WITH ELECTROSTATIC PROPERTIES	✓	✓	✓	✓	✓	✓	✓	✓	✓
	 PROTECTIVE CLOTHING FOR WELDING AND ALLIED PROCESSES (CLASS 1 OR 2)								CLASS 1, A1, A2	CLASS 1, A1, A2
	 HIGH VISIBILITY CLOTHING (CLASS 1, 2 OR 3)									
	 RAIL STANDARD HIGH VISIBILITY RIS 3279									
	 PROTECTION AGAINST RAIN									
	 PROTECTION AGAINST CHEMICAL LIQUIDS									
	 SOLAR UV PROTECTIVE PROPERTIES 40+			UPF 40+	UPF 40+		UPF 40+		UPF 40+	UPF 40+

NAVY COLLECTION				HI-VIS ORANGE COLLECTION						
										
6101 PAGE 54	7638 PAGE 55	7636 PAGE 55	9931 PAGE 55	4608 PAGE 56	4616 PAGE 57	4614 PAGE 57	4616-ARA PAGE 57	4614-ARA PAGE 57	4690 PAGE 58	4692 PAGE 58
FEMALE COVERALL	COMBAT TROUSER	FEMALE COMBAT TROUSER	SOFTSHELL JACKET	JACKET	COMBAT TROUSER	FEMALE COMBAT TROUSER	COMBAT TROUSER	FEMALE COMBAT TROUSER	COVERALL	FEMALE COVERALL
NAVY	NAVY	NAVY	NAVY	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE
250 GSM	250 GSM	250 GSM	340 GSM	290 GSM	290 GSM	290 GSM	240 GSM	240 GSM	290 GSM	290 GSM
8 CAL/CM²	8 CAL/CM²	8 CAL/CM²	23 CAL/CM²	8 CAL/CM²	8 CAL/CM²	8 CAL/CM²	6.2 CAL/CM²	6.2 CAL/CM²	8 CAL/CM²	8 CAL/CM²
			26 CAL/CM²	9.3 CAL/CM²	9.3 CAL/CM²	9.3 CAL/CM²	6.67 CAL/CM²	6.67 CAL/CM²	9.3 CAL/CM²	9.3 CAL/CM²
APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1
A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1, F1
☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2		CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1
				CLASS 3	CLASS 1	CLASS 1	CLASS 1	CLASS 1	CLASS 3	CLASS 3
				ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2
UPF 40+	UPF 40+	UPF 40+								

PRODUCT MATRIX

HI-VIS ORANGE COLLECTION										
										
	4693 PAGE 59	4694 PAGE 59	5290 PAGE 60	5292 PAGE 60	5390 PAGE 60	5648 PAGE 61	9140 PAGE 62	9144 PAGE 62	9422 PAGE 63	9622 PAGE 64
	COVERALL	FEMALE COVERALL	POLO SHIRT	FEMALE POLO SHIRT	POLO SHIRT	SWEATSHIRT	WATERPROOF JACKET	UNLINED WATERPROOF DUNGAREE	WATERPROOF JACKET	WATERPROOF SALOPETTE
	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE	HV ORANGE
	240 GSM	240 GSM	220 GSM	220 GSM	250 GSM	430 GSM	250 GSM	250 GSM	250 GSM + 120 GSM	250 GSM + 120 GSM
 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING ELIM RATING	6.2 CAL/CM ²	6.2 CAL/CM ²	5.9 CAL/CM ²	5.9 CAL/CM ²	6.2 CAL/CM ²	9.9 CAL/CM ²	9.3 CAL/CM ²	9.3 CAL/CM ²	23 CAL/CM ²	23 CAL/CM ²
 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING ATPV RATING	6.7 CAL/CM ²	6.7 CAL/CM ²	6.2 CAL/CM ²	6.3 CAL/CM ²	6.9 CAL/CM ²	14 CAL/CM ²	11 CAL/CM ²	11 CAL/CM ²	25 CAL/CM ²	25 CAL/CM ²
 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC BOX TEST METHOD, CLASS 1 OR 2	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 2	APC 2
 CLOTHING TO PROTECT AGAINST HEAT & FLAME (LETTER 'A' LIMITED FLAME SPREAD, LETTER 'B' CONVECTIVE HEAT, LETTER 'C' RADIANT HEAT, LETTER 'D' MOLTEN ALUMINIUM SPLASH, LETTER 'E' MOLTEN IRON SPLASH, LETTER 'F' CONTACT HEAT)	A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C1	A1, B1, C1	A1, B1, C1	A1, B1, C2, F1	A1, B1, C1, D1, E1, F1	A1, B1, C1, D1, E1, F1	A1, B1, C1, D1, E1, F1	A1, B1, C1, D1, E1, F1
 PROTECTIVE CLOTHING WITH ELECTROSTATIC PROPERTIES	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
 PROTECTIVE CLOTHING FOR WELDING AND ALLIED PROCESSES (CLASS 1 OR 2)	CLASS 1, A1	CLASS 1, A1					CLASS 1, A1	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1
 HIGH VISIBILITY CLOTHING (CLASS 1, 2 OR 3)	CLASS 3	CLASS 3	CLASS 3	CLASS 3	CLASS 3	CLASS 3	CLASS 3	CLASS 1	CLASS 3	CLASS 1
 RAIL STANDARD HIGH VISIBILITY	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2	ISSUE 2
 PROTECTION AGAINST RAIN							CLASS 4/3/X	CLASS 4/3/X	CLASS 4/3/X	CLASS 4/3/X
 PROTECTION AGAINST CHEMICAL LIQUIDS							TYPE 6 GARMENT	TYPE 6 GARMENT	TYPE 6 GARMENT	TYPE 6 GARMENT
 SOLAR UV PROTECTIVE PROPERTIES						UPF 40+				

HI-VIS YELLOW COLLECTION									
									
5286 PAGE 66	5287 PAGE 66	5626 PAGE 67	7418 PAGE 67	7414 PAGE 67	7480 PAGE 68	7482 PAGE 68	9150 PAGE 69	9155 PAGE 69	9720 PAGE 70
POLO SHIRT	FEMALE POLO SHIRT	SWEATSHIRT	COMBAT TROUSER	FEMALE COMBAT TROUSER	COVERALL	FEMALE COVERALL	UNLINED WATERPROOF JACKET	UNLINED WATERPROOF DUNGAREE	WATERPROOF JACKET
HV YELLOW	HV YELLOW	HV YELLOW	HV YELLOW	HV YELLOW	HV YELLOW	HV YELLOW	HV YELLOW	HV YELLOW	HV YELLOW
210 GSM	210 GSM	320 GSM	250 GSM	250 GSM	250 GSM	250 GSM	250 GSM	250 GSM	250 GSM + 120 GSM
5.6 CAL/CM ²	5.6 CAL/CM ²	12 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	9.3 CAL/CM ²	9.3 CAL/CM ²	23 CAL/CM ²
6.2 CAL/CM ²	6.2 CAL/CM ²						11 CAL/CM ²	11 CAL/CM ²	25 CAL/CM ²
APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 2
A1, B1, C1, F1	A1, B1, C1, F1	A1, B1, C2, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, B1, C1, D1, E1, F1	A1, B1, C1, D1, E1, F1	A1, B1, C1, D1, E1, F1
☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
			CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1
CLASS 3	CLASS 3	CLASS 3	CLASS 2	CLASS 2	CLASS 3	CLASS 3	CLASS 3	CLASS 3	CLASS 3
							CLASS 4/3/X	CLASS 4/3/X	CLASS 4/3/X
							TYPE 6 GARMENT	TYPE 6 GARMENT	TYPE 6 GARMENT
UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+			

PRODUCT MATRIX

	HI-VIS YELLOW		TWO TONE COLLECTION							
										
	9820 PAGE 71	9930 PAGE 72	4658 PAGE 74	5805 PAGE 75	5808 PAGE 75	5816 PAGE 76	5814 PAGE 76	5815 PAGE 76	5810 PAGE 76	6444 PAGE 77
	WATERPROOF SALOPETTE	SOFTSHELL JACKET	COVERALL	JACKET	JACKET	COMBAT TROUSER	FEMALE COMBAT TROUSER	COMBAT TROUSER	FEMALE COMBAT TROUSER	COVERALL
	HV YELLOW	HV YELLOW	HV ORANGE /NAVY	HV YELLOW /NAVY	HV YELLOW /NAVY	NAVY/ HV YELLOW	NAVY/ HV YELLOW	NAVY/ HV YELLOW	NAVY/ HV YELLOW	NAVY/ HV YELLOW
	250 GSM + 120 GSM	340 GSM	290 GSM + 240 GSM	300 GSM	300 GSM	300 GSM	300 GSM	300 GSM	300 GSM	300 GSM
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING: ELIM RATING	23 CAL/CM²	23 CAL/CM²		9 CAL/CM²	9 CAL/CM²	9 CAL/CM²	9 CAL/CM²	9 CAL/CM²	9 CAL/CM²
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING: ATPV RATING	25 CAL/CM²	EBT50 28 CAL/CM²	8 CAL/CM²	12 CAL/CM²	12 CAL/CM²	12 CAL/CM²	12 CAL/CM²	12 CAL/CM²	12 CAL/CM²
	PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC BOX TEST METHOD, CLASS 1 OR 2	APC 2	APC 2	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1
	CLOTHING TO PROTECT AGAINST HEAT & FLAME (LETTER 'A' LIMITED FLAME SPREAD, LETTER 'B' CONVECTIVE HEAT, LETTER 'C' RADIANT HEAT, LETTER 'D' MOLTEN ALUMINIUM SPLASH, LETTER 'E' MOLTEN IRON SPLASH, LETTER 'F' CONTACT HEAT)	A1, B1, C1, D1, E1, F1	A1, B1, C1, F1	A1, B1, C1, F1	A1, A2, B1, C1, D1, E1, F1	A1, A2, B1, C1, D1, E1, F1	A1, A2, B1, C1, D1, E1, F1	A1, A2, B1, C1, D1, E1, F1	A1, A2, B1, C1, D1, E1, F1	A1, A2, B1, C1, D1, E1, F1
	PROTECTIVE CLOTHING WITH ELECTROSTATIC PROPERTIES	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PROTECTIVE CLOTHING FOR WELDING AND ALLIED PROCESSES (CLASS 1 OR 2)	CLASS 1, A1		CLASS 1, A1	CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1	CLASS 1, A1	CLASS 1, A1, A2
	HIGH VISIBILITY CLOTHING (CLASS 1, 2 OR 3)	CLASS 3	CLASS 3	CLASS 3	CLASS 2			CLASS 1	CLASS 1	CLASS 3
	RAIL STANDARD HIGH VISIBILITY			ISSUE 1						
	PROTECTION AGAINST RAIN	CLASS 4/3/X								
	PROTECTION AGAINST CHEMICAL LIQUIDS	TYPE 6 GARMENT			TYPE 6 GARMENT	TYPE 6 GARMENT	TYPE 6 GARMENT	TYPE 6 GARMENT	TYPE 6 GARMENT	TYPE 6 GARMENT
	SOLAR UV PROTECTIVE PROPERTIES				UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+

TWO TONE COLLECTION			BASELAYER COLLECTION								
											
6446 PAGE 78	6458 PAGE 78	6460 PAGE 79	8100 PAGE 80	8300 PAGE 80	8210 PAGE 81	8220 PAGE 82	8400 PAGE 83	8700M PAGE 83	8700F PAGE 83	8144 PAGE 84	
FEMALE COVERALL	COVERALL	COVERALL	BALACLAVA	SNOOD	BASELAYER TOP	BASELAYER LEGGINGS	HELMET LINER	BOXER BRIEFS	FEMALE BOXER BRIEFS	FR HIJAB	
NAVY/ HV YELLOW	NAVY/ HV YELLOW	NAVY/ HV YELLOW	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY
300 GSM	240 GSM	160 GSM	220 GSM	220 GSM	220 GSM	220 GSM	220 GSM	180 GSM	180 GSM		
9 CAL/CM ²	8 CAL/CM ²	5 CAL/CM ²	3.6 CAL/CM ²	3.6 CAL/CM ²	3.6 CAL/CM ²	3.6 CAL/CM ²	3.6 CAL/CM ²				
12 CAL/CM ²		EBT50 5.8 CAL/CM ²									
APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1				
A1, A2, B1, C1, D1, E1, F1	A1, A2, B1, C1, E1, F1	A1, B1, C1, F1	A1, B1, C1	A1, B1, C1	A1, B1, C1	A1, B1, C1	A1, B1, C1	A1, B1, C1	A1, B1, C1	A1, B1, C1	A1, B1, C1
☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
CLASS 1, A1, A2	CLASS 1, A1, A2										
CLASS 3	CLASS 3	CLASS 3									
TYPE 6 GARMENT											
UPF 40+	UPF 40+										

PRODUCT MATRIX

	BASELAYERS		SUSTAINABLE COLLECTION						
									
	8770 PAGE 84	2105 PAGE 84	TR120M PAGE 86	TR120F PAGE 86	JK128M PAGE 87	CV100M PAGE 88	CV100F PAGE 88	CV155M PAGE 88	TR170M PAGE 89
	FR BRA	SOCKS	TROUSER	FEMALE TROUSER	JACKET	COVERALL	FEMALE COVERALL	COVERALL	TROUSER
	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY	NAVY/ HV YELLOW	HV YELLOW
 PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF ELECTRIC ARC OPEN ARC TEST METHOD CAL RATING, ELIM RATING	330 GSM		270 GSM	270 GSM	270 GSM	270 GSM	270 GSM	270 GSM	270 GSM
			8 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²	9 CAL/CM ²	8 CAL/CM ²
			APC 1	APC 1	APC 1	APC 1	APC 1	APC 1	APC 1
	A1, B1, C1	INDEX 3	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1
		☒	☒	☒	☒	☒	☒	☒	☒
			CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2
								CLASS 3	CLASS 2
									
									
 PROTECTION AGAINST CHEMICAL LIQUIDS									
			UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+	UPF 40+

SUSTAINABLE COLLECTION		
		
TR170F PAGE 89	CV170M PAGE 89	CV170F PAGE 89
FEMALE TROUSER	COVERALL	FEMALE COVERALL
HV YELLOW	HV YELLOW	HV YELLOW
270 GSM	270 GSM	270 GSM
8 CAL/CM ²	8 CAL/CM ²	8 CAL/CM ²
APC 1	APC 1	APC 1
A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1	A1, A2, B1, C1, E1, F1
☒	☒	☒
CLASS 1, A1, A2	CLASS 1, A1, A2	CLASS 1, A1, A2
CLASS 1	CLASS 3	CLASS 3
UPF 40+	UPF 40+	UPF 40+




Image:
5648
Sweatshirt



ProGARM United Kingdom

Dianthus Business Park, Common Lane,
Newport, Brough,
East Yorkshire,
HU15 2FT

Tel: +44 (0)1482 679600

Email: info@progarm.com

Web: www.progarm.com

Whilst every effort has been made to ensure the accuracy of all product descriptions, sizes and specifications, continual development of our product range means that certain details may change without notice.

Though we make every attempt to ensure the colours of our products are reproduced as accurately as possible, they are provided for illustrative purposes and may differ from the actual product you receive. We reserve the right to improve products from our collection without notices.

ProGARM, VXS+, ThermSAFE and SafetyICON, and any graphic devices, are all registered trademarks of ProGARM Ltd